



**BOARD OF FIRE COMMISSIONER'S
REGULAR MEETING
CITY HALL WEST, MEETING ROOM 1
THURSDAY, DECEMBER 22, 2022 AT 6:00 PM**

Join Zoom Meeting

<https://bristolct-gov.zoom.us/j/6376788682?pwd=WGh1UjdWVlFCVHVHRHNzVjRHYVtQT09>

Meeting ID: 637 678 8682

Passcode: 303484

Dial by your location:

+1 929 205 6099 US (New York)

+1 301 715 8592 US (Washington DC)

Page #

1. CALL TO ORDER

2. EMPLOYEE RECOGNITION

3. PUBLIC PARTICIPATION

4. COMMUNICATIONS

5. APPROVAL OF MEETING MINUTES

a. Fire Board Minutes from November 17, 2022 1-2

6. APPROVAL OF MONTHLY & ANNUAL REPORTS

a. Tower 1	3-5
b. Engine 1	6-9
c. Engine 2	10-11
d. Engine 3	12-14
e. Engine 4	15-17
f. Engine 5	18-20
g. Office of The Fire Marshal	21-33
h. Mechanical Division	34-35
i. Training Division	36

7. SUBCOMMITTEE REPORTS

8. APPROVAL OF THE CHIEF'S REPORT 37-43

9. OLD BUSINESS

10. NEW BUSINESS

a. 2023 Meeting Calendar 44-45

11. ADJOURN

**BOARD OF FIRE COMMISSIONERS
REGULAR MEETING
NOVEMBER 17, 2022 6:00 p.m.
CITY HALL WEST, MEETING ROOM 2**

PRESENT:

Commissioner Benvenuto
Commissioner Moore
Commissioner Howe
Commissioner Jandreau
Commissioner Crispino

ABSENT:

Mayor Caggiano, Chairman
Commissioner Kilby

1. CALL TO ORDER

Commissioner Moore called the meeting to order at 6:02 p.m.

2. EMPLOYEE RECOGNITION

None.

3. PUBLIC PARTICIPATION

None.

4. COMMUNICATIONS

None.

5. APPROVAL OF MEETING MINUTES

Commissioner Howe MOVED TO APPROVE THE MINUTES FROM THE OCTOBER 27, 2022 REGULAR FIRE BOARD MEETING AND PLACE ON FILE, Second by Commissioner Jandreau.

VOTE: UNANIMOUSLY PASSED

6. APPROVAL OF MONTHLY & ANNUAL REPORTS

Commissioner Jandreau MOVED TO APPROVE THE MONTHLY REPORTS AND PLACE ON FILE, Second by Commissioner Benvenuto.

VOTE: UNANIMOUSLY PASSED

7. SUBCOMMITTEE REPORTS

None.

8. APPROVAL OF CHIEF'S REPORT

Commissioner Jandreau MOVED TO APPROVE THE CHIEF'S MONTHLY REPORT AND PLACE ON FILE, Second by Commissioner Benvenuto.

VOTE: UNANIMOUSLY PASSED

9. OLD BUSINESS

None.

10. NEW BUSINESS

None.

11. ADJOURN

Commissioner Benvenuto MOVED TO ADJOURN, Second by Commissioner Crispino.

VOTE: UNANIMOUSLY PASSED

The regular meeting of the Board of Fire Commissioners called for the 17th day of November, 2022 was HEREBY ADJOURNED AT 6:25 p.m.

ATTEST: Kayleen Bracco

Tower 1

Monthly Report

November 2022

Summary

Tower 1 responded to 74 incidents during the month of November. This number may not be exactly accurate due to some calls not being posted in the new software. Notable calls include 1 building fire, 3 extrications at MVAs, and 2 chimney fires.

Personnel

Nothing to report.

Apparatus/Equipment

Both Tower 1 and Tower 2 went out of service at the same time in November. Tower 1 has since returned to service (as of this writing 12/2). While both apparatus were out, we borrowed an aerial apparatus from Waterbury. Tower 2 is still out of service for an oil leak and an air brake issue.

Fire Stations/Facilities

We are currently waiting on City Hall maintenance staff to fix our garbage disposal, a backed up urinal, and an issue with our new boiler.

Miscellaneous

Nothing to report.

Respectfully submitted,

James Plaster, Captain

	APPARATUS					PROPERTY	CONTENTS
PSAP CALL DATE/TIME	NAME	INCIDENT NUMBER	ADDRESS	DISPATCH TYPE	ACTUAL INCIDENT TYPE FOUND	LOST	LOST
Nov 30, 2022, 5:47 PM	Tower 1	BFD-2022-0002258	55 GAYLORD ST	F FIRE ALARM	531 - Smoke or odor removal		
Nov 30, 2022, 3:46 PM	Tower 1	BFD-2022-0002255	1033 FARMINGTON AVE	F FIRE ALARM			
Nov 30, 2022, 12:35 PM	Tower 1	BFD-2022-0002250	555 BROAD ST	F STILL ALARM	551 - Assist police or other governmental agency		
Nov 29, 2022, 4:28 PM	Tower 1	BFD-2022-0002247	343 KING ST	F STRUCTURE ALARM	445 - Arcing, shorted electrical equipment	1200	
Nov 29, 2022, 3:24 PM	Tower 1	BFD-2022-0002244	WATERBURY RD	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 29, 2022, 10:34 AM	Tower 1	BFD-2022-0002243	31 GARDEN ST	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 29, 2022, 8:29 AM	Tower 1	BFD-2022-0002242	431 MINOR ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 29, 2022, 7:03 AM	Tower 1	BFD-2022-0002241	47 UPSON ST	F FIRE ALARM	730 - System malfunction, other		
Nov 27, 2022, 11:38 PM	Tower 1	BFD-2022-0002236	6 PAUL ST	F STRUCTURE ALARM	424 - Carbon monoxide incident		
Nov 27, 2022, 10:36 PM	Tower 1	BFD-2022-0002235	85 MAIN ST	F FIRE ALARM	735 - Alarm system sounded due to malfunction		
Nov 27, 2022, 5:16 PM	Tower 1	BFD-2022-0002234	428 WITCHES ROCK RD	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 27, 2022, 12:51 AM	Tower 1	BFD-2022-0002233	100 FRANKLIN ST	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 26, 2022, 10:04 PM	Tower 1	BFD-2022-0002231	ANDREWS ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 26, 2022, 6:38 AM	Tower 1	BFD-2022-0002227	55 GRACE AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue		
Nov 25, 2022, 11:05 PM	Tower 1	BFD-2022-0002225	871 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 25, 2022, 10:07 PM	Tower 1	BFD-2022-0002222	440 PARK ST	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 25, 2022, 1:08 PM	Tower 1	BFD-2022-0002219	1 KORY LN	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 25, 2022, 12:54 PM	Tower 1	BFD-2022-0002218	895 MATTHEWS ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 24, 2022, 7:30 PM	Tower 1	BFD-2022-0002217	99 COUNCIL RING DR	F FIRE ALARM	744 - Detector activation, no fire - unintentional		
Nov 24, 2022, 12:13 AM	Tower 1	BFD-2022-0002210	RONZO RD	F STILL ALARM	460 - Accident, potential accident, other		
Nov 23, 2022, 12:52 PM	Tower 1	BFD-2022-0002205	209 BURTON ST	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 22, 2022, 11:19 PM	Tower 1	BFD-2022-0002201	100 FRANKLIN ST	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 22, 2022, 12:00 PM	Tower 1	BFD-2022-0002197	MEMORIAL BLVD	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 22, 2022, 8:29 AM	Tower 1	BFD-2022-0002196	27 MELROSE ST	F STILL ALARM	733 - Smoke detector activation due to malfunction		
Nov 22, 2022, 2:41 AM	Tower 1	BFD-2022-0002194	1400 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 21, 2022, 10:54 AM	Tower 1	BFD-2022-0002187	60 FOUNDERS DR	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 20, 2022, 10:26 PM	Tower 1	BFD-2022-0002184	400 MIDDLE ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 20, 2022, 8:57 PM	Tower 1	BFD-2022-0002183	66 BETHS AVE	F STRUCTURE ALARM	531 - Smoke or odor removal		
Nov 20, 2022, 10:28 AM	Tower 1	BFD-2022-0002179	67 WINTERGREEN RD	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	1000	0
Nov 19, 2022, 1:51 PM	Tower 1	BFD-2022-0002175	1389 STAFFORD AVE	F FIRE ALARM	730 - System malfunction, other		
Nov 18, 2022, 8:46 PM	Tower 1	BFD-2022-0002171	461 STAFFORD AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue	2000	0
Nov 17, 2022, 6:43 PM	Tower 1	BFD-2022-0002165	1660 STAFFORD AVE	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 17, 2022, 4:57 PM	Tower 1	BFD-2022-0002164	391 FALL MOUNTAIN RD	F HAZ MAT ALARM	531 - Smoke or odor removal		
Nov 17, 2022, 10:48 AM	Tower 1	BFD-2022-0002162	510 MATTHEWS ST	F STRUCTURE ALARM	112 - Fires in structure other than in a building	2500	6000
Nov 17, 2022, 6:45 AM	Tower 1	BFD-2022-0002161	43 DALLAS AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 16, 2022, 3:15 PM	Tower 1	BFD-2022-0002158	570 STAFFORD AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 15, 2022, 8:47 PM	Tower 1	BFD-2022-0002151	209 ALLENTOWN RD	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 15, 2022, 6:39 PM	Tower 1	BFD-2022-0002150	438 FARMINGTON AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 15, 2022, 3:11 PM	Tower 1	BFD-2022-0002148	83 ATKINS AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 15, 2022, 11:47 AM	Tower 1	BFD-2022-0002147	61 JUDSON AVE	F STILL ALARM	542 - Animal rescue		
Nov 14, 2022, 9:40 PM	Tower 1	BFD-2022-0002144	93 DAVIS DR	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 14, 2022, 6:28 PM	Tower 1	BFD-2022-0002143	STAFFORD AVE	F STILL ALARM	322 - Motor vehicle accident with injuries		

Nov 14, 2022, 2:54 PM	Tower 1	BFD-2022-0002142	632 KING ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 14, 2022, 12:01 PM	Tower 1	BFD-2022-0002139	750 STEVENS ST	F FIRE ALARM	740 - Unintentional transmission of alarm, other		
Nov 13, 2022, 11:52 PM	Tower 1	BFD-2022-0002138	466 STAFFORD AVE	F STILL ALARM	510 - Person in distress, other		
Nov 13, 2022, 9:22 PM	Tower 1	BFD-2022-0002137	244 SUMMER ST	F STRUCTURE ALARM	652 - Steam, vapor, fog or dust thought to be smoke		
Nov 13, 2022, 12:37 PM	Tower 1	BFD-2022-0002134	465 WOLCOTT ST	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 12, 2022, 8:17 PM	Tower 1	BFD-2022-0002133	530 STEVENS ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 12, 2022, 8:42 AM	Tower 1	BFD-2022-0002130	3 NORTH ST	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 11, 2022, 7:34 PM	Tower 1	BFD-2022-0002129	344 STEVENS ST	F STRUCTURE ALARM	111 - Building fire	1500	180
Nov 11, 2022, 5:03 PM	Tower 1	BFD-2022-0002125	641 FARMINGTON AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 11, 2022, 12:27 AM	Tower 1	BFD-2022-0002121	486 BARLOW ST	F HAZ MAT ALARM	600 - Good intent call, other		
Nov 10, 2022, 3:24 PM	Tower 1	BFD-2022-0002119	154 MEADOW ST	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 10, 2022, 2:02 PM	Tower 1	BFD-2022-0002116	67 HOLT ST	F STRUCTURE ALARM	162 - Outside equipment fire	800	800
Nov 10, 2022, 9:37 AM	Tower 1	BFD-2022-0002111	1175 FARMINGTON AVE	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	0
Nov 10, 2022, 8:28 AM	Tower 1	BFD-2022-0002110	154 MEADOW ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 9, 2022, 11:04 AM	Tower 1	BFD-2022-0002104	TERRYVILLE RD	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 9, 2022, 8:15 AM	Tower 1	BFD-2022-0002102	21 TUTTLE RD	F FIRE ALARM	710 - Malicious, mischievous false call, other		
Nov 8, 2022, 8:41 PM	Tower 1	BFD-2022-0002100	171 LAUREL ST	F RESCUE ALARM	622 - No incident found on arrival at dispatch address		
Nov 8, 2022, 3:14 PM	Tower 1	BFD-2022-0002096	434 PARK ST	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 8, 2022, 12:22 PM	Tower 1	BFD-2022-0002093	41 BREWSTER RD	F FIRE ALARM	700 - False alarm or false call, other		
Nov 8, 2022, 11:59 AM	Tower 1	BFD-2022-0002092	482 BROAD ST	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	25
Nov 8, 2022, 6:36 AM	Tower 1	BFD-2022-0002091	131 N MAIN ST	F STRUCTURE ALARM	522 - Water or steam leak		
Nov 8, 2022, 12:57 AM	Tower 1	BFD-2022-0002090	72 PROSPECT PL	F FIRE ALARM	700 - False alarm or false call, other		
Nov 7, 2022, 4:24 PM	Tower 1	BFD-2022-0002084	192 MAIN ST	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 6, 2022, 8:05 PM	Tower 1	BFD-2022-0002083	168 FAIRFIELD ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 6, 2022, 2:54 PM	Tower 1	BFD-2022-0002082	SHEILA CT	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 5, 2022, 8:29 PM	Tower 1	BFD-2022-0002075	23 Villa Ct	F STRUCTURE ALARM	154 - Dumpster or other outside trash receptacle fire	15000	0
Nov 5, 2022, 11:51 AM	Tower 1	BFD-2022-0002071	24 PEACEDALE ST	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 5, 2022, 5:48 AM	Tower 1	BFD-2022-0002066	45 WILLIS ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 4, 2022, 10:56 AM	Tower 1	BFD-2022-0002060	19 WOODMERE RD	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 4, 2022, 7:33 AM	Tower 1	BFD-2022-0002058	VINCENT P KELLY RD	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 3, 2022, 5:10 AM	Tower 1	BFD-2022-0002053	545 MIDDLE ST	F FIRE ALARM	611 - Dispatched & canceled en route		
Nov 1, 2022, 6:33 PM	Tower 1	BFD-2022-0002049	200 BLAKESLEE ST	F STILL ALARM	300 - Rescue, EMS incident, other		



Engine Company 1

November 2022 monthly report

Summary of calls for service

Engine 1 responded to 109 calls for service the past month. These included 2 structure fire, 1 chimney fire, 2 cooking fires with no extension, 2 outside or trash fires, 5 unauthorized burning complaints, 1 brush fire, 11 motor vehicle accidents, 3 motor vehicle accidents with entrapment, 1 CO investigation, 12 electrical problem investigations, 4 assist PD/EMS, 14 lock out/lock in calls, 3 gas leak investigations, 1 haz mat investigation, 24 alarm investigations, 6 good intent calls, 6 water problem investigations, 5 smoke/odor removal, 4 cancelled, 2 rescue call.

Personnel. None to report

Apparatus/Equipment. New cordless drill put on engine 1.

Fire Station/Facilities. Issues with heating system mother board being worked on. Plymovent system repaired. Vent hood for kitchen cleaned, will be examined for improvement as present system leaking grease onto ceiling. Garbage disposal not working again, repair order requested. Problem with garage door 5 being worked on. Problem with urinal overflowing, referred to City Maintenance crews.

Miscellaneous. Notable call for engine 1, tower 1 dog stuck in a drinking cup. Cup removed by B Shift crews .

Respectfully submitted.

Captain Thomas Scully

APPARATUS						PROPERTY	CONTENTS
CALL DATE & TIME	NAME	INCIDENT NUMBER	ADDRESS	DISPATCH TYPE	ACTUAL INCIDENT TYPE FOUND	LOST	LOST
Nov 30, 2022, 6:37 PM	Engine 1	BFD-2022-0002260	LAUREL ST	F STILL ALARM	323 - Motor vehicle/pedestrian accident (MV Ped)		
Nov 30, 2022, 5:47 PM	Engine 1	BFD-2022-0002258	55 GAYLORD ST	F FIRE ALARM	531 - Smoke or odor removal		
Nov 30, 2022, 4:20 PM	Engine 1	BFD-2022-0002256	OAKLAND ST	F STILL ALARM	444 - Power line down		
Nov 30, 2022, 3:46 PM	Engine 1	BFD-2022-0002255	1033 FARMINGTON AVE	F FIRE ALARM			
Nov 30, 2022, 2:57 PM	Engine 1	BFD-2022-0002252	270 OLD WOLCOTT RD	F STILL ALARM	444 - Power line down		
Nov 29, 2022, 3:24 PM	Engine 1	BFD-2022-0002244	WATERBURY RD	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 29, 2022, 8:29 AM	Engine 1	BFD-2022-0002242	431 MINOR ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 29, 2022, 7:03 AM	Engine 1	BFD-2022-0002241	47 UPSON ST	F FIRE ALARM	730 - System malfunction, other		
Nov 28, 2022, 11:53 AM	Engine 1	BFD-2022-0002240	440 PARK ST	F STILL ALARM	444 - Power line down		
Nov 28, 2022, 8:50 AM	Engine 1	BFD-2022-0002238	218 SOUTH ST EXT	F STILL ALARM	511 - Lock-out		
Nov 28, 2022, 7:52 AM	Engine 1	BFD-2022-0002237	FEDERAL ST	F STILL ALARM	622 - No incident found on arrival at dispatch address		
Nov 27, 2022, 10:36 PM	Engine 1	BFD-2022-0002235	85 MAIN ST	F FIRE ALARM	735 - Alarm system sounded due to malfunction		
Nov 27, 2022, 5:16 PM	Engine 1	BFD-2022-0002234	428 WITCHES ROCK RD	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 27, 2022, 12:51 AM	Engine 1	BFD-2022-0002233	100 FRANKLIN ST	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 26, 2022, 11:14 PM	Engine 1	BFD-2022-0002232	174 DIVINITY ST	F STILL ALARM	561 - Unauthorized burning		
Nov 26, 2022, 12:45 PM	Engine 1	BFD-2022-0002228	10 FEDERAL CT	F STILL ALARM	522 - Water or steam leak		
Nov 25, 2022, 11:05 PM	Engine 1	BFD-2022-0002225	871 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 25, 2022, 10:07 PM	Engine 1	BFD-2022-0002222	440 PARK ST	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 25, 2022, 1:08 PM	Engine 1	BFD-2022-0002219	1 KORY LN	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 25, 2022, 12:54 PM	Engine 1	BFD-2022-0002218	895 MATTHEWS ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 24, 2022, 7:30 PM	Engine 1	BFD-2022-0002217	99 COUNCIL RING DR	F FIRE ALARM	744 - Detector activation, no fire - unintentional		
Nov 24, 2022, 4:08 PM	Engine 1	BFD-2022-0002215	260 BURLINGTON AVE	F STILL ALARM	154 - Dumpster or other outside trash receptacle fire	0	0
Nov 24, 2022, 3:09 PM	Engine 1	BFD-2022-0002213	SOUTH ST	F STILL ALARM	444 - Power line down		
Nov 24, 2022, 12:47 PM	Engine 1	BFD-2022-0002212	250 JACOBS ST	F STILL ALARM	561 - Unauthorized burning		
Nov 23, 2022, 8:10 PM	Engine 1	BFD-2022-0002209	5 UPSON ST	F STILL ALARM	744 - Detector activation, no fire - unintentional		
Nov 23, 2022, 7:18 PM	Engine 1	BFD-2022-0002208	MUZZY ST	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 23, 2022, 10:24 AM	Engine 1	BFD-2022-0002204	91 HARRISON ST	F STILL ALARM	412 - Gas leak (natural gas or LPG)		
Nov 22, 2022, 11:19 PM	Engine 1	BFD-2022-0002201	100 FRANKLIN ST	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 22, 2022, 2:15 PM	Engine 1	BFD-2022-0002198	121 GEORGE ST	F STILL ALARM	511 - Lock-out		
Nov 22, 2022, 12:00 PM	Engine 1	BFD-2022-0002197	MEMORIAL BLVD	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 22, 2022, 8:29 AM	Engine 1	BFD-2022-0002196	27 MELROSE ST	F STILL ALARM	733 - Smoke detector activation due to malfunction		
Nov 22, 2022, 7:04 AM	Engine 1	BFD-2022-0002195	MEMORIAL BLVD	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 22, 2022, 2:41 AM	Engine 1	BFD-2022-0002194	1400 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 21, 2022, 6:29 PM	Engine 1	BFD-2022-0002192	123 FARMINGTON AVE	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 21, 2022, 12:50 PM	Engine 1	BFD-2022-0002190	177 PROSPECT ST	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 21, 2022, 10:54 AM	Engine 1	BFD-2022-0002187	60 FOUNDERS DR	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 20, 2022, 11:30 PM	Engine 1	BFD-2022-0002186	107 FEDERAL ST	F STILL ALARM	520 - Water problem, other		
Nov 20, 2022, 8:20 PM	Engine 1	BFD-2022-0002182	13 TULIP PL	F STILL ALARM	561 - Unauthorized burning		
Nov 20, 2022, 4:42 PM	Engine 1	BFD-2022-0002181	51 JUDD ST	F STILL ALARM	444 - Power line down		
Nov 20, 2022, 10:28 AM	Engine 1	BFD-2022-0002179	67 WINTERGREEN RD	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	1000	0
Nov 19, 2022, 1:51 PM	Engine 1	BFD-2022-0002175	1389 STAFFORD AVE	F FIRE ALARM	730 - System malfunction, other		
Nov 19, 2022, 12:48 PM	Engine 1	BFD-2022-0002174	215 NEWELL AVE	F STILL ALARM	412 - Gas leak (natural gas or LPG)		
Nov 19, 2022, 2:41 AM	Engine 1	BFD-2022-0002172	41 BREWSTER RD	F STILL ALARM	522 - Water or steam leak		
Nov 18, 2022, 7:40 PM	Engine 1	BFD-2022-0002170	192 MAIN ST	F HAZ MAT ALARM	412 - Gas leak (natural gas or LPG)		
Nov 18, 2022, 1:52 PM	Engine 1	BFD-2022-0002168	97 SOUTH ST	F STILL ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 18, 2022, 12:19 AM	Engine 1	BFD-2022-0002166	222 PARK ST	F STILL ALARM	511 - Lock-out		
Nov 17, 2022, 6:43 PM	Engine 1	BFD-2022-0002165	1660 STAFFORD AVE	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		

Nov 17, 2022, 4:57 PM	Engine 1	BFD-2022-0002164	391 FALL MOUNTAIN RD	F HAZ MAT ALARM	531 - Smoke or odor removal		
Nov 17, 2022, 10:48 AM	Engine 1	BFD-2022-0002162	510 MATTHEWS ST	F STRUCTURE ALARM	112 - Fires in structure other than in a building	2500	6000
Nov 17, 2022, 2:02 AM	Engine 1	BFD-2022-0002160	CENTER ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 16, 2022, 3:12 PM	Engine 1	BFD-2022-0002157	330 EAST RD	F HAZ MAT ALARM	424 - Carbon monoxide incident		
Nov 16, 2022, 11:49 AM	Engine 1	BFD-2022-0002155	105 WEST ST	F STILL ALARM	511 - Lock-out		
Nov 16, 2022, 10:08 AM	Engine 1	BFD-2022-0002154	20 UNION ST	F STILL ALARM	511 - Lock-out		
Nov 15, 2022, 8:47 PM	Engine 1	BFD-2022-0002151	209 ALLENTOWN RD	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 15, 2022, 6:39 PM	Engine 1	BFD-2022-0002150	438 FARMINGTON AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 15, 2022, 5:36 PM	Engine 1	BFD-2022-0002149	36 CENTER ST	F STILL ALARM	551 - Assist police or other governmental agency		
Nov 15, 2022, 3:11 PM	Engine 1	BFD-2022-0002148	83 ATKINS AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 15, 2022, 11:47 AM	Engine 1	BFD-2022-0002147	61 JUDSON AVE	F STILL ALARM	542 - Animal rescue		
Nov 15, 2022, 12:31 AM	Engine 1	BFD-2022-0002146	3 NORTH ST	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 14, 2022, 9:40 PM	Engine 1	BFD-2022-0002144	93 DAVIS DR	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 14, 2022, 2:54 PM	Engine 1	BFD-2022-0002142	632 KING ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 14, 2022, 12:01 PM	Engine 1	BFD-2022-0002139	750 STEVENS ST	F FIRE ALARM	740 - Unintentional transmission of alarm, other		
Nov 13, 2022, 9:22 PM	Engine 1	BFD-2022-0002137	244 SUMMER ST	F STRUCTURE ALARM	652 - Steam, vapor, fog or dust thought to be smoke		
Nov 13, 2022, 7:38 PM	Engine 1	BFD-2022-0002136	3 NORTH ST	F STILL ALARM	611 - Dispatched & canceled en route		
Nov 13, 2022, 12:37 PM	Engine 1	BFD-2022-0002134	465 WOLCOTT ST	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 12, 2022, 8:17 PM	Engine 1	BFD-2022-0002133	530 STEVENS ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 12, 2022, 3:58 PM	Engine 1	BFD-2022-0002132	34 CYPRESS ST	F STILL ALARM	444 - Power line down		
Nov 12, 2022, 1:07 PM	Engine 1	BFD-2022-0002131	416 PARK ST	F STILL ALARM	511 - Lock-out		
Nov 12, 2022, 8:42 AM	Engine 1	BFD-2022-0002130	3 NORTH ST	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 11, 2022, 7:34 PM	Engine 1	BFD-2022-0002129	344 STEVENS ST	F STRUCTURE ALARM	111 - Building fire	1500	180
Nov 11, 2022, 6:33 PM	Engine 1	BFD-2022-0002127	54 FARMINGTON AVE	F STILL ALARM	511 - Lock-out		
Nov 11, 2022, 5:40 PM	Engine 1	BFD-2022-0002126	166 QUEEN ST	F STILL ALARM	511 - Lock-out		
Nov 11, 2022, 5:03 PM	Engine 1	BFD-2022-0002125	641 FARMINGTON AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 11, 2022, 12:27 AM	Engine 1	BFD-2022-0002121	486 BARLOW ST	F HAZ MAT ALARM	600 - Good intent call, other		
Nov 10, 2022, 3:24 PM	Engine 1	BFD-2022-0002119	154 MEADOW ST	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 10, 2022, 2:38 PM	Engine 1	BFD-2022-0002117	60 OAKRIDGE RD	F STILL ALARM	142 - Brush or brush-and-grass mixture fire	0	0
Nov 10, 2022, 1:30 PM	Engine 1	BFD-2022-0002115	15 RIVERSIDE AVE	F STILL ALARM	511 - Lock-out		
Nov 10, 2022, 12:32 PM	Engine 1	BFD-2022-0002114	125 QUEEN ST	F STILL ALARM	511 - Lock-out		
Nov 10, 2022, 9:37 AM	Engine 1	BFD-2022-0002111	1175 FARMINGTON AVE	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	0
Nov 10, 2022, 8:28 AM	Engine 1	BFD-2022-0002110	154 MEADOW ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 9, 2022, 2:29 PM	Engine 1	BFD-2022-0002106	214 PROSPECT ST	F HAZ MAT ALARM	540 - Animal problem, other		
Nov 9, 2022, 11:04 AM	Engine 1	BFD-2022-0002104	TERRYVILLE RD	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 9, 2022, 8:15 AM	Engine 1	BFD-2022-0002102	21 TUTTLE RD	F FIRE ALARM	710 - Malicious, mischievous false call, other		
Nov 8, 2022, 10:38 PM	Engine 1	BFD-2022-0002101	3 NORTH ST	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 8, 2022, 8:41 PM	Engine 1	BFD-2022-0002100	171 LAUREL ST	F RESCUE ALARM	622 - No incident found on arrival at dispatch address		
Nov 8, 2022, 4:51 PM	Engine 1	BFD-2022-0002099	434 PARK ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 8, 2022, 3:14 PM	Engine 1	BFD-2022-0002096	434 PARK ST	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 8, 2022, 2:34 PM	Engine 1	BFD-2022-0002095	250 JACOBS ST	F STILL ALARM	118 - Trash or rubbish fire, contained	0	0
Nov 8, 2022, 12:22 PM	Engine 1	BFD-2022-0002093	41 BREWSTER RD	F FIRE ALARM	700 - False alarm or false call, other		
Nov 8, 2022, 11:59 AM	Engine 1	BFD-2022-0002092	482 BROAD ST	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	25
Nov 8, 2022, 6:36 AM	Engine 1	BFD-2022-0002091	131 N MAIN ST	F STRUCTURE ALARM	522 - Water or steam leak		
Nov 8, 2022, 12:49 AM	Engine 1	BFD-2022-0002089	3 NORTH ST	F STILL ALARM	510 - Person in distress, other		
Nov 7, 2022, 11:39 PM	Engine 1	BFD-2022-0002088	1 DIVINITY ST	F STILL ALARM	611 - Dispatched & canceled en route		
Nov 7, 2022, 4:24 PM	Engine 1	BFD-2022-0002084	192 MAIN ST	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 6, 2022, 8:05 PM	Engine 1	BFD-2022-0002083	168 FAIRFIELD ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 6, 2022, 12:31 PM	Engine 1	BFD-2022-0002080	30 CEMETERY AVE	F STILL ALARM	511 - Lock-out		

Nov 5, 2022, 8:29 PM	Engine 1	BFD-2022-0002075	23 Villa Ct	F STRUCTURE ALARM	154 - Dumpster or other outside trash receptacle fire	15000	0
Nov 5, 2022, 11:51 AM	Engine 1	BFD-2022-0002071	24 PEACEDALE ST	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 5, 2022, 11:02 AM	Engine 1	BFD-2022-0002070	75 UNION ST	F STILL ALARM	511 - Lock-out		
Nov 5, 2022, 5:48 AM	Engine 1	BFD-2022-0002066	45 WILLIS ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 4, 2022, 7:32 PM	Engine 1	BFD-2022-0002065	35 ELM ST	F STILL ALARM	561 - Unauthorized burning		
Nov 4, 2022, 4:43 PM	Engine 1	BFD-2022-0002064	125 WEST ST	F STILL ALARM	511 - Lock-out		
Nov 4, 2022, 1:37 PM	Engine 1	BFD-2022-0002062	121 FARMINGTON AVE	F STILL ALARM	511 - Lock-out		
Nov 4, 2022, 10:56 AM	Engine 1	BFD-2022-0002060	19 WOODMERE RD	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 4, 2022, 8:59 AM	Engine 1	BFD-2022-0002059	5 CENTER ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 3, 2022, 5:10 AM	Engine 1	BFD-2022-0002053	545 MIDDLE ST	F FIRE ALARM	611 - Dispatched & canceled en route		
Nov 2, 2022, 3:08 PM	Engine 1	BFD-2022-0002052	11 STEARNS ST	F STILL ALARM	561 - Unauthorized burning		
Nov 1, 2022, 2:27 PM	Engine 1	BFD-2022-0002048	67 ATKINS AVE	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 1, 2022, 9:18 AM	Engine 1	BFD-2022-0002047	67 FIELD ST	F STILL ALARM	440 - Electrical wiring/equipment problem, other		

Engine Company 2

Monthly Report

November, 2022

Summary

Station 2 Personnel responded to 39 calls for service and performed 11 company area surveys in November. Personnel had a busy month training. All personnel spent the month completing class and testing for Health and Safety Officer, improving driving skills, and participating in tours of the Covanta trash to energy plant.

Personnel

Deputy Chiefs continue rotating probationary firefighters through E2.

Apparatus/Equipment

There were no issues with Engine 2. The engine is being prepared for winter weather. There were no issues with the brush truck or boat.

Fire Stations/Facilities

A problem with a heater in the bay was noted and passed along to public works. The blower motor is not functioning and needs replacing.

I have been in contact with facilities manager David Oaks regarding upcoming budgetary items. In the next fiscal year we are looking to replace old windows, interior and exterior painting projects, and sealing cracks on the front ramp.

Miscellaneous

I'm extremely proud of Station 2 personnel. Everyone has hit their stride since promotions in July and continue to improve in their new positions. We continue to train hard and improve every day. It is a privilege to be the captain of this well qualified team.

Respectfully submitted,
Captain Todd Cutler

APPARATUS					PROPERTY	CONTENTS
PSAP CALL DATE/TIME	NAME	INCIDENT NUMBER	DISPATCH TYPE	ACTUAL INCIDENT TYPE FOUND	LOST	LOST
Nov 30, 2022, 6:43 PM	Engine 2	BFD-2022-0002261	F STILL ALARM	400 - Hazardous condition, other		
Nov 30, 2022, 5:47 PM	Engine 2	BFD-2022-0002258	F FIRE ALARM	531 - Smoke or odor removal		
Nov 30, 2022, 4:22 PM	Engine 2	BFD-2022-0002257	F STILL ALARM	400 - Hazardous condition, other		
Nov 30, 2022, 3:16 PM	Engine 2	BFD-2022-0002254	F STILL ALARM	400 - Hazardous condition, other		
Nov 30, 2022, 3:08 PM	Engine 2	BFD-2022-0002253	F STILL ALARM	400 - Hazardous condition, other		
Nov 30, 2022, 9:53 AM	Engine 2	BFD-2022-0002248	F STILL ALARM	561 - Unauthorized burning		
Nov 29, 2022, 8:29 AM	Engine 2	BFD-2022-0002242	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 29, 2022, 7:03 AM	Engine 2	BFD-2022-0002241	F FIRE ALARM	730 - System malfunction, other		
Nov 27, 2022, 10:36 PM	Engine 2	BFD-2022-0002235	F FIRE ALARM	735 - Alarm system sounded due to malfunction		
Nov 27, 2022, 5:16 PM	Engine 2	BFD-2022-0002234	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 27, 2022, 12:51 AM	Engine 2	BFD-2022-0002233	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 26, 2022, 1:17 PM	Engine 2	BFD-2022-0002229	F STILL ALARM	600 - Good intent call, other		
Nov 25, 2022, 11:05 PM	Engine 2	BFD-2022-0002225	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 25, 2022, 1:08 PM	Engine 2	BFD-2022-0002219	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 25, 2022, 12:54 PM	Engine 2	BFD-2022-0002218	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 22, 2022, 11:19 PM	Engine 2	BFD-2022-0002201	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 22, 2022, 8:29 AM	Engine 2	BFD-2022-0002196	F STILL ALARM	733 - Smoke detector activation due to malfunction		
Nov 20, 2022, 10:28 AM	Engine 2	BFD-2022-0002179	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	1000	0
Nov 17, 2022, 4:57 PM	Engine 2	BFD-2022-0002164	F HAZ MAT ALARM	531 - Smoke or odor removal		
Nov 17, 2022, 10:48 AM	Engine 2	BFD-2022-0002162	F STRUCTURE ALARM	112 - Fires in structure other than in a building	2500	6000
Nov 15, 2022, 8:47 PM	Engine 2	BFD-2022-0002151	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 15, 2022, 3:11 PM	Engine 2	BFD-2022-0002148	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 14, 2022, 12:47 PM	Engine 2	BFD-2022-0002140	F STILL ALARM	511 - Lock-out		
Nov 13, 2022, 9:22 PM	Engine 2	BFD-2022-0002137	F STRUCTURE ALARM	652 - Steam, vapor, fog or dust thought to be smoke		
Nov 13, 2022, 12:37 PM	Engine 2	BFD-2022-0002134	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 11, 2022, 12:27 AM	Engine 2	BFD-2022-0002121	F HAZ MAT ALARM	600 - Good intent call, other		
Nov 10, 2022, 3:24 PM	Engine 2	BFD-2022-0002119	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 10, 2022, 10:31 AM	Engine 2	BFD-2022-0002112	F STILL ALARM	511 - Lock-out		
Nov 10, 2022, 8:28 AM	Engine 2	BFD-2022-0002110	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 9, 2022, 11:05 AM	Engine 2	BFD-2022-0002103	F HAZ MAT ALARM	600 - Good intent call, other		
Nov 9, 2022, 8:15 AM	Engine 2	BFD-2022-0002102	F FIRE ALARM	710 - Malicious, mischievous false call, other		
Nov 8, 2022, 3:14 PM	Engine 2	BFD-2022-0002096	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 8, 2022, 12:22 PM	Engine 2	BFD-2022-0002093	F FIRE ALARM	700 - False alarm or false call, other		
Nov 8, 2022, 6:36 AM	Engine 2	BFD-2022-0002091	F STRUCTURE ALARM	522 - Water or steam leak		
Nov 8, 2022, 12:57 AM	Engine 2	BFD-2022-0002090	F FIRE ALARM	700 - False alarm or false call, other		
Nov 6, 2022, 8:05 PM	Engine 2	BFD-2022-0002083	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 5, 2022, 11:51 AM	Engine 2	BFD-2022-0002071	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 2, 2022, 7:00 AM	Engine 2	BFD-2022-0002051	F STILL ALARM	445 - Arcing, shorted electrical equipment		

Engine 3 Monthly Report November 2022

Summary

- Engine 3 responded to 51 call for service in the month of November. These responses included a structure fire, two chimney fires, a number of fire alarms and numerous other service calls. We had our first cold snap of weather so residents are using their heat for the first time this year. As a result we seemed to have an increase in CO related calls this month.
- Members continue to train and conduct area surveys and preplans of target hazards in our response area.

Personnel

- We continue to train the recruit members assigned to station 3. We are focusing on driver training with FF Palin working on the skill and education needed for the Q license test. FF Duval was detailed to station three to get cleared as a driver. He will return to his regular station once his training is completed.

Apparatus/Equipment

- Engine 8 OOS
- New Engine 3 has arrived and is at station 4. As the equipment arrives the radio, tools and other items are being mounted in preparation for it be put in service.

Fire Stations/Facilities

- The wall in front of the Fire station was struck and damaged. During the first freeze a vehicle left the road and struck the wall and rock out front. Fortunately no one was injured but the vehicle was not drivable and was towed away.
- The new Fire Station 3 committee met for the first time. The seven members will work to oversee the design and building of the new fire station.

Miscellaneous

- The members have taken the Health and safety test after completing the program last month. This program helps to increase awareness about safety issues creating a healthier and safer department.

Respectfully submitted,
Craig Henderson,
Captain Station 3

APPARATUS						PROPERTY	CONTENTS
PSAP CALL DATE/TIME	NAME	INCIDENT NUMBER	ADDRESS	DISPATCH TYPE	ACTUAL INCIDENT TYPE FOUND	LOST	LOST
Nov 30, 2022, 6:21 PM	Engine 3	BFD-2022-0002259	27 GENOVESE DR	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 30, 2022, 3:46 PM	Engine 3	BFD-2022-0002255	1033 FARMINGTON AVE	F FIRE ALARM			
Nov 29, 2022, 4:28 PM	Engine 3	BFD-2022-0002247	343 KING ST	F STRUCTURE ALARM	445 - Arcing, shorted electrical equipment	1200	
Nov 29, 2022, 3:46 PM	Engine 3	BFD-2022-0002245	16 JEANNETTE ST	F STILL ALARM	561 - Unauthorized burning		
Nov 29, 2022, 10:34 AM	Engine 3	BFD-2022-0002243	31 GARDEN ST	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 28, 2022, 10:52 AM	Engine 3	BFD-2022-0002239	WASHINGTON ST	F STILL ALARM	444 - Power line down		
Nov 27, 2022, 11:38 PM	Engine 3	BFD-2022-0002236	6 PAUL ST	F STRUCTURE ALARM	424 - Carbon monoxide incident		
Nov 26, 2022, 10:04 PM	Engine 3	BFD-2022-0002231	ANDREWS ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 26, 2022, 6:38 AM	Engine 3	BFD-2022-0002227	55 GRACE AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue		
Nov 25, 2022, 10:54 PM	Engine 3	BFD-2022-0002223	Broad St	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 24, 2022, 7:30 PM	Engine 3	BFD-2022-0002217	99 COUNCIL RING DR	F FIRE ALARM	744 - Detector activation, no fire - unintentional		
Nov 23, 2022, 4:44 PM	Engine 3	BFD-2022-0002207	975 FARMINGTON AVE	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 23, 2022, 12:52 PM	Engine 3	BFD-2022-0002205	209 BURTON ST	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 23, 2022, 7:59 AM	Engine 3	BFD-2022-0002202	57 PRESTON ST	F HAZ MAT ALARM	736 - CO detector activation due to malfunction		
Nov 22, 2022, 5:49 PM	Engine 3	BFD-2022-0002199	604 PINE ST	F STILL ALARM	561 - Unauthorized burning		
Nov 22, 2022, 2:41 AM	Engine 3	BFD-2022-0002194	1400 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 21, 2022, 6:56 PM	Engine 3	BFD-2022-0002193	1174 FARMINGTON AVE	F STILL ALARM	600 - Good intent call, other		
Nov 21, 2022, 10:54 AM	Engine 3	BFD-2022-0002187	60 FOUNDERS DR	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 20, 2022, 11:06 PM	Engine 3	BFD-2022-0002185	29 ANDERSON AVE	F STILL ALARM	331 - Lock-in (if lock out , use 511)		
Nov 20, 2022, 8:57 PM	Engine 3	BFD-2022-0002183	66 BETHS AVE	F STRUCTURE ALARM	531 - Smoke or odor removal		
Nov 19, 2022, 11:07 PM	Engine 3	BFD-2022-0002178	BARNES HWY	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 19, 2022, 2:08 PM	Engine 3	BFD-2022-0002176	1200 FARMINGTON AVE	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 19, 2022, 1:51 PM	Engine 3	BFD-2022-0002175	1389 STAFFORD AVE	F FIRE ALARM	730 - System malfunction, other		
Nov 18, 2022, 8:46 PM	Engine 3	BFD-2022-0002171	461 STAFFORD AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or 1	2000	0
Nov 18, 2022, 1:40 PM	Engine 3	BFD-2022-0002167	2 CONSTANCE LN	F STILL ALARM	511 - Lock-out		
Nov 17, 2022, 6:43 PM	Engine 3	BFD-2022-0002165	1660 STAFFORD AVE	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 17, 2022, 6:45 AM	Engine 3	BFD-2022-0002161	43 DALLAS AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 16, 2022, 3:15 PM	Engine 3	BFD-2022-0002158	570 STAFFORD AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 16, 2022, 7:59 AM	Engine 3	BFD-2022-0002153	670 Pine St	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 16, 2022, 7:15 AM	Engine 3	BFD-2022-0002152	81 CHURCH AVE	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 15, 2022, 6:39 PM	Engine 3	BFD-2022-0002150	438 FARMINGTON AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 14, 2022, 9:40 PM	Engine 3	BFD-2022-0002144	93 DAVIS DR	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 14, 2022, 2:54 PM	Engine 3	BFD-2022-0002142	632 KING ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 14, 2022, 12:01 PM	Engine 3	BFD-2022-0002139	750 STEVENS ST	F FIRE ALARM	740 - Unintentional transmission of alarm, other		
Nov 12, 2022, 8:17 PM	Engine 3	BFD-2022-0002133	530 STEVENS ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 11, 2022, 7:34 PM	Engine 3	BFD-2022-0002129	344 STEVENS ST	F STRUCTURE ALARM	111 - Building fire	1500	180
Nov 11, 2022, 5:03 PM	Engine 3	BFD-2022-0002125	641 FARMINGTON AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 11, 2022, 10:49 AM	Engine 3	BFD-2022-0002123	17 BROAD ST	F STILL ALARM	142 - Brush or brush-and-grass mixture fire		
Nov 10, 2022, 2:02 PM	Engine 3	BFD-2022-0002116	67 HOLT ST	F STRUCTURE ALARM	162 - Outside equipment fire	800	800
Nov 10, 2022, 9:37 AM	Engine 3	BFD-2022-0002111	1175 FARMINGTON AVE	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	0
Nov 9, 2022, 7:12 PM	Engine 3	BFD-2022-0002108	67 BROOK ST	F STILL ALARM	522 - Water or steam leak		
Nov 9, 2022, 3:34 PM	Engine 3	BFD-2022-0002107	747 PINE ST	F HAZ MAT ALARM	600 - Good intent call, other		

Nov 8, 2022, 11:59 AM	Engine 3	BFD-2022-0002092	482 BROAD ST	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	25
Nov 7, 2022, 7:37 PM	Engine 3	BFD-2022-0002086	28 STAFFORD AVE	F HAZ MAT ALARM	320 - Emergency medical service incident, other		
Nov 6, 2022, 1:16 AM	Engine 3	BFD-2022-0002077	CENTRAL ST	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 5, 2022, 8:29 PM	Engine 3	BFD-2022-0002075	23 Villa Ct	F STRUCTURE ALARM	154 - Dumpster or other outside trash receptacle fi	15000	0
Nov 5, 2022, 1:56 PM	Engine 3	BFD-2022-0002072	90 Daley St	F STILL ALARM	561 - Unauthorized burning		
Nov 5, 2022, 10:58 AM	Engine 3	BFD-2022-0002069	462 WASHINGTON ST	F STILL ALARM	141 - Forest, woods or wildland fire	0	0
Nov 4, 2022, 12:12 PM	Engine 3	BFD-2022-0002061	380 KING ST	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 4, 2022, 10:56 AM	Engine 3	BFD-2022-0002060	19 WOODMERE RD	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 3, 2022, 5:10 AM	Engine 3	BFD-2022-0002053	545 MIDDLE ST	F FIRE ALARM	611 - Dispatched & canceled en route		

Engine 4
Monthly Report
November 2022

Summary Engine 4 responded to 58 calls for service in November. Oliver Wolcott Technical School continued work on the roof ventilation prop. The Bristol Community Emergency Response Team (CERT Team) used the training room for a Cardio Pulmonary Resuscitation (CPR) refresher class. Southington Fire Department used the Training Tower for ladder operations.

Personnel Probationary Firefighters Sean Burke, A Shift, Joe Neary, C Shift and Brian Woodford, D Shift spent the month November at Station 4. All shifts at Station 4 underwent Health Safety Officer testing. All shifts at Station 4 conducted a facility tour of the Covanta trash to energy plant.

Apparatus/ Equipment Engine 4 remains in service and Engine 6 remains available as a spare.

Fire Station/ Miscellaneous Synergy Fire Alarm replaced 4 combination smoke/ carbon monoxide detectors, one in each of the bunk rooms. Northeast Generator serviced the Station 4 house generator and it was found to be in good working order. David Oakes from Public Works is working with an electrical contractor to repair 3 bay lights. Public Works painted a wall in the kitchen.

Respectfully submitted,

Scott McKearney

Scott McKearney, Captain

APPARATUS						PROPERTY	CONTENTS
PSAP CALL DATE/TIME	NAME	INCIDENT NUMBER	ADDRESS	DISPATCH TYPE	ACTUAL INCIDENT TYPE FOUND	LOST	LOST
Nov 30, 2022, 5:47 PM	Engine 4	BFD-2022-0002258	55 GAYLORD ST	F FIRE ALARM	531 - Smoke or odor removal		
Nov 30, 2022, 12:35 PM	Engine 4	BFD-2022-0002250	555 BROAD ST	F STILL ALARM	551 - Assist police or other governmental agency		
Nov 30, 2022, 11:34 AM	Engine 4	BFD-2022-0002249	420 EMMETT ST	F STILL ALARM	511 - Lock-out		
Nov 29, 2022, 4:28 PM	Engine 4	BFD-2022-0002247	343 KING ST	F STRUCTURE ALARM	445 - Arcing, shorted electrical equipment	1200	
Nov 29, 2022, 3:55 PM	Engine 4	BFD-2022-0002246	101 LAKE AVE	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 29, 2022, 10:34 AM	Engine 4	BFD-2022-0002243	31 GARDEN ST	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 29, 2022, 7:03 AM	Engine 4	BFD-2022-0002241	47 UPSON ST	F FIRE ALARM	730 - System malfunction, other		
Nov 27, 2022, 11:38 PM	Engine 4	BFD-2022-0002236	6 PAUL ST	F STRUCTURE ALARM	424 - Carbon monoxide incident		
Nov 27, 2022, 10:36 PM	Engine 4	BFD-2022-0002235	85 MAIN ST	F FIRE ALARM	735 - Alarm system sounded due to malfunction		
Nov 27, 2022, 5:16 PM	Engine 4	BFD-2022-0002234	428 WITCHES ROCK RD	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 26, 2022, 6:38 AM	Engine 4	BFD-2022-0002227	55 GRACE AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue		
Nov 25, 2022, 11:05 PM	Engine 4	BFD-2022-0002225	871 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 25, 2022, 10:54 PM	Engine 4	BFD-2022-0002223	Broad St	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 25, 2022, 1:08 PM	Engine 4	BFD-2022-0002219	1 KORY LN	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 24, 2022, 3:15 PM	Engine 4	BFD-2022-0002214	RONZO RD	F STILL ALARM	600 - Good intent call, other		
Nov 24, 2022, 3:01 AM	Engine 4	BFD-2022-0002211	RONZO RD	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 24, 2022, 12:13 AM	Engine 4	BFD-2022-0002210	RONZO RD	F STILL ALARM	460 - Accident, potential accident, other		
Nov 23, 2022, 9:33 AM	Engine 4	BFD-2022-0002203	148 DINO RD	F HAZ MAT ALARM	746 - Carbon monoxide detector activation, no CO		
Nov 22, 2022, 12:00 PM	Engine 4	BFD-2022-0002197	MEMORIAL BLVD	F STILL ALARM	352 - Extrication of victim(s) from vehicle		
Nov 22, 2022, 8:29 AM	Engine 4	BFD-2022-0002196	27 MELROSE ST	F STILL ALARM	733 - Smoke detector activation due to malfunction		
Nov 21, 2022, 12:20 PM	Engine 4	BFD-2022-0002188	371 EMMETT ST	F STILL ALARM	520 - Water problem, other		
Nov 21, 2022, 10:54 AM	Engine 4	BFD-2022-0002187	60 FOUNDERS DR	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 20, 2022, 10:26 PM	Engine 4	BFD-2022-0002184	400 MIDDLE ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 20, 2022, 8:57 PM	Engine 4	BFD-2022-0002183	66 BETHS AVE	F STRUCTURE ALARM	531 - Smoke or odor removal		
Nov 19, 2022, 11:07 PM	Engine 4	BFD-2022-0002178	BARNES HWY	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 18, 2022, 8:46 PM	Engine 4	BFD-2022-0002171	461 STAFFORD AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue	2000	0
Nov 17, 2022, 4:57 PM	Engine 4	BFD-2022-0002164	391 FALL MOUNTAIN RD	F HAZ MAT ALARM	531 - Smoke or odor removal		
Nov 17, 2022, 2:40 PM	Engine 4	BFD-2022-0002163	246 POITRAS RD	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 17, 2022, 6:45 AM	Engine 4	BFD-2022-0002161	43 DALLAS AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 16, 2022, 3:15 PM	Engine 4	BFD-2022-0002158	570 STAFFORD AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 15, 2022, 8:47 PM	Engine 4	BFD-2022-0002151	209 ALLENTOWN RD	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 15, 2022, 3:11 PM	Engine 4	BFD-2022-0002148	83 ATKINS AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 14, 2022, 2:54 PM	Engine 4	BFD-2022-0002142	632 KING ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 13, 2022, 9:22 PM	Engine 4	BFD-2022-0002137	244 SUMMER ST	F STRUCTURE ALARM	652 - Steam, vapor, fog or dust thought to be smoke		
Nov 13, 2022, 12:37 PM	Engine 4	BFD-2022-0002134	465 WOLCOTT ST	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 11, 2022, 6:47 PM	Engine 4	BFD-2022-0002128	700 MOUNTAIN RD	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 11, 2022, 3:42 PM	Engine 4	BFD-2022-0002124	700 MOUNTAIN RD	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 11, 2022, 9:41 AM	Engine 4	BFD-2022-0002122	234 LAKE AVE	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 10, 2022, 3:24 PM	Engine 4	BFD-2022-0002119	154 MEADOW ST	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 10, 2022, 2:02 PM	Engine 4	BFD-2022-0002116	67 HOLT ST	F STRUCTURE ALARM	162 - Outside equipment fire	800	800
Nov 10, 2022, 8:28 AM	Engine 4	BFD-2022-0002110	154 MEADOW ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 9, 2022, 8:15 AM	Engine 4	BFD-2022-0002102	21 TUTTLE RD	F FIRE ALARM	710 - Malicious, mischievous false call, other		
Nov 8, 2022, 3:58 PM	Engine 4	BFD-2022-0002098	53 FAIRVIEW AVE	F STILL ALARM	444 - Power line down		
Nov 8, 2022, 11:59 AM	Engine 4	BFD-2022-0002092	482 BROAD ST	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	25

Nov 8, 2022, 6:36 AM	Engine 4	BFD-2022-0002091	131 N MAIN ST	F STRUCTURE ALARM	522 - Water or steam leak		
Nov 8, 2022, 12:57 AM	Engine 4	BFD-2022-0002090	72 PROSPECT PL	F FIRE ALARM	700 - False alarm or false call, other		
Nov 5, 2022, 8:29 PM	Engine 4	BFD-2022-0002075	23 Villa Ct	F STRUCTURE ALARM	154 - Dumpster or other outside trash receptacle fire	15000	0
Nov 5, 2022, 5:48 PM	Engine 4	BFD-2022-0002073	74 BRODERICK RD	F STILL ALARM	445 - Arcing, shorted electrical equipment		
Nov 5, 2022, 10:58 AM	Engine 4	BFD-2022-0002069	462 WASHINGTON ST	F STILL ALARM	141 - Forest, woods or wildland fire	0	0
Nov 5, 2022, 10:39 AM	Engine 4	BFD-2022-0002068	22 LOIS ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 5, 2022, 7:18 AM	Engine 4	BFD-2022-0002067	74 BRODERICK RD	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 4, 2022, 2:26 PM	Engine 4	BFD-2022-0002063	197 BLAKESLEE ST	F STILL ALARM	142 - Brush or brush-and-grass mixture fire	0	0
Nov 4, 2022, 10:56 AM	Engine 4	BFD-2022-0002060	19 WOODMERE RD	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 4, 2022, 7:33 AM	Engine 4	BFD-2022-0002058	VINCENT P KELLY RD	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 3, 2022, 2:46 PM	Engine 4	BFD-2022-0002055	30 DONNA LN	F STILL ALARM	561 - Unauthorized burning		
Nov 3, 2022, 5:10 AM	Engine 4	BFD-2022-0002053	545 MIDDLE ST	F FIRE ALARM	611 - Dispatched & canceled en route		
Nov 1, 2022, 6:33 PM	Engine 4	BFD-2022-0002049	200 BLAKESLEE ST	F STILL ALARM	300 - Rescue, EMS incident, other		
Nov 1, 2022, 9:06 AM	Engine 4	BFD-2022-0002046	527 MIDDLE ST	F STILL ALARM	511 - Lock-out		

ENGINE COMPANY #5

MONTHLY REPORT

NOVEMBER 2022

SUMMARY

Engine 5 responded to 70 calls for service in the month of November. Calls for service included 2 building fires, 2 chimney fires, 1 vehicle fire, 10 motor vehicle accidents both with and without injuries including 1 involving extrication, 2 carbon monoxide incidents, 7 commercial fire alarms, 6 residential alarms, and several miscellaneous calls for PD and EMS assists along with lockouts and unauthorized burnings. Company surveys are continuing weather permitting to continue to familiarize our newer members with the response area along with driving training.

PERSONNEL

Nothing to report at this time.

APPARATUS/EQUIPMENT

Engine 5 was taken out of service for several weeks due to the ongoing issues that the vehicle was having. It was delivered to Gowan's and Knight in Watertown to have all issues repaired. The water leaks that have been issues for several months were addressed and repaired. The diesel fuel leak was also repaired and has since stopped leaking onto the apparatus floor. All of the much awaited A/C parts were installed and addressed. The apparatus was also completely gone through to repair all of the air leaks that were taking place. Engine 5 was returned to service at the end of the month but sustained some minor body damage while in transit back from Gowan's and Knight. A bolt was also found in the driver side inner tire upon return. Tire was replaced. Engine 7 was used while Engine 5 was out for repairs and performed very well without incident or issue. Support 1 was sent to Headquarters for an undetermined amount of time while both Ladder Trucks are out of service.

FIRE STATIONS/FACILITIES

Station 5 had several items addressed in the month of November. The hood and vent system in the kitchen was professionally cleaned by HOODZ from Terryville. The toilet in the men's room was briefly taken out of service and repaired by Dave Oakes's crew. The urinal in the men's room was also put back into service after the handle and valve were replaced. The deteriorated wooden ramp on the shed was rebuilt by Dave Oakes. Lastly I requested through Dave to replace the stationary down light on the A/B corner of the building with a new hard wired spotlight to light up the flag in the front yard. It is connected to a switch in the front office. Dave continues to very attentive to all needs and issues.

MISCELLANEOUS

Station 5 personnel participated in two STEP program presentations in the month of November. One was presented at Edgewood School and the other at Mountain View School. Okee as always was a big hit with the students at Mountain View. All companies spent a couple of hours on a facility tour of Covanta trash to energy plant. I think everyone took some good information away from it.

RESPECTFULLY SUBMITTED,

CAPTAIN BRIAN D'AMATO

	APPARATUS					PROPERTY	CONTENTS
PSAP CALL DATE/TIME	NAME	INCIDENT NUMBER	ADDRESS	DISPATCH TYPE	ACTUAL INCIDENT TYPE FOUND	LOST	LOST
Nov 30, 2022, 3:46 PM	Engine 5	BFD-2022-0002255	1033 FARMINGTON AVE	F FIRE ALARM			
Nov 29, 2022, 4:28 PM	Engine 5	BFD-2022-0002247	343 KING ST	F STRUCTURE ALARM	445 - Arcing, shorted electrical equipment	1200	
Nov 29, 2022, 10:34 AM	Engine 5	BFD-2022-0002243	31 GARDEN ST	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 29, 2022, 8:29 AM	Engine 5	BFD-2022-0002242	431 MINOR ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 27, 2022, 11:38 PM	Engine 5	BFD-2022-0002236	6 PAUL ST	F STRUCTURE ALARM	424 - Carbon monoxide incident		
Nov 27, 2022, 12:51 AM	Engine 5	BFD-2022-0002233	100 FRANKLIN ST	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 26, 2022, 2:35 PM	Engine 5	BFD-2022-0002230	SUNNYRIDGE DR	F STILL ALARM	622 - No incident found on arrival at dispatch address		
Nov 26, 2022, 6:38 AM	Engine 5	BFD-2022-0002227	55 GRACE AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue		
Nov 25, 2022, 11:19 PM	Engine 5	BFD-2022-0002226	285 RAMBLER ST	F HAZ MAT ALARM	440 - Electrical wiring/equipment problem, other		
Nov 25, 2022, 11:04 PM	Engine 5	BFD-2022-0002224	14 HANNAH ST	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 25, 2022, 5:23 PM	Engine 5	BFD-2022-0002221	92 VINCENT RD	F STILL ALARM	561 - Unauthorized burning		
Nov 25, 2022, 2:26 PM	Engine 5	BFD-2022-0002220	510 STAFFORD AVE	F STILL ALARM	331 - Lock-in (if lock out , use 511)		
Nov 25, 2022, 12:54 PM	Engine 5	BFD-2022-0002218	895 MATTHEWS ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 24, 2022, 7:30 PM	Engine 5	BFD-2022-0002217	99 COUNCIL RING DR	F FIRE ALARM	744 - Detector activation, no fire - unintentional		
Nov 24, 2022, 7:15 PM	Engine 5	BFD-2022-0002216	500 STAFFORD AVE	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 23, 2022, 3:57 PM	Engine 5	BFD-2022-0002206	578 KING ST	F FIRE ALARM	740 - Unintentional transmission of alarm, other		
Nov 22, 2022, 11:19 PM	Engine 5	BFD-2022-0002201	100 FRANKLIN ST	F FIRE ALARM	731 - Sprinkler activation due to malfunction		
Nov 22, 2022, 2:41 AM	Engine 5	BFD-2022-0002194	1400 FARMINGTON AVE	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 21, 2022, 6:20 PM	Engine 5	BFD-2022-0002191	1149 FARMINGTON AVE	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 21, 2022, 12:36 PM	Engine 5	BFD-2022-0002189	STEVENS ST	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 20, 2022, 8:57 PM	Engine 5	BFD-2022-0002183	66 BETHS AVE	F STRUCTURE ALARM	531 - Smoke or odor removal		
Nov 20, 2022, 11:45 AM	Engine 5	BFD-2022-0002180	52 SHEILA CT	F STILL ALARM	511 - Lock-out		
Nov 20, 2022, 10:28 AM	Engine 5	BFD-2022-0002179	67 WINTERGREEN RD	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	1000	0
Nov 19, 2022, 4:41 PM	Engine 5	BFD-2022-0002177	572 BROOK ST	F STILL ALARM	331 - Lock-in (if lock out , use 511)		
Nov 19, 2022, 1:51 PM	Engine 5	BFD-2022-0002175	1389 STAFFORD AVE	F FIRE ALARM	730 - System malfunction, other		
Nov 19, 2022, 7:40 AM	Engine 5	BFD-2022-0002173	1053 FARMINGTON AVE	F STILL ALARM	622 - No incident found on arrival at dispatch address		
Nov 18, 2022, 8:46 PM	Engine 5	BFD-2022-0002171	461 STAFFORD AVE	F STRUCTURE ALARM	114 - Chimney or flue fire, confined to chimney or flue	2000	0
Nov 18, 2022, 3:35 PM	Engine 5	BFD-2022-0002169	685 FARMINGTON AVE	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 17, 2022, 6:43 PM	Engine 5	BFD-2022-0002165	1660 STAFFORD AVE	F STRUCTURE ALARM	251 - Excessive heat, scorch burns with no ignition		
Nov 17, 2022, 10:48 AM	Engine 5	BFD-2022-0002162	510 MATTHEWS ST	F STRUCTURE ALARM	112 - Fires in structure other than in a building	2500	6000
Nov 17, 2022, 6:45 AM	Engine 5	BFD-2022-0002161	43 DALLAS AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 17, 2022, 1:13 AM	Engine 5	BFD-2022-0002159	97 BOARDMAN ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 16, 2022, 3:15 PM	Engine 5	BFD-2022-0002158	570 STAFFORD AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 16, 2022, 12:33 PM	Engine 5	BFD-2022-0002156	STEVENS ST	F STILL ALARM	463 - Vehicle accident, general cleanup		
Nov 15, 2022, 6:39 PM	Engine 5	BFD-2022-0002150	438 FARMINGTON AVE	F STRUCTURE ALARM	116 - Fuel burner/boiler malfunction, fire confined	0	0
Nov 14, 2022, 9:40 PM	Engine 5	BFD-2022-0002144	93 DAVIS DR	F FIRE ALARM	733 - Smoke detector activation due to malfunction		
Nov 14, 2022, 6:28 PM	Engine 5	BFD-2022-0002143	STAFFORD AVE	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 14, 2022, 2:35 PM	Engine 5	BFD-2022-0002141	131 LEWIS RD	F HAZ MAT ALARM	600 - Good intent call, other		
Nov 14, 2022, 12:01 PM	Engine 5	BFD-2022-0002139	750 STEVENS ST	F FIRE ALARM	740 - Unintentional transmission of alarm, other		
Nov 13, 2022, 11:52 PM	Engine 5	BFD-2022-0002138	466 STAFFORD AVE	F STILL ALARM	510 - Person in distress, other		
Nov 13, 2022, 5:53 PM	Engine 5	BFD-2022-0002135	20 DANBURY LN	F STILL ALARM	131 - Passenger vehicle fire	3000	0
Nov 12, 2022, 8:17 PM	Engine 5	BFD-2022-0002133	530 STEVENS ST	F FIRE ALARM	745 - Alarm system activation, no fire - unintentional		
Nov 11, 2022, 7:34 PM	Engine 5	BFD-2022-0002129	344 STEVENS ST	F STRUCTURE ALARM	111 - Building fire	1500	180
Nov 11, 2022, 5:03 PM	Engine 5	BFD-2022-0002125	641 FARMINGTON AVE	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		

Nov 11, 2022, 12:27 AM	Engine 5	BFD-2022-0002121	486 BARLOW ST	F HAZ MAT ALARM	600 - Good intent call, other		
Nov 10, 2022, 4:02 PM	Engine 5	BFD-2022-0002120	1221 STAFFORD AVE	F STILL ALARM	561 - Unauthorized burning		
Nov 10, 2022, 3:15 PM	Engine 5	BFD-2022-0002118	25 BRACE AVE	F STILL ALARM	511 - Lock-out		
Nov 10, 2022, 2:02 PM	Engine 5	BFD-2022-0002116	67 HOLT ST	F STRUCTURE ALARM	162 - Outside equipment fire	800	800
Nov 10, 2022, 11:18 AM	Engine 5	BFD-2022-0002113	9 BLUE MEADOW RD	F STILL ALARM	440 - Electrical wiring/equipment problem, other		
Nov 10, 2022, 9:37 AM	Engine 5	BFD-2022-0002111	1175 FARMINGTON AVE	F STRUCTURE ALARM	113 - Cooking fire, confined to container	0	0
Nov 9, 2022, 8:20 PM	Engine 5	BFD-2022-0002109	153 JACQUELINE DR	F STILL ALARM	710 - Malicious, mischievous false call, other		
Nov 8, 2022, 3:54 PM	Engine 5	BFD-2022-0002097	STEWART ST	F STILL ALARM	460 - Accident, potential accident, other		
Nov 8, 2022, 1:00 PM	Engine 5	BFD-2022-0002094	597 FARMINGTON AVE	F STILL ALARM	160 - Special outside fire, other	0	0
Nov 8, 2022, 12:22 PM	Engine 5	BFD-2022-0002093	41 BREWSTER RD	F FIRE ALARM	700 - False alarm or false call, other		
Nov 8, 2022, 12:57 AM	Engine 5	BFD-2022-0002090	72 PROSPECT PL	F FIRE ALARM	700 - False alarm or false call, other		
Nov 7, 2022, 11:12 PM	Engine 5	BFD-2022-0002087	13 REVERE DR	F STILL ALARM	300 - Rescue, EMS incident, other		
Nov 7, 2022, 6:24 PM	Engine 5	BFD-2022-0002085	279 LOUISIANA AVE	F STILL ALARM	551 - Assist police or other governmental agency		
Nov 6, 2022, 8:05 PM	Engine 5	BFD-2022-0002083	168 FAIRFIELD ST	F FIRE ALARM	743 - Smoke detector activation, no fire - unintentional		
Nov 6, 2022, 2:54 PM	Engine 5	BFD-2022-0002082	SHEILA CT	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 6, 2022, 12:56 PM	Engine 5	BFD-2022-0002081	535 FARMINGTON AVE	F STILL ALARM	322 - Motor vehicle accident with injuries		
Nov 6, 2022, 9:44 AM	Engine 5	BFD-2022-0002079	127 VANCE DR	F STILL ALARM	311 - Medical assist, assist EMS crew		
Nov 6, 2022, 2:21 AM	Engine 5	BFD-2022-0002078	1175 FARMINGTON AVE	F STILL ALARM	511 - Lock-out		
Nov 6, 2022, 1:07 AM	Engine 5	BFD-2022-0002076	139 VANCE DR	F STILL ALARM	733 - Smoke detector activation due to malfunction		
Nov 5, 2022, 7:02 PM	Engine 5	BFD-2022-0002074	510 FARMINGTON AVE	F STILL ALARM	324 - Motor vehicle accident with no injuries.		
Nov 5, 2022, 11:51 AM	Engine 5	BFD-2022-0002071	24 PEACEDALE ST	F STRUCTURE ALARM	440 - Electrical wiring/equipment problem, other		
Nov 3, 2022, 6:49 PM	Engine 5	BFD-2022-0002057	151 DAVIS DR	F STILL ALARM	551 - Assist police or other governmental agency		
Nov 1, 2022, 7:26 PM	Engine 5	BFD-2022-0002050	1290 FARMINGTON AVE	F STILL ALARM	553 - Public service		

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

November 2022



Kristopher Lambert
Kristopher Lambert, Fire Marshal

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT
November 2022**



TO: City of Bristol Fire Board Members
FROM: Kristopher Lambert, Fire Marshal
SUBJECT: Monthly Report – November 2022

INCIDENTS

There were two hundred thirteen (213) incidents for the month of November 2022 that required computer-generated reports communicated to the State Fire Marshal's Office and FEMA. There were seven (7) investigation(s) of fire/explosions by this office. Total estimated loss for the period is \$117, 625 dollars.

482 Broad St.
344 Stevens St.
67 Wintergreen St.
510 Mathews St.
343 King St.
19 Woodmere Dr.
23 Villa Ct.

There were zero (0) civilian injuries, and zero (0) Firefighter injuries reported during this period. There were zero (0) mutual aid calls given/received within the month. A copy of the cumulative monthly inspection reviews and permits account is included with this report.

REVIEWS, MEETINGS, MISC.

- The interior of this office will remain closed to the public while all business will continue to be conducted electronically, or outside of the building while social distancing. This has proven to be extremely beneficial to our customers who prefer electronic communication.
- Twenty seven (27) plans for new construction, occupancy changes, and renovations were reviewed. Some of the plans included electrical and mechanicals, including Fire Alarm and Fire Sprinkler systems. Site plan drawings are also included. Coordination and consultation regarding plan review is ongoing with other city agencies.

- The Fire Marshal's Office attended four (4) formal Site Plan Committee meetings in November to coordinate details for future Plan Review submittals in the City of Bristol. Eighteen (18) other site meetings attended by staff were conducted with business/property owners.
- There were approximately one hundred forty (140) Fire Prevention Bureau business related calls managed by the staff.
- Approximately five (5) visitors were received at Fire Headquarters to speak with Fire Marshal's Office Personnel.
-

TRAINING CLASSES

- Staff of the Fire Marshal's Office earned forty eight (48) hour(s) of continuing education credits this month.

INSPECTIONS AND PERMITS **

- 11 Apartment building inspections (109 units)**
- 12 Assembly Occupancy Inspections
- 2 Blasting Permit(s) Issued
- 7 Business Occupancy Inspections
- 8 Automatic Sprinkler System Inspections
- 3 Certificate of Compliance
- 13 Complaint Inspections
- 1 Day Care Inspections
- 0 Educational Inspection
- 11 Fire Alarm Inspections
- 1 Gasoline Station Inspection
- 2 Health Care / Nursing Home / Group Home Inspections
- 6 Hood & Duct Inspections
- 2 Industrial Inspection
- 3 Liquor License Inspections
- 4 Mercantile Inspections
- 2 Modification Application(s)
- 0 Recreation/Summer Camp
- 3 Residential Board / Care
- 0 Special Amusement/Assembly Inspection
- 0 Tent Inspections

****** In larger residential occupancies, where the building construction is modular in design and contains similar apartments with like layouts and amenities, representative apartments are chosen at random to determine compliance with the Connecticut State Fire Safety Code (CSFSC) and the Connecticut State Fire Prevention Code (CSFPC). With smaller occupancies, we do commonly enter as many units as possible where access is granted and time permits. The corresponding figures represent the number of occupancies and the total number of units affected by the inspection. *In order to achieve our statutory inspection requirements, I strongly recommend increasing the number certified personnel in this office to twelve (12). There has been a significant increase in the number of residential units within this city to support the need for additional personnel within this office. While the number of residential units has increased over the years, the staff of this office has not.*

OFFICE OF THE FIRE MARSHAL STAFF VEHICLES

Fire 3 - 2013 Ford Explorer - White

Fire 4 - 2012 Ford Expedition – Red – Being used as the on call vehicle

Fire 5 - 2011 Dodge Grand Caravan - White

Fire 6 - 2013 Ford Expedition - Red

Mileage and fuel usage reports are generated automatically and submitted by the mechanic.

Incident Summary Report

Alarm Date Between {11/01/2022} And {11/30/2022}

Total Number of Calls:	Fire: 198	EMS: 15	Exposures: 0	Unknown: 160	All: 213
Average Calls per day:	Fire: 6.6	EMS: 0.5			All: 7.1
Total number of arson calls:	0				
Estimated Dollar Loss:	Fire: \$ 0	Other: \$ 0		All: \$ 0	Arson: \$ 0
Estimated Value:	Fire: \$ 0	Other: \$ 0		All: \$ 0	Arson: \$ 0
Percentage Saved:	Fire: 0.0%	Other: 0.0%		All: 0.0%	Arson: 0.0%
Total Injuries:	Fire Service: 0	Civilian: 0		EMS: 0	Arson: 0
Total Fatalities:	Fire Service: 0	Civilian: 0		EMS: 0	Arson: 0
Total aid given calls:	0				
Total aid received calls:	0				

Bristol Monthly Incident Report

Alarm Date Between {11/01/2022} And {11/30/2022}

Incident Type	Count	Avg Resp Time	Aid Given	Aid Rec'd	Exposures
	160	00:07:48	0	0	0
1 Fire	4	00:04:51	0	0	0
3 Rescue & Emergency Medical Service Incident	15	00:04:22	0	0	0
4 Hazardous Condition (No Fire)	5	03:51:00	0	0	0
5 Service Call	14	00:06:07	0	0	0
6 Good Intent Call	1	00:05:24	0	0	0
7 False Alarm & False Call	14	00:05:38	0	0	0
Total Incident Count:	213	Avg Resp Time:	00:12:29		

Bristol Monthly Incident Report

Alarm Date Between {11/01/2022} And {11/30/2022}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	160	75.11%	\$0	0.00%
	160	75.11%	\$0	0.00%
1 Fire				
111 Building fire	1	0.46%	\$0	0.00%
114 Chimney or flue fire, confined to chimney	1	0.46%	\$0	0.00%
131 Passenger vehicle fire	1	0.46%	\$0	0.00%
142 Brush or brush-and-grass mixture fire	1	0.46%	\$0	0.00%
	4	1.87%	\$0	0.00%
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	1	0.46%	\$0	0.00%
320 Emergency medical service, other	1	0.46%	\$0	0.00%
322 Motor vehicle accident with injuries	3	1.40%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	6	2.81%	\$0	0.00%
331 Lock-in (if lock out , use 511)	3	1.40%	\$0	0.00%
352 Extrication of victim(s) from vehicle	1	0.46%	\$0	0.00%
	15	7.04%	\$0	0.00%
4 Hazardous Condition (No Fire)				
400 Hazardous condition, Other	1	0.46%	\$0	0.00%
424 Carbon monoxide incident	1	0.46%	\$0	0.00%
440 Electrical wiring/equipment problem, Other	1	0.46%	\$0	0.00%
444 Power line down	1	0.46%	\$0	0.00%
445 Arcing, shorted electrical equipment	1	0.46%	\$0	0.00%
	5	2.34%	\$0	0.00%
5 Service Call				
500 Service Call, other	1	0.46%	\$0	0.00%
510 Person in distress, Other	3	1.40%	\$0	0.00%
511 Lock-out	2	0.93%	\$0	0.00%
531 Smoke or odor removal	4	1.87%	\$0	0.00%
551 Assist police or other governmental agency	1	0.46%	\$0	0.00%
553 Public service	1	0.46%	\$0	0.00%
561 Unauthorized burning	2	0.93%	\$0	0.00%
	14	6.57%	\$0	0.00%

Bristol Monthly Incident Report

Alarm Date Between {11/01/2022} And {11/30/2022}

Incident Type	Count	Avg Resp Time	Aid Given	Aid Rec'd	Exposures
	160	00:07:48	0	0	0
111 Building fire	1	00:06:41	0	0	0
114 Chimney or flue fire, confined to	1	00:03:10	0	0	0
131 Passenger vehicle fire	1	00:04:56	0	0	0
142 Brush or brush-and-grass mixture fire	1	00:04:37	0	0	0
311 Medical assist, assist EMS crew	1	00:01:26	0	0	0
320 Emergency medical service, other	1	00:03:56	0	0	0
322 Motor vehicle accident with injuries	3	00:03:48	0	0	0
324 Motor Vehicle Accident with no injuries	6	00:06:07	0	0	0
331 Lock-in (if lock out , use 511)	3	00:03:46	0	0	0
352 Extrication of victim(s) from vehicle	1	00:00:55	0	0	0
400 Hazardous condition, Other	1	00:04:38	0	0	0
424 Carbon monoxide incident	1	00:04:24	0	0	0
440 Electrical wiring/equipment problem,	1	00:03:26	0	0	0
444 Power line down	1	00:05:50	0	0	0
445 Arcing, shorted electrical equipment	1	18:56:44	0	0	0
500 Service Call, other	1	00:04:57	0	0	0
510 Person in distress, Other	3	00:05:22	0	0	0
511 Lock-out	2	00:12:25	0	0	0
531 Smoke or odor removal	4	00:03:59	0	0	0
551 Assist police or other governmental	1	00:06:04	0	0	0
553 Public service	1	00:06:53	0	0	0
561 Unauthorized burning	2	00:05:25	0	0	0
600 Good intent call, Other	1	00:05:24	0	0	0
700 False alarm or false call, Other	2	00:04:55	0	0	0
710 Malicious, mischievous false call, Other	1	00:18:44	0	0	0
730 System malfunction, Other	1	00:03:48	0	0	0
733 Smoke detector activation due to	3	00:05:01	0	0	0
740 Unintentional transmission of alarm,	1	00:03:52	0	0	0
743 Smoke detector activation, no fire -	3	00:04:01	0	0	0

Total Calls by Property Use Group		Count	Percent of Incidents	Total Est Loss	Percent of Losses
		121	56.80%	\$0	0.00%
100	Assembly	3	1.40%	\$0	0.00%
200	Educational	6	2.81%	\$0	0.00%
300	Health Care, Detention & Correction	3	1.40%	\$0	0.00%
400	Residential	61	28.63%	\$0	0.00%
500	Mercantile, Business	8	3.75%	\$0	0.00%
700	Manufacturing, Processing	2	0.93%	\$0	0.00%
800	Storage	1	0.46%	\$0	0.00%
900	Outside or Special Property	8	3.75%	\$0	0.00%

FALSE ALARM REPORT

Huntington Woods
200 Blakeslee St
Bristol, CT 06010

May 22, 2022 22-0000901 733 - Smoke detector activation due to malfunction
June 28, 2022 22-0001149 700 - False alarm or false call, Other

False alarms: 2

41 Brewster Rd
Bristol, CT 06010

February 26, 2022 22-0000366 730 - System malfunction, Other
April 24, 2022 22-0000676 710 - Malicious, mischievous false call, Other
November 08, 2022 22-0002093 700 - False alarm or false call, Other

False alarms: 2

Arthur G. Russell Co., Inc
750 Clark Ave
Bristol, CT 06010

May 25, 2022 22-0000922 734 - Heat detector activation due to malfunction
June 02, 2022 22-0000979 734 - Heat detector activation due to malfunction

False alarms: 2

Ivy Drive School
160 Ivy Dr
Bristol, CT 06010

January 12, 2022 22-0000081 735 - Alarm system sounded due to malfunction
October 18, 2022 22-0001956 700 - False alarm or false call, Other

False alarms: 2

153 Jacqueline Dr
Bristol, CT 06010

September 13, 2022 22-0001710 710 - Malicious, mischievous false call, Other
September 20, 2022 22-0001769 710 - Malicious, mischievous false call, Other
November 09, 2022 22-0002109 710 - Malicious, mischievous false call, Other

False alarms: 0

Completed Fire Code Inspection Assignments Month of November 2022
Fire Marshal Lambert

Fire Alarm Inspections - 5

Sprinkler Inspections – 5

Standpipe Inspections -

Commercial Inspections:

Assembly - 8

Business - 3

Day Care –

Camps -

Dormitories -

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home -

Health Care -

Industrial -

Mercantile - 4

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liquor License Inspections -

Hood and Duct Inspections - 3

Gas Station - 1

LPG Point of Sale/Bulk Storage -

Residential Completed Inspections

****Residential Inspections- Buildings 1@ 75 Units**

Fire Investigations - 2

Meetings - 13

Complaints - 7

Certificate of Occupancy –

Certificate of Compliance -

Plan Reviews - 17

Modifications -

Blasting Permit -

Phone Calls/Messages - 42

OEDM Training - 0 hrs.

Continuing Education Training - 12 hrs.

Completed Fire Inspection Assignments Month of November 2022

Fire Inspector Robotham

Fire Alarm Inspections - 5

Sprinkler Inspections - 2

Commercial Inspections - 4

Assembly - 2

Business - 2

Carnival -

Day Care -

Dormitories -

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home - 2

Health Care -

Industrial -

Mercantile -

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections - 2

Hood and Duct Inspections - 2

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections – 4 Bldgs 19 Units

Residential Completed Inspections -

Fire Investigations – (3) 343 King/ 19 Woodmere/ 23 Villa Ct.

Meetings - 5

Complaints - 3

Plan Reviews - 1

Modifications -

Blasting Permit -

Phone Messages - 25

OEMD Training – 7

Department Training – 2

Public Fire Education – 10

Completed Fire Inspection Assignments Month of November 2022

Fire Inspector Hoyt

Fire Alarm Inspections - 2

Sprinkler Inspections - 1

Commercial Inspections - 6

- Assembly - 2**
- Business - 2**
- Carnival -**
- Day Care -**
- Dormitories -**
- Educational -**
- Fire Drills -**
- Fire Works/Special Effects-**
- Group Home -**
- Health Care -**
- Industrial -**
- Mercantile -**
- Nursing Home -**
- Residential Board and Care - 1**
- Special Amusement/Assembly -**
- Tent -**
- Liquor License Inspections - 1**
- Hood and Duct Inspections - 1**
- Gas Station -**
- LPG Point of Sale/Bulk Storage -**

Residential Inspections-
Buildings- 6 @ Units- 15

Fire Investigations - 2

Meetings – 6

Complaints- 3

Plan Reviews -
Modifications -
Blasting Permit -

Phone Messages/Calls – 24

Department Training –
Public Fire Education -
Continuing Education/CFI- 14.5

Bristol Fire Department

Mechanical Division Monthly Report

November 2022

Engine 1

- E-1-01 repaired

Engine 2

- Repair water thief
- On-Spot wheels installed
- E2-02 repaired

Engine 3

- Install new mounting hardware for air tank on D/S
- Replace SCBA mounting latch

Engine 4

- On-Spot wheels installed
- Replace L/F step light

Engine 5

- Repairs to On-Spot system.
- Extensive repairs including the following: rear leaf springs, tank fill elbow and piping, several discharge valves replaced, A/C compressor, fuel tank vent @ G-K.

Tower 1

- T1-01 repaired
- Diagnose failure of Blow-Hard # 2, new battery on order
- Back-up camera replaced at dealer, no cost to us.
- Repairs to engine at ADDA to fix oil leaks.

Brush 1

- Repair water leaks on fire pump
- Pump/tank was winterized and put into snow plow mode. Plow is installed for winter.

Miscellaneous

- Repair weed-wacker for Station 2
- Fire 5: 4) new tires
- Repairs to Plymo-Vent systems at H.Q, Station 3, and Station 4
- Replace portable radio batteries for E-2, E-3, and E-5

- Inspection trip at Pierce Fire Apparatus in Wisconsin for the new E-3. Engine 3 was taken delivery of, all new mounting equipment installed, radio system and MDT installed, all fire hose and loose equipment installed, and the truck was placed in service. The old E-3, a 2004 E-One was placed into service as E-8. Works still remains on that truck such as re-lettering it, moving some equipment around, etc. The old E-8 a 1997 Pierce has been stripped of its equipment, and I will begin the process of putting it up for sale on Gov-Deals. This process is done in conjunction with the Purchasing Department.

This monthly report may look a shy in repairs for the month, but the above project took a week and a half to complete and was done in-house. There are still projects along the way to fine tune it, but it is a fully functioning engine. I would like to thank the crews from the 2nd platoon of T-1 and E-1 for helping me for a ½ day, followed by the 3rd Platoon crews of E-3 and E-4 on the day of the final switch over. Being all by myself it is comforting to know help is always available with a simple ask.

Jay Kelly
Equipment Technician

Richard Hart
Chief of Department

BRISTOL FIRE DEPARTMENT - TRAINING DIVISION

Senior Captain James D. Blaschke - Training Officer

MONTHLY TRAINING REPORT

November 2022

Training for November continued on 2Q apparatus driver's license endorsement class. The static course consists of forward and reverse operation, parallel parking, spatial orientation to reduce openings and alley dock maneuver. Once completed the students then transition to over the road driving covering various apparatus operational skills. Multiple days of practice driving were conducted during the month. All students will be evaluated in December to earn their Q endorsement for operation of fire apparatus. Cold water rescue boat operation was conducted on 11/29 at Cedar Lake for personnel from Engine 2. Basic boat operation, trailing, launching and loading of Marine 1 and proper water safety measures were covered. Additional function testing of the outboard motor was conducted due to recent repairs. PFD and cold water suits were appropriate PPE for operations.

Additional training during November was facility tours of Covanta trash to energy plant. The facility tour identified access to the facility, location of FDC connections, alarm panel location and general operations of the facility. The tour covered the high hazard areas of facility such as the tipping floor and live fire burners within the facility. Health and safety officer written examination testing was completed during the month on 11/28- 12/1. This grant class allowed 70 members of Bristol Fire Department to earn certification as Health and Safety officers. This department wide certification will build an enhanced foundation of safety within the Bristol Fire department. Special thanks to Dr. D. Ledger for her work on the AFG grants which enabled this additional training opportunity for BFD.

Bristol CERT team utilized the training classroom on 11/16 for CPR refresher training and CERT meeting. On 12/08 the Barnes safety trailer was used for a fire safety training day at Bristol Library. I responded to 3 incidents during the month as safety officer. I would like to wish a safe and happy holiday season to all members of the fire board. Happy Holidays.

Seminars/Meetings/Classes

- CERT classroom usage, First aid training
- First Due implementation meetings
- PFT Testing make up final
- PPE gear sizing

Vehicle report

- 28 Gallons fuel

Respectfully submitted,
Senior Captain James D. Blaschke



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Fire Chief's October Monthly Report

December 22, 2022

To the Honorable Fire Commissioners;

The month of November saw the BFD respond to 157 calls for service. 5 residential structure fires, 6 total structure fires, and 1 vehicle fire

Personnel:

Employee recognition:

Apparatus/equipment:

Eng. 8 taken off line and prepared for auction by the City

Eng. 5 was brought up to Gowan's and Knight for extensive repairs that were completed.

Tower 1's oil leak was repaired by Atlantic Detroit

Tower 2 taken out of service for ABS issue and hydraulic leak.

As a result I contacted Chief Ballou from Waterbury and was able to secure the use of a spare truck for the duration. The truck has since been returned to Waterbury and a thank you note on my, the Mayor's and your behalf has been sent.

Plow frame for Service 1 ordered

Final inspection of Eng. 3 took place November 8th and 9th, I was very impressed with the craftsmanship and quality of work.

New Eng. 3 placed in service, a "Backing in" ceremony to take place as soon as possible

Stations and Facilities:

Overhead door at Headquarters FINALLY fixed, hopefully for good.

Meetings and Public Functions:



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

First meeting of the Station 3 Building Committee occurred on November 29. Commissioner Moore was elected Chair and I was elected Vice Chair. We had a very robust conversation as to the wants and needs of the Department to be included in the new facility.

Attended a Department Head meeting on November 30

I was appointed to the Salvation Army's Board of Directors in November

Engine 5 personnel participated in two STEP program presentations in the month of November. One was presented at Edgewood School and the other at Mountain View School. Okee, as always, was a big hit with the students at Mountain View.

Met with the Career Chiefs Association to discuss issues facing the Fire Service in Connecticut.

Miscellaneous:


None

Respectfully submitted,

Richard Hart

Fire Chief


Total (170)



-  1 - Fire
-  2 - Overpressure Rupture, Explosion, Overheat(no fire)
-  3 - Rescue & Emergency Medical Service Incident
-  4 - Hazardous Condition (No Fire)
-  5 - Service Call
-  6 - Good Intent Call
-  7 - False Alarm & False Call

Monthly Preplan Completion

Total Preplans(97) for November, 2022



PSAP CALL DATE/TIME	INCIDENT NUMBER	ADDRESS	ACTUAL INCIDENT TYPE FOUND
Nov 29, 2022, 7:03 AM	BFD-2022-0002241	47 UPSON ST	730 - System malfunction, other
Nov 27, 2022, 10:36 PM	BFD-2022-0002235	85 MAIN ST	735 - Alarm system sounded due to malfunction
Nov 27, 2022, 12:51 AM	BFD-2022-0002233	100 FRANKLIN ST	731 - Sprinkler activation due to malfunction
Nov 25, 2022, 1:08 PM	BFD-2022-0002219	1 KORY LN	733 - Smoke detector activation due to malfunction
Nov 22, 2022, 11:19 PM	BFD-2022-0002201	100 FRANKLIN ST	731 - Sprinkler activation due to malfunction
Nov 22, 2022, 8:29 AM	BFD-2022-0002196	27 MELROSE ST	733 - Smoke detector activation due to malfunction
Nov 19, 2022, 1:51 PM	BFD-2022-0002175	1389 STAFFORD AVE	730 - System malfunction, other
Nov 14, 2022, 9:40 PM	BFD-2022-0002144	93 DAVIS DR	733 - Smoke detector activation due to malfunction
Nov 10, 2022, 3:24 PM	BFD-2022-0002119	154 MEADOW ST	733 - Smoke detector activation due to malfunction
Nov 6, 2022, 1:07 AM	BFD-2022-0002076	139 VANCE DR	733 - Smoke detector activation due to malfunction

TYPE OF FALSE ALARM	NUMBER OF INCIDENTS
Malicious, Mischievous False (	2
System Malfunction	8
Unintentional (tripping on inte	15
Other False Alarms (bomb sca	2

NUMBER OF CIVILIAN FIRE CASUALTIES

ESTIMATED PROPERTY DAMAGE AND

CONTENTS FROM FIRE

NUMBER OF FIRES

DEATHS

INJURIES

Private Dwellings (1 or 2 family), Including mobile homes	3	0	0	1025
Apartments (3 or more families)	1	0	0	0
Hotels and Motels	0	0	0	0
All Other Residential (dormitories, boarding houses, tents, etc.)	1	0	0	2000
TOTAL RESIDENTIAL FIRES	5	0	0	3025
Public Assembly (church, restaurant, clubs, etc.)	1	0	0	0
Schools And Colleges	0	0	0	0
Health Care And Penal Institutions (hospitals, nursing homes, prisons, etc.)	0	0	0	0
Stores And Offices	0	0	0	0
Industry, Utility, Defense, Laboratories, Manufacturing	0	0	0	0
Storage In Structures (barns, vehicle storage garages, general storage, etc.)	0	0	0	0
Other Structures (outbuildings, bridges, etc.)	0	0	0	0
TOTALS FOR STRUCTURE FIRES	6	0	0	3025
Fires In Highway Vehicles (autos, trucks, buses, etc.)	1	0	0	3000
Fires In Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.)	0	0	0	0
Fires outside of Structures with Value involved, but Not Vehicles (outside storage, crops, timber, etc.)	2	0	0	1600
Fires in Brush, Grass, Wildland (excluding crops and timber), with no value involved	1	0		
Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved	2	0		
All Other Fires	1	0	0	0
TOTALS FOR FIRES	13	0	0	7625
Rescue, Emergency Medical Responses (ambulance, EMS, rescue)	8			
False Alarm Responses (malicious or unintentional false calls, malfunctions, bomb scares)	10			
Mutual Aid Responses Given	0			
Hazardous Materials Responses	2			
Other Hazardous Responses (arcing wires, bomb removal, power line down, etc.)	7			
All Other Responses (smoke scares, lock-outs, animal rescue, etc.)	15			
TOTAL FOR ALL INCIDENTS	55			

NUMBER OF
CONFINED FIRES

NUMBER OF
NONCONFINED
FIRES

Residential Fires	5	0
Structure Fires	1	0



City of Bristol
Office of Town and City Clerk
111 North Main Street
Bristol, Connecticut 06010

To: Town & City Clerk

From: BOARD OF FIRE COMMISSIONERS
(Name of Board or Commission)

Contact Person: Kayleen Bracco Telephone Number: 860-978-0320

Address: 181 N. Main St, Bristol, CT 06010 E-mail Address: Kayleenbracco@bristolct.gov

In compliance with Section 1-225 of the Connecticut General Statutes the following is a listing of dates of the regular meetings of the BOARD OF FIRE COMMISSIONERS
(Name of Board or Commission)

MONTH	DATE	TIME & PLACE OF MEETING
JANUARY 2023	1/26/23	6:00PM – CITY HALL WEST MEETING RM 1
FEBRUARY 2023	2/23/23	6:00PM – CITY HALL WEST MEETING RM 1
MARCH 2023	3/23/23	6:00PM – CITY HALL WEST MEETING RM 1
APRIL 2023	4/27/23	6:00PM – CITY HALL WEST MEETING RM 1
MAY 2023	5/25/23	6:00PM – CITY HALL WEST MEETING RM 1
JUNE 2023	6/22/23	6:00PM – CITY HALL WEST MEETING RM 1
JULY 2023	7/27/23	6:00PM – CITY HALL WEST MEETING RM 1
AUGUST 2023	8/24/23	6:00PM – CITY HALL WEST MEETING RM 1
SEPTEMBER 2023	9/28/23	6:00PM – CITY HALL WEST MEETING RM 1
OCTOBER 2023	10/26/23	6:00PM – CITY HALL WEST MEETING RM 1
NOVEMBER 2023	11/16/23	6:00PM – CITY HALL WEST MEETING RM 1
DECEMBER 2023	12/28/23	6:00PM – CITY HALL WEST MEETING RM 1
JANUARY 2024	1/25/24	6:00PM – CITY HALL WEST MEETING RM 1

Yours very truly,

(Signature) Chairman

(Signature) Secretary

(Date)