



*City of Bristol
Board of Fire Commissioners*

INFORMATION TO ACCESS THIS MEETING

<https://bristolct-gov.zoom.us/j/89124422946?pwd=BeNZEnGmrFycS3jOG0bfuGxdMkOc9.1>

*Meeting ID: 891 2442 2946
Passcode: 855891*

The regular Board of Fire Commissioners meeting will be held on Thursday, August 27, 2026 at 6:00 pm, in City Hall Council Chambers, 111 North Main Street, Bristol, Connecticut.

AGENDA

1. Call to Order
2. Employee Recognition
3. Public Participation
4. Communications
5. Approval of Minutes
 - a. Approval of the July 23, 2026 Meeting Minutes
 - b. Approval of the August 17, 2026 Special Meeting Minutes
6. Approval of Monthly Reports
 - a. Approval of the July Monthly Reports
 - b. Review of Year-End 6/30/2026 budget
7. Committee Reports
 - a. Fire Station 3 Building Committee Report
 - b. Personnel Committee Report
8. Old Business
9. New Business

10. Adjournment

PER ORDER OF THE CHAIRPERSON
Mayor Ellen Zoppo-Sassu

Board of Fire Commissioners' Regular Meeting

July 23, 2026

A Regular Meeting of the Board of Fire Commissioners was held on Thursday, July 23, 2026, at 6:00 p.m., in City Hall Council Chambers, 111 N Main Street, Bristol, CT

Present: Mayor Ellen Zoppo-Sassu, Hal Kilby, Anthony Benvenuto, and Sandra Bogdanski, Council Member Peter Kelley (6:04 pm,) Fire Chief Richard Hart, and Commissioners Dana Jandreau (via Zoom)

1. CALL TO ORDER

- a. The meeting was called to order by Mayor Zoppo-Sassu at 6:00 pm.

2. MOMENT OF SILENCE

- a. Mayor Zoppo-Sassu held a moment of silence in honor of the late Fire Commissioner Sean Moore.

3. EMPLOYEE RECOGNITION

- a. None.

4. PUBLIC PARTICIPATION

- a. None.

5. COMMUNICATIONS

- a. None.

6. APPROVAL OF MEETING MINUTES

- a. On motion of Commissioner Kilby, seconded by Commissioner Benvenuto, it was unanimously voted: To approve the June 25, 2026 regular meeting minutes.

7. APPROVAL OF THE MONTHLY REPORTS

- a. On motion of Commissioner Benvenuto, seconded by Commissioner Kilby, it was unanimously voted: To approve the June monthly reports.
 - Chief Hart advised that during the heat wave and July 4th holiday, the tower was upstaffed and there were 104 calls for service. The board discussed overtime costs associated with the additional staffing, and plans for upstaffing for weather-related events in the future.

8. COMMITTEE REPORTS

- a. Fire Station 3 Building Committee

- Chief Hart shared that there are a few outstanding issues, all of which are minor, being addressed. During the inclement weather on July 4th, the roof leaked. He advised that there will be a final meeting to close out the project sometime in the fall.

b. Personnel Committee

- Commissioner Jandreau advised that Human Resources is in the process of screening candidates for the mechanic's position on their training and experience. The oral examination will take place on August 6th.

9. OLD BUSINESS

- a. None.

10. NEW BUSINESS

- a. Mayor Zoppo-Sassu discussed renovation projects for Station 2 and Headquarters. There was \$406,000.00 allocated for Station 2 renovations and \$250,000.00 for the design on Headquarters. The plans presented by architects through the bid process for Station 2 raised concerns over the total cost of the project and limited funds. Estimates were about \$900,000.00. Options for Station 2 are being explored, and the project has not been released due to budget constraints. Chief Hart was granted permission to work with purchasing to obtain design plans for Headquarters renovations.
- b. The Fire Department will be hosting a session in the fall Citizens Academy. This will take place on September 24th in place of the September Fore Board Meeting at Station 4.
- c. Mayor Zoppo-Sassu expressed her gratitude to the Fire Department and Station 5 for their support to Bristol Girls Little League during the regional tournament.

11. ADJOURN

- a. On motion of Commissioner Kilby and seconded by Commissioner Bogdanski, it was unanimously voted: To adjourn the meeting at 6:33 pm.

Recording Secretary: Sara Bianchi

MINUTES OF THE AUGUST 17, 2026 SPECIAL FIRE COMMISSION MEETING

PRESENT: Mayor Ellen Zoppo-Sassu and Commissioners Tony Benvenuto, Hal Kilby, Dana Jandreau and Peter Kelley. Absent: Sandra Bogdanski

Also Present: Chief Rick Hart

The meeting was called to order at 5pm and a quorum was declared.

Chief Hart gave an overview of the candidate that has been recommended by the Human Resources Department. He also stated that he had the opportunity to meet with the candidate on Saturday, and was very impressed with his mechanical credentials.

The motion was made by Commissioner Kilby and seconded by Commissioner Jandreau to approve the hiring of Brandon Yerger for the position of Fire Apparatus Mechanic, effective September 8, 2026.

The motion was unanimously approved.

There being no further business, the meeting was at 5:13pm adjourned by motion of Commissioner Benvenuto, seconded by Councilman Kelley.

Respectfully Submitted,

Ellen Zoppo-Sassu

Chair



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Fire Chief's July Monthly Report

August 27, 2026

To the Honorable Fire Commissioners;

The month of July saw the BFD respond to 296 calls for service. There were 8 residential structure fires, 13 total fires, 72 EMS, extrication/rescue, 100 public service calls, and 50 false alarms.

Mutual Aid: 2

Employee recognition:

Personnel:

FF Spatkowski remains on worker's comp

FF Gizzie remains on light duty

Apparatus/equipment:

Engine 4 required entire transmission rebuild, H&H Equipment affected repairs

Ladder 2 had warranty work done

Engine 2 had fuel tank leak, Firematic affected repairs

Stations and Facilities:

Station 3 has issues with HVAC, contractor working with PW to address

No damage to any firehouse or apparatus as a result of the July 4 severe weather

Meetings and Public Functions:

Monthly meeting with Staff and FMO

CPAT/Active shooter facility meeting to discuss potential property acquisition



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Participated in damage assessment with City staff and Federal representatives

After Action meeting regarding storm damage and lessons learned. Also met with Eversource reps to streamline reporting and response during storms

Met with Mayoral Aide to discuss Citizen's Academy agenda

Presentation made by Hotwash for app for creating after action reports and training recommendations. Very well received for use by officers and incident commanders to standardize NERIS report narratives using AI and to reduce liability to the City

Attended Strategic Planning meeting

Met with IT to receive new cell phones for the Department

Miscellaneous:

Due to forecasted extreme heat indices from July 1-July 5, a second ladder was staffed to increase capabilities and to assist in a projected call volume increase. As a result, we responded to 112 calls for service in that time frame, including 1 structure fire and 2 mutual aid calls to Southington. For the same time frame in 2025, we responded to 42 calls for service. For transparency's sake, we responded to 48 calls for service on July 4th as a result of the severe thunderstorms.

Respectfully submitted,


A handwritten signature in black ink, appearing to read "Richard Hart".

Richard Hart

Fire Chief



FDR-IR: Incident Count by Primary Incident Type



PRIMARY INCIDENT GROUP / PRIMARY INCIDENT TYPE	COUNT	PERCENT OF TOTAL
Fire	13	4.39%
Fire - Outside Fire - Other Outside Fire	1	0.34%
Fire - Outside Fire - Trash / Rubbish Fire	3	1.01%
Fire - Structure Fire - Structural Involvement	4	1.35%
Fire - Structure Fire - Confined Cooking / Appliance Fire	4	1.35%
Fire - Transportation Fire - Vehicle Fire - Passenger	1	0.34%
Hazardous Situation	104	35.14%

FDR-IR: Incident Count by Primary Incident Type

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT GROUP / PRIMARY INCIDENT TYPE	COUNT	PERCENT OF TOTAL
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	50	16.89%
Hazardous Situation - Hazard Non-Chemical - Electrical Hazard / Short Circuit	1	0.34%
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	28	9.46%
Hazardous Situation - Hazardous Materials - Fuel Spill / Fuel Odor	4	1.35%
Hazardous Situation - Hazardous Materials - Gas Leak / Gas Odor	7	2.36%
Hazardous Situation - Hazardous Materials - Carbon Monoxide Release	8	2.70%
Hazardous Situation - Hazardous Materials - Biological Release / Incident	1	0.34%
Hazardous Situation - Investigation - Odor	2	0.68%
Hazardous Situation - Investigation - Smoke Investigation	3	1.01%
Medical	9	3.04%
Medical - Illness - Heart Problems	1	0.34%
Medical - Injury / Trauma - Motor Vehicle Collision	7	2.36%
Medical - Other - Medical Alarm	1	0.34%
Public Service	100	33.78%
Public Service - Citizen Assist - Person In Distress	9	3.04%
Public Service - Citizen Assist - Citizen Assist / Service Call	42	14.19%

FDR-IR: Incident Count by Primary Incident Type

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT GROUP / PRIMARY INCIDENT TYPE	COUNT	PERCENT OF TOTAL
Public Service - Citizen Assist - Lift Assist	4	1.35%
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	23	7.77%
Public Service - Alarms (Non Medical) - CO Alarm	6	2.03%
Public Service - Alarms (Non Medical) - Other Alarm	6	2.03%
Public Service - Disaster / Weather - Damage Assessment	1	0.34%
Public Service - Disaster / Weather - Weather Response	9	3.04%
Rescue	7	2.36%
Rescue - Outside - Extrication / Entrapped	1	0.34%
Rescue - Structure - Elevator / Escalator Rescue	3	1.01%
Rescue - Transportation (Land) - Motor Vehicle Collision Extrication / Entrapment	2	0.68%
Rescue - Transportation (Land) - Aviation Standby	1	0.34%
No Emergency	63	21.28%
No Emergency - False Alarm - Intentional False Alarm	1	0.34%
No Emergency - False Alarm - Malfunctioning Alarm	18	6.08%
No Emergency - False Alarm - Accidental Alarm	9	3.04%
No Emergency - False Alarm - Other False Call	5	1.69%

FDR-IR: Incident Count by Primary Incident Type

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT GROUP / PRIMARY INCIDENT TYPE	COUNT	PERCENT OF TOTAL
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	12	4.05%
No Emergency - Good Intent - Controlled Burning (Authorized)	1	0.34%
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	6	2.03%
No Emergency - Good Intent - Investigate Hazardous Release (Nothing Found)	4	1.35%
No Emergency - Cancelled	7	2.36%
Total	296	100.00%



NERIS Mutual Aid

INCIDENT ID	DISPATCH CALL CREATED	INCIDENT NUMBER	PRIMARY INCIDENT TYPE	FIRE STATION	ADDRESS	AID DEPARTMENT NAME	AID TYPE
43273052	2026-07-05 23:11:03	BFD-2026-0001581	Fire - Structure Fire - Structural Involvement	Station 4	310 N MAIN ST	Southington Fire Department	Mutual / automatic aid in support of primary entity
43242423	2026-07-05 00:00:20	BFD-2026-0001550	Fire - Structure Fire - Structural Involvement	Station 4	58 VILLAGE GATE DR	Southington Fire Department	Mutual / automatic aid in support of primary entity

Tower 1 Monthly Report July 2026

Summary

Tower 1 responded to 78 calls for service in July.

Personnel

- FF J. Nazzarro (C Shift) was transferred to Engine 4. FF J. Pavelchak (C Shift) was brought to Tower 1 in his place.

Training:

- Members conducted training on rescue operations, including vehicle and rope rescue.

Notable Incidents:

- **1 Structure Fire**
- **1 Vehicle Extrications**
- **3 Elevator Rescues**

Apparatus/Equipment

- Still awaiting several repairs to Tower 1 pending the hiring of a new mechanic.

Fire Stations/Facilities

- Nothing to report.

Miscellaneous

- Nothing to report.

Respectfully submitted,
James Plaster
Captain
Tower 1



Tower 1 Monthly

PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Fire - Outside Fire - Trash / Rubbish Fire	1
Fire - Structure Fire - Structural Involvement	1
Fire - Structure Fire - Confined Cooking / Appliance Fire	4
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	2
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	4
Hazardous Situation - Hazardous Materials - Fuel Spill / Fuel Odor	1
Hazardous Situation - Hazardous Materials - Gas Leak / Gas Odor	6
Hazardous Situation - Investigation - Odor	2
Hazardous Situation - Investigation - Smoke Investigation	3
Medical - Other - Medical Alarm	1
Public Service - Citizen Assist - Citizen Assist / Service Call	3
Public Service - Citizen Assist - Lift Assist	3
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	15
Public Service - Alarms (Non Medical) - Other Alarm	2
Public Service - Disaster / Weather - Weather Response	1
Rescue - Outside - Extrication / Entrapped	1
Rescue - Structure - Elevator / Escalator Rescue	3
No Emergency - False Alarm - Intentional False Alarm	1
No Emergency - False Alarm - Malfunctioning Alarm	8

Tower 1 Monthly

Bristol FD

Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
No Emergency - False Alarm - Accidental Alarm	8
No Emergency - False Alarm - Other False Call	3
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	3
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	2
Total	78

Engine Company 1

Monthly Report

July, 2026

Summary

Engine 1 personnel responded to 151 calls for service and performed 8 company area surveys in July. July was a busy month with call volume, company training at the drill field and promotions bringing new personnel to the station.

See breakdown of calls Below :

July – 151

YTD - 844

Training :

- Ring removal review
- Automobile stabilization
- TL-9 training

Personnel

There were a couple of personnel changes at station 1. Captain Nicholas Cutler from Engine 1 Captain to Deputy Chief D shift. Lieutenant Steven Barnosky from Engine 2 A shift to Captain Engine 1 D shift.

Apparatus/Equipment

- Engine 1 had an oil change July 22nd , changed over to engine 6 during maintenance.
- There were no other issues with the apparatus.

Fire Stations/Facilities

- Pest Control was in the station on July 9th to set traps and spray.
- Pest Control was back in station on July 23rd to check the traps.
- House work both inside and outside the station continue to be exemplary.


Miscellaneous

- This was my first month as Captain of Engine 1 and it is an honor to be here with this great group of guys. I will do my best to continue to move this company forward and I look forward to what's to come.

Respectfully submitted,
Captain, Steven Barnosky



Engine 1 Monthly



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Fire - Outside Fire - Trash / Rubbish Fire	2
Fire - Structure Fire - Structural Involvement	1
Fire - Structure Fire - Confined Cooking / Appliance Fire	4
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	18
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	12
Hazardous Situation - Hazardous Materials - Fuel Spill / Fuel Odor	1
Hazardous Situation - Hazardous Materials - Gas Leak / Gas Odor	7

Engine 1 Monthly

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Hazardous Situation - Hazardous Materials - Carbon Monoxide Release	2
Hazardous Situation - Hazardous Materials - Biological Release / Incident	1
Hazardous Situation - Investigation - Odor	2
Hazardous Situation - Investigation - Smoke Investigation	3
Medical - Illness - Heart Problems	1
Medical - Injury / Trauma - Motor Vehicle Collision	3
Public Service - Citizen Assist - Person In Distress	6
Public Service - Citizen Assist - Citizen Assist / Service Call	22
Public Service - Citizen Assist - Lift Assist	1
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	21
Public Service - Alarms (Non Medical) - CO Alarm	2
Public Service - Alarms (Non Medical) - Other Alarm	3
Public Service - Disaster / Weather - Weather Response	1
Rescue - Outside - Extrication / Entrapped	1
Rescue - Structure - Elevator / Escalator Rescue	1
Rescue - Transportation (Land) - Motor Vehicle Collision Extrication / Entrapment	1
No Emergency - False Alarm - Intentional False Alarm	1
No Emergency - False Alarm - Malfunctioning Alarm	11
No Emergency - False Alarm - Accidental Alarm	7
No Emergency - False Alarm - Other False Call	3
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	5

Engine 1 Monthly

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
No Emergency - Good Intent - Controlled Burning (Authorized)	1
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	3
No Emergency - Good Intent - Investigate Hazardous Release (Nothing Found)	2
No Emergency - Cancelled	2
Total	151

Engine Company 2

Monthly Report

July, 2026

Summary

Station 2 responded to 65 calls in the month of July. The training objectives consisted of rescue operations. This included vehicle stabilization and lifting operations using various tools such as cribbing, the grip hoist, TL-9, and pneumatic lifting bags. Rope systems were reviewed and practice making horizontal and vertical operations were carried out. In addition, the man-in-machine kit was reviewed which deals with body parts that are entrapped in a machine or if rings are stuck on fingers.

Breakdown of Calls:

Fires - 5

Hazardous Condition - 21

Medical - 1

Public Service/Alarms - 22

No Emergency/False Alarm - 16

Total - 65

July Training:

-Rescue Operations/Vehicle Stabilization & Lifting

-Rope Systems

-Man-in-Machine

Personnel

FF Alec Madden was transferred from Engine 5 A-Shift to Engine 2 A-Shift. FF Scott Hall was transferred from Engine 2 A-Shift to Engine 2 C-Shift.

Apparatus/Equipment

- Engine 2 went out for service on 7/16
- Engine 7 is currently being used as the frontline apparatus
- All SCBA's (Self Contained Breathing Apparatus) and accompanying Air Cylinders were tested by a third party for re-certification and hydrostatic compliance.

Fire Stations/Facilities

- The kitchen stove is not functioning properly and a request for repair/replacement has been submitted
- The Plymo Vent system works intermittently and needs to be serviced

Miscellaneous

- The lawn mower no longer functions and a request for a new one has been submitted

- In an effort to improve the outward appearance of the Station, stone is slowly being implemented around the building in place of mulch. This is a more permanent solution to keeping our property aesthetically attractive and reduce the fiscal need for an annual purchase of mulch

Respectfully submitted,


Captain

Adam Della Ventura

Adam Della Ventura



Engine 2 Monthly



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Fire - Outside Fire - Trash / Rubbish Fire	1
Fire - Structure Fire - Structural Involvement	1
Fire - Structure Fire - Confined Cooking / Appliance Fire	3
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	7
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	4
Hazardous Situation - Hazardous Materials - Fuel Spill / Fuel Odor	1
Hazardous Situation - Hazardous Materials - Gas Leak / Gas Odor	6

Engine 2 Monthly

Bristol FD

Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Hazardous Situation - Investigation - Odor	1
Hazardous Situation - Investigation - Smoke Investigation	2
Medical - Injury / Trauma - Motor Vehicle Collision	1
Public Service - Citizen Assist - Citizen Assist / Service Call	4
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	12
Public Service - Alarms (Non Medical) - CO Alarm	1
Public Service - Alarms (Non Medical) - Other Alarm	2
Public Service - Disaster / Weather - Weather Response	3
No Emergency - False Alarm - Malfunctioning Alarm	4
No Emergency - False Alarm - Accidental Alarm	5
No Emergency - False Alarm - Other False Call	1
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	2
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	1
No Emergency - Good Intent - Investigate Hazardous Release (Nothing Found)	1
No Emergency - Cancelled	1
(NULL)	1
Total	65

Engine Company 3

Monthly Report

July, 2026

Summary

Station 3 members responded to 65 calls for service this month. Notable responses include a cooking fire, life star landing and a serious motor vehicle accident requiring the extrication of the driver.

July's Training:

Engine company operations and boat training
Fire attack

Company level training

Rope and hauling systems.

Breakdown of Calls:

25- Fire/fire alarm
23- Hazardous situation
4- MVA with injuries
10- Public assist
3- Rescue
0- Mutual Aid

YTD – 466 calls

Personnel

- No Changes

Apparatus/Equipment

- E3-01 SCBA has been repaired.
- Engine 3's four gas meter went out for calibration
- The HCN meter is out for repair. It needs a new sensor

Fire Stations/Facilities

- There are still a few little items to address with the new station. The garage door programming seems to be an issue that we are working to address. We continue working with the vendors and Dave Oaks to get them addressed.

Miscellaneous

- The new hose storage rack arrived at the station to help organize the spare hose.
- Still addressing some recurring issues at the new station.


Respectfully submitted,

Craig Henderson

Captain Craig Henderson
Bristol Fire Dept. Engine 3



Engine 3 Monthly



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Fire - Outside Fire - Other Outside Fire	1
Fire - Outside Fire - Trash / Rubbish Fire	1
Fire - Structure Fire - Confined Cooking / Appliance Fire	1
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	12
Hazardous Situation - Hazard Non-Chemical - Electrical Hazard / Short Circuit	1
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	8
Hazardous Situation - Investigation - Odor	1

Engine 3 Monthly

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Hazardous Situation - Investigation - Smoke Investigation	1
Medical - Injury / Trauma - Motor Vehicle Collision	3
Medical - Other - Medical Alarm	1
Public Service - Citizen Assist - Person In Distress	1
Public Service - Citizen Assist - Citizen Assist / Service Call	1
Public Service - Citizen Assist - Lift Assist	1
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	3
Public Service - Alarms (Non Medical) - Other Alarm	1
Public Service - Disaster / Weather - Weather Response	2
Rescue - Structure - Elevator / Escalator Rescue	1
Rescue - Transportation (Land) - Motor Vehicle Collision Extrication / Entrapment	1
Rescue - Transportation (Land) - Aviation Standby	1
No Emergency - False Alarm - Intentional False Alarm	1
No Emergency - False Alarm - Malfunctioning Alarm	8
No Emergency - False Alarm - Accidental Alarm	5
No Emergency - False Alarm - Other False Call	2
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	4
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	2
No Emergency - Cancelled	1
Total	65

Engine Company 4

Monthly Report

July 2026

Summary Engine 4 responded to 80 calls for service in the month of July.

Personnel Firefighter Joe Nazzaro was re-assigned to

July Training:

- Rescue Operations

- SOP Review

- Vehicle Stabilization

Station 4 C shift and Firefighter James Pavelcheck was assigned to Tower 1 C shift.

Training for the

Breakdown of Calls:

1 Fire 9 (11.25%)

2 Hazardous Situation 21 (26.25%)

3 Medical 4 (5.00%)

4 Public Service 22 (27.50%)

5 Rescue 2 (2.50%)

6 No Emergency 22 (27.50%)

7 Law enforcement Support 0 (0.0%)

month of July consisted of Rescue operations. The focus of the training was on vehicle stabilization. The grip hoist and Res-Q jacks were utilized to complete vehicle stabilization on a roof resting and side resting vehicle. SOP review of Motor Vehicle Accident Response and Lockout/Tagout Safety was also completed.

Apparatus/ Equipment

- Engine 4 was returned to service after having the transmission rebuilt. The water tank was filled and the pump and generator were operated without any issues.
- Engine 7 was returned to spare status at Station 4, Engine 8 was returned to Station 5.
- Engine 7 was placed in service as Engine 2 when Engine 2 was taken out of service.
- MES completed Self Contained Breathing Apparatus (SCBA) testing and all SCBA bottles were hydro- tested.

Fire Stations/Facilities

- AB-MEE completed the wiring for the Drone Docking Station on the roof of Station 4.
- On July 28, the Drone and Drone Dock were delivered and installed.
- A&J Generator serviced the house generator at Station 4.

Miscellaneous

- Engine 4 filled the boot for the Muscular Dystrophy Association (MDA) on June 27. This was not noted on the June monthly report.
- Engine 4 received 4 new mattresses for the bunk rooms.

Respectfully submitted,


Captain

Scott McKearney

Scott McKearney



Engine 4 Monthly



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Fire - Structure Fire - Structural Involvement	4
Fire - Structure Fire - Confined Cooking / Appliance Fire	4
Fire - Transportation Fire - Vehicle Fire - Passenger	1
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	4
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	3
Hazardous Situation - Hazardous Materials - Fuel Spill / Fuel Odor	3
Hazardous Situation - Hazardous Materials - Gas Leak / Gas Odor	4

Engine 4 Monthly

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Hazardous Situation - Hazardous Materials - Carbon Monoxide Release	2
Hazardous Situation - Investigation - Odor	2
Hazardous Situation - Investigation - Smoke Investigation	3
Medical - Injury / Trauma - Motor Vehicle Collision	4
Public Service - Citizen Assist - Person In Distress	1
Public Service - Citizen Assist - Citizen Assist / Service Call	1
Public Service - Citizen Assist - Lift Assist	2
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	13
Public Service - Alarms (Non Medical) - CO Alarm	1
Public Service - Alarms (Non Medical) - Other Alarm	2
Public Service - Disaster / Weather - Weather Response	2
Rescue - Outside - Extrication / Entrapped	1
Rescue - Structure - Elevator / Escalator Rescue	1
No Emergency - False Alarm - Intentional False Alarm	1
No Emergency - False Alarm - Malfunctioning Alarm	6
No Emergency - False Alarm - Accidental Alarm	5
No Emergency - False Alarm - Other False Call	3
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	4
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	2
No Emergency - Cancelled	1
Total	80

ENGINE COMPANY #5

MONTHLY REPORT

JUNE 2026

SUMMARY

Engine Company #5 responded to 76 Calls for Service in the month of June 2026.

PERSONNEL

Firefighter Kyle Dunn was transferred to from D Group Engine #5 to D Group Engine #4. Probationary Firefighter Justin Tomlin was transferred from D Group Engine #1 to D Group Engine #5 during the month of June. All other Group's remained the same at Station #5.

APPARATUS/EQUIPMENT

No new issues to report with Engine #5. Remains in a state of operational readiness.

Engine #8 remains @ Station #4 at time of this report.

FIRE STATIONS/FACILITIES

Station #5 is once again finding issues with the Central Air Conditioning. New leaks are developing in the two rear most bunk rooms. Ceiling tiles are being damaged and will need to be replaced. Dave Oakes has been notified.

Rear overhead door is having issues with proper operation. It will intermittently not close upon request. Dave Oakes has sent out Overhead Door to address but at the time of this report the problem persists and will need to be fixed. Door is remaining open while Engine #5 responds to calls for service at times.

SURVEYS

Some of the locations that were visited by on duty crews in the month of June were: Shop Rite, New Northeast Middle School, Home Depot, 1175 Farmington Avenue, Vance Drive Apartments, Davis Drive, 52 Sheila Court, and GE Fitness

MISCELLANEOUS


On duty crews are beginning their annual efforts of getting the Station's exterior spruced up for the annual Little League Softball and Baseball Regional Tournaments. The Softball Tournament is scheduled to begin on July 18 and the Baseball Tournament is scheduled to begin on August 8. Please feel free to stop in and say hello on the way to catch game. These tournaments are a lot of fun and provide the fans with excellent competition. They are well worth the visit.

RESPECTFULLY SUBMITTED,

CAPTAIN BRIAN D'AMATO



Engine 5 Monthly



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Fire - Outside Fire - Trash / Rubbish Fire	1
Hazardous Situation - Hazard Non-Chemical - Electrical Power Line Down / Arching / Malfunction	13
Hazardous Situation - Hazard Non-Chemical - Motor Vehicle Collision	6
Hazardous Situation - Hazardous Materials - Fuel Spill / Fuel Odor	1
Hazardous Situation - Hazardous Materials - Gas Leak / Gas Odor	2
Hazardous Situation - Hazardous Materials - Carbon Monoxide Release	4
Medical - Injury / Trauma - Motor Vehicle Collision	2

Engine 5 Monthly

Bristol FD

Address: 181 N Main St, Bristol, CT, 06010



PRIMARY INCIDENT TYPE	PRIMARY INCIDENT TYPE/INCIDENT GROUP
Public Service - Citizen Assist - Person In Distress	2
Public Service - Citizen Assist - Citizen Assist / Service Call	13
Public Service - Alarms (Non Medical) - Fire / Smoke Alarm	6
Public Service - Alarms (Non Medical) - CO Alarm	3
Public Service - Alarms (Non Medical) - Other Alarm	2
Public Service - Disaster / Weather - Damage Assessment	1
Public Service - Disaster / Weather - Weather Response	3
Rescue - Transportation (Land) - Motor Vehicle Collision Extrication / Entrapment	1
No Emergency - False Alarm - Malfunctioning Alarm	5
No Emergency - False Alarm - Accidental Alarm	4
No Emergency - False Alarm - Other False Call	2
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	2
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scare)	2
No Emergency - Good Intent - Investigate Hazardous Release (Nothing Found)	1
No Emergency - Cancelled	3
(NULL)	3
Total	82

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

July 2026



Kristopher Lambert

Kristopher Lambert, Fire Marshal

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

July 2026



TO: City of Bristol Fire Board Members
FROM: Kristopher Lambert, Fire Marshal
SUBJECT: Monthly Report – July 2026

INCIDENTS

There were two hundred ninety-six (296) incidents for this month that required computer-generated reports communicated to the State Fire Marshal's Office and NERIS. There were zero (6) investigation(s) of fire/explosions by this office. Total estimated property loss for the period is \$17,895 dollars.

220 Riverside Ave.
84 Pine Meadow
200 Blakeslee St. Unit 77

There were zero (0) civilian injury(s), and zero (0) Firefighter injury (ies) reported during this period. There were zero (0) mutual aid call(s) given/received within the month. A copy of the cumulative monthly inspection reviews and permits account is included with this report.

REVIEWS, MEETINGS, MISC.

- Private Hydrants – Fifty-four (54) reported as having been tested for the year and all fifty-four (54) hydrants are compliant. This represents twenty-three-point seven percent (23.7%) of the total number of private hydrants within the municipality.
- Twenty-nine (29) plans for new construction, occupancy changes, and renovations were reviewed. Some of the plans included electrical and mechanicals, including Fire Alarm and Fire Sprinkler systems. Site plan drawings are also included. Coordination and consultation regarding plan review are ongoing with other city agencies.
- Employees of the Fire Marshal's Office attended two (2) formal Site Plan Committee meetings this month to coordinate details for future Plan Review submittals in the City of Bristol. Approximately twenty-five (25) other site meetings attended by staff were conducted with business/property owners.

- There were approximately one hundred thirty (130) Fire Prevention Bureau business related calls managed by the staff this month.
- Approximately twelve (12) visitors were received at our office to speak with Fire Marshal Personnel.
- The focus for the month of July was on Fire Alarm and Sprinkler system inspections.

TRAINING CLASSES

- Staff of the Fire Marshal's Office earned thirteen and one half (13.5) hour(s) of continuing education credits this month.

INSPECTIONS AND PERMITS **

- 35 Apartment Building Inspections (190 units) **
- 13 Assembly Occupancy Inspections
- 13 Automatic Sprinkler System Inspections
- 3 Blasting Permit(s) Issued
- 25 Business Occupancy Inspections
- 0 Certificate of Compliance
- 15 Complaint Inspections
- 0 Day Care Inspections
- 1 Educational Inspection
- 18 Fire Alarm Inspections
- 3 Fire Investigations
- 1 Gasoline Station Inspection / LP Tanks
- 0 Health Care / Nursing Home / Group Home Inspections
- 12 Hood & Duct Inspections
- 0 Hotel / Dorm
- 3 Industrial / Storage Inspections
- 3 Liquor License Inspections
- 4 Mercantile Inspections
- 0 Modification Application(s)
- 0 Recreation/Summer Camp
- 0 Residential Board / Care
- 0 Special Amusement/Assembly Inspection
- 3 Tent Inspections

****** In larger residential occupancies, where the building construction is modular in design and contains similar apartments with like layouts and amenities, representative apartments are chosen at random to determine compliance with the Connecticut State Fire Safety Code (CSFSC) and the Connecticut State Fire Prevention Code (CSFPC). With smaller occupancies, we do commonly enter as many units as possible where access is granted and time permits. The corresponding figures represent the number of occupancies and the total number of units affected by the inspection. *In order to achieve our statutory inspection requirements, I strongly recommend increasing the number certified personnel in this office to eight (8). There has been a significant increase in the number of residential units within this city to support the need for additional personnel within this office. While the number of residential units has increased over the years, the staff of this office has not.*

OFFICE OF THE FIRE MARSHAL STAFF VEHICLES

Fire 3 - 2013 Ford Explorer - White
Fire 4 - 2012 Ford Escape – Gray
Fire 5 - 2011 Dodge Grand Caravan - White
Fire 6 - 2013 Ford Expedition - Red

Mileage and fuel usage reports are generated automatically and submitted by the equipment technician.


FDR-IR: Incident Count by Primary Incident Type

This report summarizes incident count and percent of total by the primary incident group and type (NERIS). Date range defaults to last calendar month, date range can be edited by clicking "edit" on the filter box in the upper right corner.

Quick Calendars

Edit Report

Show 3 items selected



Primary Incident Group / Primary Incident Type	Count	Percent of Total
Rescue - Structure - Elevator / Escalator Rescue	3	10.1%
Rescue - Transportation (Land) - Motor Vehicle Collision Extrication / Entrapment	2	0.68%
Rescue - Transportation (Land) - Aviation Standby	1	0.34%
> No Emergency	63	21.28%
No Emergency - False Alarm - Intentional False Alarm	1	0.34%
No Emergency - False Alarm - Malfunctioning Alarm	18	6.08%
No Emergency - False Alarm - Accidental Alarm	9	3.04%
No Emergency - False Alarm - Other False Call	5	1.69%
No Emergency - Good Intent - No Incident Found Upon Arrival / Location Error	12	4.05%
No Emergency - Good Intent - Controlled Burning (Authorized)	1	0.34%
No Emergency - Good Intent - Smoke From Nonhostile Source (Smoke Scent)	6	2.03%
No Emergency - Good Intent - Investigate Hazardous Release (Nothing Found)	4	1.35%
No Emergency - Cancelled	7	2.36%
Total	296	100.00%

FDR-IR: Incident Count by Primary Incident Sub Group


This report summarizes incident count and percent of total by the primary incident group and sub group (NERS). Date range defaults to last calendar month, date range can be edited by clicking "edit" on the filter box in the upper right corner.

Download
Excel
CSV

Edit Report

Report

Show 3 items selected



Primary Incident Group / Primary Incident Sub Group	Count	Percent of Total
Fire	13	4.39%
Fire - Outside Fire	4	1.35%
Fire - Structure Fire	8	2.70%
Fire - Transportation Fire	1	0.34%
Hazardous Situation	104	35.14%
Hazardous Situation - Hazard Non-Chemical	79	26.69%
Hazardous Situation - Hazardous Materials	20	6.76%
Hazardous Situation - Investigation	5	1.69%
Medical	9	3.04%
Medical - Illness	1	0.34%
Medical - Injury / Trauma	7	2.36%
Medical - Other	1	0.34%
Public Service	100	33.78%
Total	296	100.00%

FDR-IR: Incident Count by Primary Incident Group


This report summarizes incident count and percent of total by the primary incident group (NERIS). Date range defaults to last calendar month, date range can be refined by clicking "edit" on the filter box in the upper right corner.

Filter by Incident Type

Edit Filter

Report

Show 3 items selected



Primary Incident Group	Count	Percent of Total
Fire	13	4.3%
Hazardous Situation	104	35.14%
Medical	9	3.04%
Public Service	100	33.78%
Rescue	7	2.36%
No Emergency	63	21.28%

Total 296 100.00%

Show: 50 100 250 1000 Showing 1 to 6 of 6

Completed Fire Inspection Assignments Month of July 2026

Fire Inspector Hoyt

Fire Alarm Inspections - 7

Sprinkler Inspections - 4

Commercial Inspections

- Assembly - 4**
- Business - 9**
- Carnival -**
- Day Care -**
- Dormitories - 1**
- Educational - 1**
- Fire Drills -**
- Fire Works/Special Effects-**
- Group Home -**
- Health Care –**
- Industrial -**
- Mercantile - 2**
- Nursing Home -**
- Residential Board and Care - 1**
- Special Amusement/Assembly -**
- Tent - 2**
- Liquor License Inspections – 1**
- Hood and Duct Inspections - 4**
- Gas Station -**
- LPG Point of Sale/Bulk Storage –**
- Food Truck -**

Residential Inspections

- Buildings- 3 @ Units- 34**
- Fire Investigations –**

Meetings- 3

Complaints- 1

**Plan Reviews – 12 170Rvrsde, 912Trry, 168Holley, 50Pinhrst, 190 Century, 314
BSnss, 55 Gaylord, NE Middle F/A, NE Middle S/s, 177 west, NE FINAL, NE
Phase 1 final**

Modifications -

Blasting Permit - 1

FOIARequest-

Phone Messages/Calls – 26

Department Training –

Public Fire Education –

Continuing Education/CFI- 3

Completed Fire Inspection Assignments Month of July 2026

Fire Inspector Robotham

Fire Alarm Inspections - 8

Sprinkler Inspections - 5

Commercial Inspections -

Assembly - 3

Business - 8

Carnival -

Day Care -

Dormitories - 1

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home - 1

Health Care -

Industrial –

Mercantile - 1

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections - 1

Hood and Duct Inspections - 3

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections – 7 Bldgs 43 Units

Residential Completed Inspections -

Fire Investigations – 1

200 Blakeslee st unit 77

7/8/26

Meetings - 7

Complaints - 5

Plan Reviews - 5

Modifications -

Blasting Permit -

Phone Messages - 22

OEMD Training – 3 hrs

Department Training –

Public Fire Education –

Completed Fire Inspection Assignments Month of July 2026
Fire Inspector Yacovino

Fire Alarm Inspections -

Sprinkler Inspections - 2

Commercial Inspections -

Assembly - 2

Business - 3

Carnival -

Day Care -

Dormitories -

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home -

Health Care -

Industrial -

Mercantile - 1

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent - 1

Liqueur License Inspections - 1

Hood and Duct Inspections - 2

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections- Buildings 18 @ 54 Units

Residential Completed Inspections -

Fire Investigations - 2

Meetings - 5

Complaints - 3

Plan Reviews - 6

Modifications -

Blasting Permit -

Phone Messages - 21

OEMD Training – 4.5 hrs

Fire 6 - Actual Mileage – as of , Gallons –

Completed Fire Code Inspection Assignments Month of **July** 2026 Fire Marshal Lambert

Fire Alarm Inspections - 3

Sprinkler Inspections – 2

Standpipe Inspections -

Commercial Inspections:

- Assembly - 4
- Business - 5
- Camps -
- Complaints - 4
- Day Care –
- Dormitories -
- Educational -
- Fire Drills -
- Fire Works/Special Effects -
- Gas Station - 1
- Group Home -
- Health Care -
- Hood and Duct Inspections - 3
- Hotel -
- Industrial - 3
- Liquor License Inspections -
- LPG Point of Sale/Bulk Storage –
- Mercantile -
- Nursing Home -
- Residential Board and Care -
- Special Amusement/Assembly –
- Storage -
- Tent -

****Residential Inspections - Buildings 7 @ 59 Units**

Fire Investigations –

Meetings - 9

Certificate of Occupancy –

Certificate of Compliance -

Plan Reviews - 19

Modifications -

Blasting Permit - 2

Phone Calls/Messages - 22

OEDM Training -

Continuing Education Training - 3 hrs.



BRISTOL FIRE DEPARTMENT – TRAINING DIVISION

MONTHLY TRAINING REPORT

JULY 2026

Summary

The BFD Training Division had a productive month supporting its mission to provide a proactive and efficient training environment. During the month of July, members participated in multiple company-level drills and department-level classes. Throughout the month, members amassed over 70 hours of manipulative instruction completing six set objectives and improvised scenarios. The month of July was dedicated to Rescue Company Operations. All Companies participated in daily drills to reinforce their skills in vehicle stabilization, grip hoist review, pneumatic lifting bags, man-in-machine tools, and rope rescue systems. The BFD was also given a presentation on the *Hotwash* program. This program assists the training officer and chief officers in developing after-action reports and training opportunities based on events that occurred at recent incidents. The process of onboarding two new BFD recruits also began. Both recruits will be attending Class 78 of the Connecticut Fire Academy starting in August. As always, a number of community fire prevention and facility safety deliveries also occurred throughout the city. BFD members experienced a busy month while managing their time to further their education, answer emergencies, and prepare for future training objectives to round out the summer months.

Training Highlights

Rescue Company Operations

Objective: All companies participated in a number of skillset drills to work on proficiency in the areas of vehicle stabilization, rescue tool review, pneumatic lifting bags, man-in-machine tools,

and rope rescue systems. Companies rotated through the drill field and in-quarters locations each day completing objectives targeted for July's scheduled training. A great deal of work was performed by our members, with the dedication to their craft and continuing education apparent and appreciated.

HOTWASH Presentation

BFD was presented the *Hotwash* program for developing after-action reports and training exercises to pinpoint accurate occurrences and targeted areas of deficiency. The program focuses on chief officers and training officers documenting, in real-time, actions that occur on scene, targeting areas that would require improvement through additional training. The real-time application of the program makes it beneficial in eliminating the detrimental delay in documenting events due to the additional tasks that often require post incident attention. BFD administration will continue to explore the possibility of incorporating this program into our daily operations in the future.

Fire Safety Demonstrations

Companies participated in multiple presentations and community events throughout the month. These included camp activities for instructors/counselors and students as well as educational safety presentations for community businesses. These activities prove useful in educating our community partners and also serve as a helpful refresher for our members on the familiarity of our populous and local infrastructure.

Facility Utilization

Training Classroom – The classroom continues to serve both internal (BFD, contracted instructors) and external (private instruction, BPD, CERT, etc.) logistical needs. On Friday, July 17th, the BFD hosted the FCTRT (Fairfield County Trauma Response Team) for a day of classroom instruction on peer support. All went well.

Training Grounds –The month of August is set aside for review and make-up sessions from the last three months of company operation manipulative training. Those that had absences will complete their objectives and companies will begin prepping for September's weekly NFPA 1403 live fire training.

Training Tower Upgrades – Electrical wiring and lighting in the training tower is being addressed by an outside electrical service contractor. Upgraded lighting in the facility and

safety switches are being added to the building for safe training considerations. The work will continue through August.

Challenges

On-duty Logistics – Logistics of shift/fire company availability make for a challenging training session when on-duty companies respond to emergencies.

Staffing – Repeated challenges to fulfill mandated and intended instructional opportunities with minimal staffing (1) of the Training Division. Supplemental efforts are made to incorporate certified departmental instructors to assist in the delivery of classes that require a span of control (student/instructor ratio) that promotes a safe and effective environment. The absence of a Fire Apparatus Mechanic has put a demand on the logistics of the Training Division. The timely addition of a Mechanic to that division will help alleviate the need for assistance of the Training Officer in the logistical needs of our apparatus and off-site maintenance.

Budget – Budgetary improvements; the request for increased funding (2026/2027) reflects the need for members' continuing education and career opportunities. An increase in the training budget will help accommodate additional classes and resources to meet our members' needs.

Looking Forward ...

Instruction

- Continue Company-Level Operations Review
- Probationary FF Orientation (2 new hires to report on August 24, 2026)
- NFPA 1403 Live Fire Training Prep
- Annual SCBA Fit Testing

Respectfully Submitted,



Derek K. Freimuth

Captain, Bristol Fire Department Training Division

Bristol Fire Department

Mechanical Division Monthly Report

June 2026

Engine-1

- Oil and filter change- H&H Equipment

Engine-2

- Replace leaking fuel tank- Firematic
- Replace rear brakes- Firematic
- Replace right rear spring perch-Firematic

Engine-3

- Main 6" intake valve sent out for repair- Task Force Tips Mfg

Engine-4

- Transmission replaced- H&H Equipment

Engine-5

- Oil and filter change- H&H Equipment

Engine-7

- Passenger front tire valve stem replaced- Toce Tire

Ladder-2

- Replaced power steering pump- Firematic

Safety/Training Car

- Accident repair complete- Ron's Auto
- Passenger rear tire flat repair-Tire Depot

Fire-5

- Two new front tires- Tire Depot

Miscellaneous

- Air cylinder Hydrostatic testing completed-Fire Tech and safety
- Flow testing of Department SCBA's-Fire Tech and Safety
- Air Packs T1-03, E2-01 sent for repair -Fire Tech and Safety
- UTV sent for Skid unit install and service- New England Fire Equipment
- Transfer station runs for various Companies
- E-1 elec. Pigtail repaired
- Built Engine 3 hose rack

Respectfully Submitted by

Donald Perrault

Interim Equipment Technician

Richard Hart

Chief of Department

YEAR-TO-DATE BUDGET REPORT

FOR 2026 13

ACCOUNTS FOR:	ORIGINAL	TRANFRS/	REVISED				AVAILABLE	PCT
001 GENERAL FUND	APPROP	ADJSTMTS	BUDGET	YTD EXPENDED	ENCUMBRANCES	BUDGET	USED	
0012211 FIRE DEPARTMENT								
0012211 514000 REGULAR WAGES	7,615,370	-91,657	7,523,713	7,523,712.31	.00	.69	100.0%	
0012211 515100 OVERTIME WAGES &	1,750,000	459,388	2,209,388	2,209,387.12	.00	.88	100.0%	
0012211 515200 PARTTIME WAGES &	25,155	695	25,850	23,036.50	.00	2,813.50	89.1%	
0012211 517000 OTHER WAGES	575,000	23,200	598,200	598,199.83	.00	.17	100.0%	
0012211 522100 UNIFORM ALLOWANC	46,000	15,565	61,565	57,519.60	4,044.75	.90	100.0%	
0012211 522300 UNION CONTRACT R	500	0	500	.00	.00	500.00	.0%	
0012211 531000 PROFESSIONAL FEE	81,100	18,704	99,804	99,803.29	.00	.71	100.0%	
0012211 541000 PUBLIC UTILITIES	85,000	0	85,000	73,565.78	.00	11,434.22	86.5%	
0012211 541100 WATER & SEWER CH	10,500	4,337	14,837	14,836.09	.00	.91	100.0%	
0012211 542140 REFUSE	250	0	250	115.80	.00	134.20	46.3%	
0012211 542500 LAUNDRY & LINEN	1,500	166	1,666	1,665.77	.00	.23	100.0%	
0012211 553000 TELEPHONE	18,900	0	18,900	13,149.00	.00	5,751.00	69.6%	
0012211 553100 POSTAGE	500	0	500	182.50	.00	317.50	36.5%	
0012211 561400 MAINT SUPPLIES &	9,530	0	9,530	8,617.71	.00	912.29	90.4%	
0012211 561800 PROGRAM SUPPLIES	33,775	1,577	35,352	33,827.74	990.00	534.26	98.5%	
0012211 561805 FIRE PREVENTION	8,535	0	8,535	7,553.06	.00	981.94	88.5%	
0012211 561806 TRAINING DIVISIO	10,000	3,491	13,491	11,548.29	1,900.00	42.71	99.7%	
0012211 561807 MECHANICAL DIVIS	141,000	119,379	260,379	260,378.97	.00	.03	100.0%	
0012211 562200 NATURAL GAS	35,000	13,526	48,526	48,524.15	.00	1.85	100.0%	
0012211 562300 GENERATOR FUEL	1,000	0	1,000	.00	.00	1,000.00	.0%	
0012211 562600 MOTOR FUELS	42,935	660	43,595	36,111.38	.00	7,483.62	82.8%	
0012211 569000 OFFICE SUPPLIES	2,000	0	2,000	1,933.74	.00	66.26	96.7%	
0012211 570902 ANNUAL LOOSE EQU	14,500	9,975	24,475	13,953.08	.00	10,521.92	57.0%	
0012211 570915 BUNKER GEAR	26,000	13,355	39,355	39,354.37	.00	.65	100.0%	
0012211 581120 CONFERENCES & ME	2,000	375	2,375	2,374.73	.00	.27	100.0%	
0012211 581135 SCHOOLING & EDUC	15,000	0	15,000	10,258.47	.00	4,741.53	68.4%	
TOTAL FIRE DEPARTMENT	10,551,050	592,736	11,143,786	11,089,609.28	6,934.75	47,242.24	99.6%	
TOTAL GENERAL FUND	10,551,050	592,736	11,143,786	11,089,609.28	6,934.75	47,242.24	99.6%	
TOTAL EXPENSES	10,551,050	592,736	11,143,786	11,089,609.28	6,934.75	47,242.24		

YEAR-TO-DATE BUDGET REPORT

FOR 2026 13

	ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD EXPENDED	ENCUMBRANCES	AVAILABLE BUDGET	PCT USED
GRAND TOTAL	10,551,050	592,736	11,143,786	11,089,609.28	6,934.75	47,242.24	99.6%

** END OF REPORT - Generated by Sara Bianchi **