



**BOARD OF FIRE COMMISSIONER'S
REGULAR MEETING
COUNCIL CHAMBERS, 111 NORTH MAIN STREET
THURSDAY, FEBRUARY 24TH AT 6:00 PM**

Join Zoom Meeting

<https://bristolct-gov.zoom.us/j/6376788682?pwd=WGh1UjdWVlFCVlVHRHNzVjRHYVtQT09>

Meeting ID: 637 678 8682

Passcode: 303484

Dial by your location:

+1 929 205 6099 US (New York)

+1 301 715 8592 US (Washington DC)

Page #

1. CALL TO ORDER

2. EMPLOYEE RECOGNITION

3. PUBLIC PARTICIPATION

4. COMMUNICATIONS

5. APPROVAL OF MEETING MINUTES

a. Fire Board Minutes from January 27, 2022 1-2

6. APPROVAL OF MONTHLY & ANNUAL REPORTS

a. Tower 1	3
b. Engine 1	4
c. Engine 2	5
d. Engine 3	6
e. Engine 4	7
f. Engine 5	8-9
g. Office of The Fire Marshal	10-29
h. Mechanical Division	30-31
i. Training Division	32

7. SUBCOMMITTEE REPORTS

8. APPROVAL OF THE CHIEF'S REPORT 33-34

9. OLD BUSINESS

10. NEW BUSINESS

10a. Promotion of F.F Wesley Hoyt to Fire Inspector

11. ADJOURN

**BOARD OF FIRE COMMISSIONERS
REGULAR MEETING
JANUARY 27, 2021 6:00 p.m.
COUNCIL CHAMBERS**

PRESENT:

Mayor Caggiano, Chairman
Commissioner Benvenuto
Commissioner Moore
Commissioner Kilby
Commissioner Howe

ABSENT:

Commissioner Jandreau
Commissioner Crispino

1. CALL TO ORDER

Mayor Caggiano called the meeting to order at 6:00 p.m.

2. EMPLOYEE RECOGNITION

Chief Hart took time to recognize D.C Butkus, Capt. Simard, Lt. Lavore, and Firefighters Cascone, Duval, Hayes, Stankus, Wollman and Yudelson for their efforts in the fire that occurred on January 3rd.

3. PUBLIC PARTICIPATION

No public participation

4. COMMUNICATIONS

Chief Hart shared a thank you email received from Mr. Jason Rudnick, Principal of RJ Development + Advisors LLC, thanking the department for their assistance with a fire at the Med-help clinic located within their plaza on Farmington Avenue.

5. APPROVAL OF MEETING MINUTES

Commissioner Kilby MOVED TO APPROVE THE MINUTES FROM THE DECEMBER 14, 2021 SPECIAL FIRE BOARD MEETING AND THE MINUTES FROM THE DECEMBER 28, 2021 REGULAR FIRE BOARD MEETING, Second by Commissioner Benvenuto.

6. APPROVAL OF MONTHLY & ANNUAL REPORTS

Commissioner Moore MOVED TO APPROVE THE MONTHLY & ANNUAL REPORTS AND PLACE ON FILE, Second by Commissioner Benvenuto.

7. SUBCOMMITTEE REPORTS

None.

8. APPROVAL OF CHIEF'S REPORT

Commissioner Moore MOVED TO APPROVE THE CHIEF'S MONTHLY & ANNUAL REPORT AND PLACE ON FILE, Second by Commissioner Benvenuto.

9. OLD BUSINESS

None.

10. NEW BUSINESS

10a. REVIEW OF FY23 BUDGET

No motion made.

10B. BRYCER COMPLIANCE ENGINE PRESENTATION

No motion made.

10C. DISCUSSION OF THE HIRING PROCESS

Commissioner Howe MOVED TO APPROVE THE REQUEST TO OVER HIRE UP TO 9 RECRUITS TO FILL FUTURE VACANCIES, Second by Commissioner Moore.

Commissioner Howe MOVED TO AMEND THE MOTION FROM DECEMBER 14, 2021 TO STATE THAT PABLO GOMEZ-CHARRY IS A NON-CERTIFIED CANDIDATE FOR HIRE, Second by Commissioner Moore.

Commissioner Howe MOVED TO APPROVE TO MOVE FORWARD WITH THE HIRING PROCESS OF CANDIDATE BENJAMIN MIKE, Second by Commissioner Moore.

11. ADJOURN

The special meeting of the Board of Fire Commissioners called for the 27th day of January, 2022 was HEREBY ADJOURNED AT 6:50 p.m.

ATTEST: Kayleen Bracco

Tower 1

Monthly Report

January 2022

Summary

Tower 1 responded to 73 incidents during the month of January. Notable calls include 4 building fires, 3 gas leaks and 1 rescues of a person entrapped in an object. Building surveys have been low this month due to the extreme cold weather. These totaled 5 different occupancies for a duration of 5 hours.

Personnel

Nothing to report.

Apparatus/Equipment

Tower 1 has been out of service for almost the entire month for body repairs from an incident that occurred over the summer. It is expected to be back in early February.

Fire Stations/Facilities

Work has continued to try to repair the issues with the HVAC system. As of now, things seem better. A new dishwasher is on order to replace the one that keeps malfunctioning.

Miscellaneous

Nothing to report.

Respectfully submitted,

James Plaster, Captain

Engine #1

Monthly Report

January 2022

Summary

Engine -1 responded to 112 calls in the past month. These included 4 structure fires, 1 chimney fire, 6 cooking related fire with little to no extension, 1 dumpster fire, 10 MVA's ranging from general scene safety to extrications, 8 power lines down, 3 carbon monoxide investigation and 5 assisting PD / EMS, 4 gas related emergencies.

Personnel

Probationary FF Regis assigned to E-4, D shift

Apparatus/Equipment

Nothing to report

Fire Stations/Facilities

Repair techs have been working to resolve on going heating issues'

Miscellaneous

Nothing to report

Respectfully submitted,

Jeff Neumann, Captain

Engine Company 2

Monthly Report

January, 2022

Summary

Station 2 personnel responded to 55 calls for service in the month of January including being first due at the Allen street structure fire. It was unfortunate there was a loss of life but all personnel responding to the multiple alarm fire should be commended for their hard work and professionalism. Covid once again has limited company level surveys to eight for the month.

Personnel

Probationary FF Andrew Duval spent two sets at station 2 on B shift to familiarize himself with the truck and crew.

Apparatus/Equipment

Engine 2 still has a check engine light on and we were at the public works garage to record the error code so FET Kelly can order the proper parts for repair. Still no word on the arrival of the parts which are on back order. Two lengths of 1 ¾" hose were damaged at the Allen st. fire and were taken oos. A new length of 5" hose was put in service to replace one that failed hose testing last year. Kelly also changed the batteries in the SCBA's on Engine 2. During company level training with the ice rescue sled the protective cover ripped and is now temporarily repaired with some tape. It is there to protect the sled from the weather and the rain and sun has taken its toll on it but the sled has remained undamaged.

Fire Stations/Facilities

There have not been any issues with the station in January and we are waiting for the new AC and generator upgrades which are slated to begin when the weather improves in the spring.

Miscellaneous

Once again there is testing to fill the Fire inspector vacancy. Good luck to all participants.

Respectfully submitted,
Captain David J. Simard

Engine 3

January Monthly Report 2022

Summary

- This month Engine 3 responded to 49 incidents. The majority of calls were for motor vehicle accidents and activated fire alarms. These responses also include four building fires and mutual aid to New Britain.

Personnel

- There have been no personnel changes at station 3. We have continued to train daily with recruit firefighter Palin on a variety of topics. The main topics we covered this month included rope rescue and hauling systems, Ice rescue and fire behavior.

Apparatus/Equipment:

- Engine 8 has been out of service most of the month for repairs.
- All Scott airpacks are back in service.
- One length of supply hose was damaged at a fire and take out of service.

Fire Stations/Facilities

- Station 3 had pest control issue. Members found ants coming through the floor around the toilet in the bathroom. Public works came and addressed the issue and they have not returned so far.

Miscellaneous

- Members were FIT tested at station 4.
- Members continue to train and familiarize themselves with the buildings in their response area.
- Members of station 3 are working to update the department's respiratory protection program.

Respectfully submitted,
Craig Henderson, Captain BFD

Engine 4

Monthly Report

January 2022

Summary

Engine 4 responded to 70 calls for service during January.

Personnel

FF. Perrault and FF. Regis are temporarily assigned to Engine 4. FF. Kaczerski is temporarily assigned to HQ to learn the ladder truck. This is all to cross-train as much as possible to ensure a smooth transition in July.

Apparatus/Equipment

Engine 4 suffered some damage to a compartment door following an accident on Bayberry during an ice storm. Engine 4 was responding to a car into a utility pole at the time.

Fire Stations/Facilities

On the 29th just as the snowstorm was wrapping up, we lost heat at the station. Public works were notified and quickly responded. The IT department even got involved. Air Temp came out to make repairs and was not able to fix the problem. They however were able to bypass the problem and get the heat going in the station. They will return to fix the problem this week. A huge thank you to Public works for their quick response and space heaters to help keep us warm/operational.

Miscellaneous

Station 4's crews participated in training on Blood Borne pathogens.

On the 29th Engine 4 hosted an EMS crew and ambulance for a 24-hour shift, due to the snowstorm. It was a good opportunity to interact with our fellow first responders while not at an emergency.

Sincerely,

Todd Correll

Todd Correll, Captain

Engine Co.5
Monthly Report
January 2022

Summary

Engine Company 5 responded to 60 calls for service for the month of January. Due to increasing Covid concerns informal surveys were conducted this month concentrating on familiarization of buildings after fire calls at those locations. We have continued this process of touring more of our target areas to familiarize our newer Firefighters with the building layout and locations of alarm panel while still being cautious of Covid concerns.

Personnel

Station 5 has Probationary Firefighters assigned here, Firefighter Dunn assigned here on "D" shift. Firefighter Bentivengo has been working on "B" shift. Firefighter Terrier is still assigned to "C" shift.

Apparatus/Equipment

Engine 5 was taken out of service again this month for electronic issues, still getting stop engine warning buzzer and multiple air leaks on the brake system Parts on order. We used spare Engine 7. The portable generator on the Support truck was sent out for repair.

Fire Stations/Facilities

Station 5 had a problem once again with their HVAC system producing no heat during a severe cold snap requiring an emergency repair from a private HVAC company. It was a problem with a different circulator pump.

Miscellaneous

Engine 5 "B" shift responded to the 2nd alarm fire at Allen St. on January 3rd, Firefighter Brian Plourde and Probationary Firefighter Anthony Bentivengo did an outstanding job at a very difficult and dangerous fire, I was proud to call them my crew. Also there were many new probationary Firefighters who responded that day to probably one of their first fires, They all were highly motivated and very aggressive, they did a fantastic job and assured many of us that the BFD will be in good hands as the department changes into a younger department.

Captain E. Scott England

Chief Richard Hart

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

January 2022



Kristopher Lambert

Kristopher Lambert, Fire Marshal

Richard Hart, Fire Chief

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT
January 2022**



TO: City of Bristol Fire Board Members
FROM: Kristopher Lambert, Fire Marshal
SUBJECT: Monthly Report – January 2022

INCIDENTS

There were two hundred thirteen (213) incidents for the month of January 2022 that required computer-generated reports communicated to the State Fire Marshal's Office and FEMA. There were three (3) investigation(s) of fire/explosions by this office. Total estimated loss for the period is \$370,717 dollars.

59 Allen St.
77 Laird Dr.
539 Farmington Ave.

There were zero (0) civilian injuries, one (1) civilian fatality and eight (8) Firefighter injuries reported during this period. There were two (2) mutual aid call given/received within the month. A copy of the cumulative monthly inspection reviews and permits account is included with this report.

REVIEWS, MEETINGS, MISC.

- With the recent increase in the number of positive Covid cases, this office is no longer open to the general public. All business shall be conducted electronically, or outside of the building while utilizing PPE (N95 masks) and social distancing. It is paramount that we continue to safeguard the health and safety of the employees of this office.
- Twenty one (21) plans for new construction, occupancy changes, and renovations were reviewed. Some of the plans included electrical and mechanicals, including Fire Alarm and Fire Sprinkler systems. Site plan drawings are also included. Coordination and consultation regarding plan review is ongoing with other city agencies.
- The Fire Marshal's Office attended four (4) formal Site Plan Committee meetings in January to coordinate details for future Plan Review submittals in the City of Bristol.

Seventeen (17) other site meetings attended by staff were conducted with business/property owners.

- There were approximately one hundred thirty five (135) Fire Prevention Bureau business related calls managed by the staff.
- Approximately nine (9) visitors were received at Fire Headquarters to speak with Fire Marshal's Office Personnel. All visitors were masked and no single visit exceeded a fifteen minute duration. All conversations and transactions were conducted outside of fire headquarters.
- The Fire Marshal's Office received and addressed an unusually high number of Complaints this month, the majority of which were Fire Code related. All complaints received a formal inspection.

TRAINING CLASSES

- Staff of the Fire Marshal's Office earned zero (0) hour(s) of continuing education credits this month, along with eighty eight (88) hours of Fire Code Inspector Training with OEDM and six(6) hours of Open Burning Official training.

INSPECTIONS AND PERMITS **

- 12 Apartment building inspections (36 units)**
- 5 Assembly Occupancy inspections
- 7 Business Occupancy inspections
- 8 Fire Alarm Inspections
- 8 Automatic Sprinkler System Inspections
- 3 Certificate of Occupancy
- 1 Liquor license inspections
- 6 Mercantile Inspections
- 0 Modifications
- 8 Hood & Duct Inspections
- 0 Special Amusement/Assembly inspection
- 1 Industrial inspection
- 2 Educational Inspection
- 29 Complaint Inspections
- 0 Health Care / Nursing Home / Group Home Inspections
- 2 Day Care Inspections
- 0 Recreation/Summer Camp
- 1 Blasting Permit
- 0 Gasoline station inspection
- 0 Residential Board / Care
- 0 Tent inspections

****** In larger residential occupancies, where the building construction is modular in design and contains similar apartments with like layouts and amenities, representative apartments are chosen at random to determine compliance with the Connecticut State Fire Safety Code (CSFSC) and the Connecticut State Fire Prevention Code (CSFPC). With smaller occupancies, we do commonly enter as many units as possible where access is granted and time permits. The corresponding figures represent the number of occupancies and the total number of units affected by the inspection. In order to remain compliant with the current inspection requirements, I strongly recommend increasing the number certified personnel in this office to six (6). With the addition of two new inspectors, this office could easily absorb the daily administrative duties thereby eliminating the need for a principal clerk.

OFFICE OF THE FIRE MARSHAL STAFF VEHICLES

Fire 3 - 2013 Ford Explorer - White

Fire 4 - 2012 Ford Expedition – Red – Being used as the on call vehicle

Fire 5 - 2011 Dodge Grand Caravan - White

Fire 6 - 2013 Ford Expedition - Red

Mileage and fuel usage reports are generated automatically and submitted by the mechanic.

Bristol Incident Loss Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Incident-Exp#	Alm Date	Time	Incident Type	Est Loss	Est Value
22-0000012-000	01/02/2022	16:48:09	113 Cooking fire, confined to	\$20	
	74 BIANCA RD /00074	BIANCA RD/42/BRISTOL, CT 06010			
22-0000018-000	01/03/2022	10:58:38	111 Building fire	\$286,197	\$286,197
	59 ALLEN ST /59 ALLEN ST/BRISTOL, CT 06010				
22-0000102-000	01/15/2022	16:00:50	121 Fire in mobile home used as	\$1,000	
	66 EMMETT ST /TRAILER PARK/62/BRISTOL, CT 06010				
22-0000148-000	01/21/2022	20:55:34	522 Water or steam leak	\$65,000	\$299,000
	30 PEACH TREE LN /30 PEACH TREE LN/BRISTOL, CT 06010				
22-0000181-000	01/27/2022	08:03:42	111 Building fire	\$6,000	
	77 LAIRD DR /00077 LAIRD DR/BRISTOL, CT 06010				
22-0000182-000	01/27/2022	08:03:01	111 Building fire	\$12,500	
	539 FARMINGTON AVE /MED HELP/BRISTOL, CT 06010				
Total Incident Count		6	Total Est Loss/Value	\$370,717	\$585,197

Incident Summary Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Total Number of Calls:	Fire: 185	EMS: 28	Exposures: 0	Unknown: 6	All: 213
Average Calls per day:	Fire: 5.9	EMS: 0.9			All: 6.8
Total number of arson calls:	0				
Estimated Dollar Loss:	Fire: \$ 305,717	Other: \$ 65,000		All: \$ 370,717	Arson: \$ 0
Estimated Value:	Fire: \$ 286,197	Other: \$ 299,000		All: \$ 585,197	Arson: \$ 0
Percentage Saved:	Fire: -6.8%	Other: 78.2%		All: 0.0%	Arson: 0.0%
Total Injuries:	Fire Service: 8	Civilian: 0		EMS: 0	Arson: 0
Total Fatalities:	Fire Service: 0	Civilian: 1		EMS: 0	Arson: 0
Total aid given calls:	1				
Total aid received calls:	1				

bfd

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Incident Type	Count	Avg Resp Time	Aid Given	Aid Rec'd	Exposures
	6	00:02:37	0	0	0
1 Fire	17	00:04:13	0	1	0
3 Rescue & Emergency Medical Service Incident	28	00:05:10	0	0	0
4 Hazardous Condition (No Fire)	47	00:04:39	0	0	0
5 Service Call	54	00:04:60	1	0	0
6 Good Intent Call	11	00:03:05	0	0	0
7 False Alarm & False Call	50	00:04:28	0	0	0
Total Incident Count:	213	Avg Resp Time:	00:04:35		

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	6	2.81%	\$0	0.00%
	6	2.81%	\$0	0.00%
1 Fire				
111 Building fire	5	2.34%	\$304,697	82.19%
113 Cooking fire, confined to container	6	2.81%	\$20	0.00%
114 Chimney or flue fire, confined to chimney	1	0.46%	\$0	0.00%
121 Fire in mobile home used as fixed residence	1	0.46%	\$1,000	0.26%
132 Road freight or transport vehicle fire	1	0.46%	\$0	0.00%
154 Dumpster or other outside trash receptacle	3	1.40%	\$0	0.00%
	17	7.98%	\$305,717	82.46%
3 Rescue & Emergency Medical Service Incident				
311 Medical assist, assist EMS crew	5	2.34%	\$0	0.00%
320 Emergency medical service, other	2	0.93%	\$0	0.00%
322 Motor vehicle accident with injuries	8	3.75%	\$0	0.00%
324 Motor Vehicle Accident with no injuries	10	4.69%	\$0	0.00%
331 Lock-in (if lock out , use 511)	2	0.93%	\$0	0.00%
352 Extrication of victim(s) from vehicle	1	0.46%	\$0	0.00%
	28	13.14%	\$0	0.00%
4 Hazardous Condition (No Fire)				
400 Hazardous condition, Other	2	0.93%	\$0	0.00%
410 Combustible/flammable gas/liquid condition,	1	0.46%	\$0	0.00%
412 Gas leak (natural gas or LPG)	6	2.81%	\$0	0.00%
413 Oil or other combustible liquid spill	1	0.46%	\$0	0.00%
422 Chemical spill or leak	1	0.46%	\$0	0.00%
424 Carbon monoxide incident	3	1.40%	\$0	0.00%
440 Electrical wiring/equipment problem, Other	5	2.34%	\$0	0.00%
444 Power line down	5	2.34%	\$0	0.00%
445 Arcing, shorted electrical equipment	4	1.87%	\$0	0.00%
460 Accident, potential accident, Other	1	0.46%	\$0	0.00%
463 Vehicle accident, general cleanup	18	8.45%	\$0	0.00%
	47	22.06%	\$0	0.00%
5 Service Call				
500 Service Call, other	2	0.93%	\$0	0.00%
511 Lock-out	25	11.73%	\$0	0.00%

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
5 Service Call				
512 Ring or jewelry removal	1	0.46%	\$0	0.00%
520 Water problem, Other	7	3.28%	\$0	0.00%
521 Water evacuation	1	0.46%	\$0	0.00%
522 Water or steam leak	9	4.22%	\$65,000	17.53%
551 Assist police or other governmental agency	4	1.87%	\$0	0.00%
552 Police matter	1	0.46%	\$0	0.00%
553 Public service	1	0.46%	\$0	0.00%
561 Unauthorized burning	1	0.46%	\$0	0.00%
571 Cover assignment, standby, moveup	2	0.93%	\$0	0.00%
	54	25.35%	\$65,000	17.53%
6 Good Intent Call				
600 Good intent call, Other	2	0.93%	\$0	0.00%
611 Dispatched & cancelled en route	3	1.40%	\$0	0.00%
622 No Incident found on arrival at dispatch	1	0.46%	\$0	0.00%
631 Authorized controlled burning	1	0.46%	\$0	0.00%
651 Smoke scare, odor of smoke	2	0.93%	\$0	0.00%
652 Steam, vapor, fog or dust thought to be	1	0.46%	\$0	0.00%
671 HazMat release investigation w/no HazMat	1	0.46%	\$0	0.00%
	11	5.16%	\$0	0.00%
7 False Alarm & False Call				
700 False alarm or false call, Other	2	0.93%	\$0	0.00%
710 Malicious, mischievous false call, Other	1	0.46%	\$0	0.00%
730 System malfunction, Other	2	0.93%	\$0	0.00%
731 Sprinkler activation due to malfunction	3	1.40%	\$0	0.00%
733 Smoke detector activation due to	7	3.28%	\$0	0.00%
734 Heat detector activation due to malfunction	1	0.46%	\$0	0.00%
735 Alarm system sounded due to malfunction	3	1.40%	\$0	0.00%
736 CO detector activation due to malfunction	4	1.87%	\$0	0.00%
740 Unintentional transmission of alarm, Other	7	3.28%	\$0	0.00%
741 Sprinkler activation, no fire -	2	0.93%	\$0	0.00%
743 Smoke detector activation, no fire -	9	4.22%	\$0	0.00%
744 Detector activation, no fire -	2	0.93%	\$0	0.00%
745 Alarm system activation, no fire -	6	2.81%	\$0	0.00%
746 Carbon monoxide detector activation, no CO	1	0.46%	\$0	0.00%
	50	23.47%	\$0	0.00%

Total Incident Count: 213

Total Est Loss:

\$370,717

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Incident Type	Count	Avg Resp Time	Aid Given	Aid Rec'd	Exposures
	6	00:02:37	0	0	0
111 Building fire	5	00:04:56	0	1	0
113 Cooking fire, confined to container	6	00:03:14	0	0	0
114 Chimney or flue fire, confined to	1	00:05:38	0	0	0
121 Fire in mobile home used as fixed	1	00:04:20	0	0	0
132 Road freight or transport vehicle fire	1	00:03:54	0	0	0
154 Dumpster or other outside trash	3	00:04:33	0	0	0
311 Medical assist, assist EMS crew	5	00:04:54	0	0	0
320 Emergency medical service, other	2	00:04:43	0	0	0
322 Motor vehicle accident with injuries	8	00:04:28	0	0	0
324 Motor Vehicle Accident with no injuries	10	00:05:38	0	0	0
331 Lock-in (if lock out , use 511)	2	00:07:47	0	0	0
352 Extrication of victim(s) from vehicle	1	00:02:52	0	0	0
400 Hazardous condition, Other	2	00:01:41	0	0	0
410 Combustible/flammable gas/liquid	1	00:05:10	0	0	0
412 Gas leak (natural gas or LPG)	6	00:03:03	0	0	0
413 Oil or other combustible liquid spill	1	00:05:20	0	0	0
422 Chemical spill or leak	1	00:06:12	0	0	0
424 Carbon monoxide incident	3	00:05:11	0	0	0
440 Electrical wiring/equipment problem,	5	00:03:48	0	0	0
444 Power line down	5	00:07:31	0	0	0
445 Arcing, shorted electrical equipment	4	00:04:16	0	0	0
460 Accident, potential accident, Other	1	00:00:00	0	0	0
463 Vehicle accident, general cleanup	18	00:05:03	0	0	0
500 Service Call, other	2	00:05:41	0	0	0
511 Lock-out	25	00:04:56	0	0	0
512 Ring or jewelry removal	1	00:00:04	0	0	0
520 Water problem, Other	7	00:05:30	0	0	0
521 Water evacuation	1	00:05:00	0	0	0
522 Water or steam leak	9	00:05:23	0	0	0

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Incident Type	Count	Avg Resp Time	Aid Given	Aid Rec'd	Exposures
551 Assist police or other governmental	4	00:03:20	0	0	0
552 Police matter	1	00:07:16	0	0	0
553 Public service	1	00:00:00	0	0	0
561 Unauthorized burning	1	00:06:38	0	0	0
571 Cover assignment, standby, moveup	2	00:08:02	1	0	0
600 Good intent call, Other	2	00:04:04	0	0	0
611 Dispatched & cancelled en route	3	00:00:00	0	0	0
622 No Incident found on arrival at dispatch	1	00:03:56	0	0	0
631 Authorized controlled burning	1	00:03:39	0	0	0
651 Smoke scare, odor of smoke	2	00:03:36	0	0	0
652 Steam, vapor, fog or dust thought to be	1	00:06:21	0	0	0
671 HazMat release investigation w/no HazMat	1	00:04:36	0	0	0
700 False alarm or false call, Other	2	00:02:51	0	0	0
710 Malicious, mischievous false call, Other	1	00:03:26	0	0	0
730 System malfunction, Other	2	00:03:54	0	0	0
731 Sprinkler activation due to malfunction	3	00:03:41	0	0	0
733 Smoke detector activation due to	7	00:07:01	0	0	0
734 Heat detector activation due to	1	00:04:55	0	0	0
735 Alarm system sounded due to malfunction	3	00:04:51	0	0	0
736 CO detector activation due to	4	00:03:45	0	0	0
740 Unintentional transmission of alarm,	7	00:03:42	0	0	0
741 Sprinkler activation, no fire -	2	00:03:22	0	0	0
743 Smoke detector activation, no fire -	9	00:04:37	0	0	0
744 Detector activation, no fire -	2	00:02:04	0	0	0
745 Alarm system activation, no fire -	6	00:04:48	0	0	0
746 Carbon monoxide detector activation, no	1	00:04:25	0	0	0
Total Incident Count:	213	Avg Resp Time:	00:04:35		

Total Calls by Property Use Group	Count	Percent of Incidents	Total Est Loss	Percent of Losses
	4	1.87%	\$0	0.00%
000	2	0.93%	\$0	0.00%
100 Assembly	7	3.28%	\$0	0.00%
200 Educational	8	3.75%	\$0	0.00%
300 Health Care, Detention & Correction	5	2.34%	\$12,500	3.37%
400 Residential	120	56.33%	\$358,217	96.62%
500 Mercantile, Business	19	8.92%	\$0	0.00%
700 Manufacturing, Processing	6	2.81%	\$0	0.00%
800 Storage	1	0.46%	\$0	0.00%
900 Outside or Special Property	41	19.24%	\$0	0.00%

Total Calls by Property Use	Count	Total Est Loss
No Property Use Reported	4	\$0
000 Property Use, Other	2	\$0
131 Church, mosque, synagogue, temple, chapel	2	\$0
140 Clubs, Other	1	\$0
142 Clubhouse	1	\$0
150 Public or government, Other	1	\$0
161 Restaurant or cafeteria	2	\$0
211 Preschool	1	\$0
213 Elementary school, including kindergarten	1	\$0
215 High school/junior high school/middle school	4	\$0
254 Day care, in commercial property	2	\$0
331 Hospital - medical or psychiatric	2	\$0
340 Clinics, doctors offices, hemodialysis cntr, other	1	\$12,500
342 Doctor, dentist or oral surgeon office	2	\$0
400 Residential, Other	2	\$0
419 1 or 2 family dwelling	66	\$66,000
429 Multifamily dwelling	49	\$292,217
439 Boarding/rooming house, residential hotels	1	\$0
459 Residential board and care	1	\$0
460 Dormitory-type residence, other	1	\$0
500 Mercantile, business, Other	2	\$0
519 Food and beverage sales, grocery store	8	\$0
549 Specialty shop	1	\$0
571 Service station, gas station	3	\$0
579 Motor vehicle or boat sales, services, repair	1	\$0
581 Department or discount store	2	\$0
592 Bank	1	\$0
599 Business office	1	\$0
700 Manufacturing, processing	6	\$0
800 Storage, Other	1	\$0
900 Outside or special property, Other	1	\$0
960 Street, Other	2	\$0
961 Highway or divided highway	3	\$0
962 Residential street, road or residential driveway	22	\$0
963 Street or road in commercial area	11	\$0
965 Vehicle parking area	2	\$0
	213	\$370,717

Total Calls by District	Count	Pct of Incidents	Est Losses	Pct of Losses
* < Not Reported >	213	100.00 %	\$370,717	100.00 %
Total Incident Count: 213	Total Est Losses:		\$370,717	

bfd

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Census Tract	Count	Pct of Incidents	Est Losses	Pct of Losses
* < Not Reported >	6	2.81 %	\$0	0.00 %
4051.00	15	7.04 %	\$0	0.00 %
4052.00	11	5.16 %	\$0	0.00 %
4053.00	20	9.38 %	\$1,000	0.27 %
4054.00	32	15.02 %	\$20	0.01 %
4055.00	17	7.98 %	\$0	0.00 %
4056.00	20	9.38 %	\$286,197	77.20 %
4057.00	6	2.81 %	\$0	0.00 %
4058.00	23	10.79 %	\$65,000	17.53 %
4059.00	7	3.28 %	\$0	0.00 %
4060.01	13	6.10 %	\$18,500	4.99 %
4060.02	11	5.16 %	\$0	0.00 %
4061.00	32	15.02 %	\$0	0.00 %
Total Incident Count: 213		Total Est Losses:	\$370,717	

bfd

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Platoon	Count	Pct of Incidents	Est Losses	Pct of Losses
* < Not Reported >	5	2.34 %	\$0	0.00 %
A A GROUP	61	28.63 %	\$20	0.01 %
B B GROUP	48	22.53 %	\$305,697	82.46 %
C C GROUP	60	28.16 %	\$0	0.00 %
D D GROUP	39	18.30 %	\$65,000	17.53 %
Total Incident Count: 213		Total Est Losses:	\$370,717	

bfd

Bristol Monthly Incident Report

Alarm Date Between {01/01/2022} And {01/31/2022}

Platoon	Count	Pct of Incidents	Est Losses	Pct of Losses
* < Not Reported >	3	1.40 %	\$0	0.00 %
01 Headquarters	103	48.35 %	\$286,197	77.20 %
02 Station 02	17	7.98 %	\$0	0.00 %
03 Station 03	21	9.85 %	\$1,000	0.27 %
04 Station 04	31	14.55 %	\$6,020	1.62 %
05 Station 05	38	17.84 %	\$77,500	20.91 %
Total Incident Count: 213		Total Est Losses:	\$370,717	

bfd

Bristol Mutual Aid Report
January 01, 2022 to January 31, 2022

Mutual aid given

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
22-0000111-000	01/16/2022	15:40:42	146 SOUTH MAN /00146 SOUT	571 Cover assignment, standby, m

Mutual aid received

Incident-Exp#	Alm Date	Alm Time	Location	Incident Type
22-0000018-000	01/03/2022	10:58:38	59 ALLEN ST /59 ALLEN ST	111 Building fire

Total Incident Count 2

Completed Fire Code Inspection Assignments Month of January 2022

Fire Marshal Lambert

Fire Alarm Inspections - 8

Sprinkler Inspections - 8

Commercial Inspections:

Assembly - 5
Business - 7
Day Care - 1
Camps -
Dormitories -
Educational - 2
Fire Drills -
Fire Works/Special Effects-
Group Home -
Health Care -
Industrial - 1
Mercantile - 9
Nursing Home -
Residential Board and Care -
Special Amusement/Assembly -
Tent -
Liquor License Inspections - 1
Hood and Duct Inspections - 8
Gas Station -
LPG Point of Sale/Bulk Storage -

Residential Completed Inspections

****Residential Inspections- Buildings 2 @ 36 Units**

Fire Investigations - 1

Meetings - 15

Complaints - 27

Certificate of Occupancy -
Certificate of Compliance - 3
Plan Reviews - 21
Modifications -
Blasting Permit - 1

Phone Calls/Messages - 52

OEDM Training - 6 hrs.
Continuing Education Training - 0 hrs.

Completed Fire Inspection Assignments Month of January Fire Inspector Robotham

Fire Alarm Inspections -

Sprinkler Inspections -

Commercial Inspections -

Assembly -

Business -

Carnival -

Day Care -

Dormitories -

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home -

Health Care -

Industrial -

Mercantile -

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections -

Hood and Duct Inspections -

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections -

Residential Completed Inspections -

Fire Investigations -

Meetings -

Complaints - 2

Plan Reviews -

Modifications -

Blasting Permit -

Phone Messages 2

OEMD Training – 93.75 hours of School

Department Training – 4 hours

Public Fire Education – 10 hours

Bristol Fire Department

Mechanical Division Monthly Report

January 2022

Engine 1

- Replace 2) air fittings for On-Spots
- Replace R/R window crank

Engine 3

- HCN meter battery replaced
- L/R step light replaced
- L/S windshield washer nozzle replaced

Engine 5

- Replace pump panel Class 1 pressure governor
- Replace numerous air system fittings
- Replace air dryer blow off valve
- Replace W5B collar mic
- Replace tire chains that were 12 years old

Engine 8

- Replace broken pump panel throttle toggle switch
- ADDA replaced the engines ECU
- Diagnose and replace PMC interface board

Tower 1

- E-Draulic ram repaired under warranty

Tower 2

- Replace 5 perimeter lights
- Secure rear air lines
- Replace PP 1 maxi-brake valve
- Replace 2) separate automatic tank drains

Miscellaneous

- Lavore: Large gloves
- Wollman: Medium gloves
- Stankus: large gloves
- E8-04, T1-01, T1-02, E1-02, E1-03, E3-04: Misc. air pack repairs
- Purchased 2014 Ford escape from State of Ct..This will replace Fire 8 upon receiving the vehicle
- 1/3/22: Air bottles and supplies delivered to/from Allen St structure fire
- Palin: Size 14 boots
- Assist Emergency management on several occasions off loading and delivering CODID test kits and masks for city agencies

Jay Kelly
Equipment Technician

Richard Hart
Chief of Department

BRISTOL FIRE DEPARTMENT - TRAINING DIVISION

Senior Captain James D. Blaschke - Training Officer

MONTHLY TRAINING REPORT

January 2022

Training in January was face piece fit testing for all fire department personnel. Annual fit testing is required by the OSHA 1910.134 standard. The test is to ensure that all employees have a proper seal between their SCBA mask and their face. The testing is performed using an OHD Quantifit system which reads the amount of air that may enter the SCOTT AV 3000 face piece during the test utilizing the SCBA protocol. The test consists of different exercises and they are as follows: normal breathing, horizontal position, shaking the head side to side while talking, and re-donning face piece procedure repeated two times. Personnel from the fire prevention office are test to the SCBA procedure along with Redon procedure for 3M particulate half masks.

Annual training on Blood borne Pathogens was conducted in January. The class consisted of a review of the Exposure Control Program, SCBA disinfecting, Hand washing, exposure work place practices, exposure reporting procedures, a review of the exposure report, a training DVD and an exam. Types of blood borne and airborne disease are covered and possible routes of transmission. Proper universal precautions and body substance isolation practices are covered.

Additional training for the month consisted of new recruit equipment fitting along with pre-employment face piece fit testing. New equipment training was conducted on the Vortex confined space tripod system. This piece of equipment allows for a wider range of function during emergency response incidents. During the Month of January, there was a Covid isolation precaution put in place that limited multiple companies from training together to limit close contact and provide continuity of operations during the uptick in positive Covid case within the department. New officer computer training was conducted during the month for newly promoted officers. All Bristol Fire department personnel were issued 2 Covid rapid tests kits during the month.

I responded to 4 incidents as safety officer during the month of January.

Seminars/Meetings/Classes

- 1/5 Covid test kits distribution to personnel
- 1/14 New Recruit equipment fitting
- 1/27 Staff Meeting HQ

Vehicle report

- 25.0 gallons fuel

Respectfully submitted,
Senior Captain James D. Blaschke



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Fire Chief's January Monthly Report

February 24, 2022 Regular Meeting

To the Honorable Fire Commissioners;

The month of January saw the BFD respond to 219 calls for service, of which 5 were structural fires, 6 cooking fires, and 1 chimney fire, and 1 mutual aid request to New Britain.

Personnel:

Covid 19 has continued to be a problem. In January, we had 28 members either testing positive having close exposure to a member that was positive. This has required a great expenditure of overtime related costs.

New hires measured for turnout gear and completed their pre-employment testing, all passed.

Employee recognition:

None

Apparatus/equipment:

Tower 1 body repairs completed, placed back in service

Stations and Facilities:

Ongoing heating issues at Headquarters finally resolved.

Meetings and Public Functions:

Coordinated 2 Covid 19 home test distributions at Station 4 on January 3rd and 8th. Met with Christine Benvenuto of Bristol EMS to discuss storm response and coordination of resources.

Attended the Joint Council meeting to discuss the Recruit Training Academy. Met with the Training Division of the Police department to discuss the City Hall move and the PD using our training facility during the renovation.



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Attended a webinar with Brycer Compliance Engine, very impressive presentation.

Went to Oliver Wolcott technical School with Capt. Plaster to discuss with the Chair of the carpentry program the possibility of having the students construct a roof prop for the training facility. He agreed to do it and looking for an April start/completion date.

Met with Dawn Ledger to discuss expenditure of remaining AFG grant money on rescue core training and future AFG ideas.

Staff meeting with Deputies and 2 Captains that will be promoted in June/July to bring them up to speed on projects and personnel.

Miscellaneous:

Nothing to report

Respectfully submitted,

Richard Hart

Fire Chief