



*City of Bristol
Board of Fire Commissioners*

INFORMATION TO ACCESS THIS MEETING

<https://bristolct-gov.zoom.us/j/83403921047?pwd=WkZhN052YlVXTFRhM3RjMnd2VmtTUT09>

*Meeting ID: 834 0392 1047
Passcode: 12345*

The regular Board of Fire Commissioners will be held on Thursday, March 28, 2024, at 6:00pm in the Mayor's Conference Room, 111 North Main Street, Bristol, Connecticut.

AGENDA

1. Call to Order
2. Employee Recognition
 - a. Chief Hart to recognize members of the department for their actions at a structure fire on February 22, 2024.
3. Public Participation
4. Communications
5. Approval of Minutes
 - a. February 22, 2024 Meeting Minutes
6. Approval of Monthly Reports
 - a. Chief's Report
 - b. February Monthly Reports
 - c. Incidnet Reports
7. Committee Reports
 - a. Fire Station 3 February 28, 2024 Meeting Minutes and Committee Update
8. Old Business

9. New Business

- a. Board of Finance transfer to appropriate \$1000.00 donation from Servpro.

10. Adjournment

PER ORDER OF THE CHAIRPERSON

Board of Fire Commissioners' Regular Meeting

February 22, 2024

A Regular Meeting of the Board of Fire Commissioners was held on Thursday, February 22, 2024 at 6:00 p.m., in Council Chambers of City Hall, 111 N Main Street Bristol, CT

Present: Commissioners Sean Moore, Anthony Benvenuto, Hal Kilby, Dana Jandreau, and Joyce Ptak, Mayor Jeffrey Caggiano, Council Member Andrew Howe, and Fire Chief Richard Hart.

1. CALL TO ORDER

- a. The meeting was called to order by Mayor Caggiano at 6:00pm.

2. EMPLOYEE RECOGNITION

- a. None.

3. PUBLIC PARTICIPATION

- a. None.

4. COMMUNICATIONS

- a. Hal Kilby was reappointed to Fire Commissioner.

5. APPROVAL OF MEETING MINUTES

- a. On motion of Commissioner Moore and seconded by Commissioner Jandreau, it was voted: To approve the January 25, 2024 Meeting Minutes. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.

6. APPROVAL OF MONTHLY REPORTS

- a. On motion of Commissioner Ptak and seconded by Commissioner Moore, it was voted: To accept the January Monthly Reports. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.

7. COMMITTEE REPORTS

- a. A summary of the Fire House 3 Building Committee Report was given by Chief Hart and Commissioner Moore.

8. OLD BUSINESS

- a. Chief Hart gave the board an update on his presentation to the Board of Finance.

9. NEW BUSINESS

- a. A Board of Finance request for funds in the amount of \$66,845.00 for the purchase of a new Deputy Chief's Vehicle. On motion of Commissioner Moore and seconded by

Commissioner Jandreau, it was voted: To approve the request for funds to purchase a new Deputy vehicle. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.

- b. Mention was made of selling the Deputy Chief's current vehicle with the light bar.
- c. A Board of Finance request to appropriate donated funds in the amount of \$2,900.00 for the Hap Barnes Fire Safety Trailer. On motion of Commissioner Moore and seconded by Commissioner Ptak, it was voted: To approve the request to appropriate donated funds in the amount of \$2,900.00 for the Hap Barnes Fire Safety Trailer. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.
- d. A Board of Finance request to appropriate donated funds in the amount of \$500.00 for Molly the Fire Dog. On motion of Commissioner Moore and seconded by Commissioner Ptak, it was voted: To approve the request to appropriate donated funds in the amount of \$500.00 for the Molly the Fire Dog Account. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.

10. ADJOURN

- a. On motion of Commissioner Moore and seconded by Commissioner Jandreau, it was voted: To adjourn the meeting at 6:41 pm. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.

Recording Secretary: Sara Bianchi



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Fire Chief's February Monthly Report

March 28, 2024

To the Honorable Fire Commissioners;

The month of February saw the BFD respond to 190 calls for service. There were 7 residential structure fires, 7 total structure fires, 1 vehicle fire, 60 EMS, extrication/rescue, and 21 false alarms.

Unfortunately we had one fire that resulted in a fatality

Mutual Aid: 4 given

Employee recognition:

Tower 1: Lt Lance Lavore, FF Larry Rossi, and FF Joe Nazarro.

Engine 2: Lt Lavoie and FF DeCarlo

Engine 1: Lt Andrew Mercieri, FF Tim Wollman, FF Adam Barbuto

Training Officer: Capt. Nicholas Cutler

Personnel:

None

Apparatus/equipment:

Received a third Sensit combustible gas meter from MES Shipman's to demo for potential purchase

New Deputy Chief's Tahoe ordered after approval by the Joint Board

Stations and Facilities:

A number of Council, BOF, and CIP members toured Headquarters to get an idea what we are looking for in so far as renovations and additions. Due to budget constraints, the



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

entire funding of the project will be put on hold and if monies are available at the end of FY23, appropriations could be made for the design component of the project.

Station 2 was approved by the CIP under the LOCIP funding account for \$406,000

Meetings and Public Functions:

Met with the staff from Congressman John Larson to discuss a partnership with the State regarding CPAT Center and Active Shooter Training facility.

Meetings ongoing with members of PD to collaborate on CPAT/Active Training Center

Met with Linda Milia to discuss new OSHA regulation that adopts certain NFPA standards and I requested a meeting with the new Risk Manager consultant to initiate planning for the upcoming requirements.

Miscellaneous:

EMR refresher training nearing conclusion. Thank you to BPD for providing instructors. This illustrates the great relationship the BFD has with the BPD in sharing resources and training opportunities.

Working with Traffic Solutions to repair damaged Opticom units and with PD, Corp. Counsel, and David Hartley of the Bristol Public Works Board City of Bristol ombudsman with Utility Companies to recoup funds by billing insurance companies for damages incurred by their insured clients.

Respectfully submitted,

Richard Hart

Fire Chief

Tower 1

Monthly Report

February 2024

Summary

Tower 1 responded to 47 incidents during the month of February. Notable incidents include two building fires, three gas leaks, and two extrications at MVAs.

Personnel

Nothing to report.

Apparatus/Equipment

Nothing to report.

Fire Stations/Facilities

The parking areas and apparatus ramps are further deteriorating after the winter plowing and heaving. I have requested replacement for several years.

Miscellaneous

Nothing to report.

Respectfully submitted,

James Plaster, Captain



Engine Company 1

February 2024 monthly report

Summary of calls for service

Engine 1 responded to 98 calls for service the past month. These included 2 structure fires, 5 cooking fires with no extension, 2 outside trash fires, 1 unauthorized burning, 26 motor vehicle accidents, 2 motor vehicle accidents with extrication, 1 Rescue call, 2 CO investigation, 5 electrical problem investigations, 3 assist PD/EMS, 12 lock out/lock in calls, 4 gas leak investigations, 2 haz mat investigation, 13 alarm investigations, 8 good intent calls, 3 water problem investigations, 2 smoke/odor removal, 5 cancelled.

Personnel. Fire fighter Jordyn Terrier assigned to Engine 1 C shift, Firefighter Jorge Sanchez assigned from Engine 1 C shift to Tower 1 C shift..

Apparatus/Equipment. Engine 1 has experienced an uptick with issues with check engine warning signals indicating a problem with the exhaust system. Problem reported from all shifts. Engine 1 scheduled to go to Cummins for further service.

Engine 1 SCBA E1-04 returned to service.

E1 booster reel rewind not working, awaiting replacement switch.

E1 on-spot support bracket repaired.

Fire Station/Facilities. New roof leaks found at two location of second floor, both reported to Dave Oakes for repair, awaiting results.

Hinge pin for bathroom stall door second floor bathroom broken, awaiting replacement part.

Awaiting lock change for door leading from administrative area to bay floor area due to safety concerns for office staff after a past incident with a disgruntled resident walking into headquarters and office staff area unannounced.

City WIFI added to headquarters.

Training/Miscellaneous. Training for the month included; EMR certification, high rise hose deployment, four gas meter usage at gas emergencies.

Notable calls structure fire at 105 Pequabuck Street with one civilian death

Respectfully submitted.

Captain Thomas Scully

Engine Company 2

Monthly Report

February, 2024

Summary

Station 2 Personnel responded to 35 calls for service and performed 6 company area surveys during February. Again, Engine 2 personnel had a busy month of training and performed some public relations at St. Paul High School. Contractors were also at the station throughout the month.

Breakdown of Calls:

9 - Fire (25.71%)
6 - Rescue / EMS (17.14%)
7 - Hazardous Condition (20%)
4 - Calls for Service (11.43%)
2 - Good Intent (5.72%)
7 - False Alarm / False Call (20%)
YTD – 85 calls

Personnel

February Training :

- E.M.R.Training

- I.C.S. / Search

- Structure Fire Review

On February 8th Firefighter Jeff Prestash was transferred from Engine 1 on the D shift to Engine 2 on the D shift.

Apparatus/Equipment

- Engine 2 had a turbo gasket replaced and the H.C.N. meter was placed O.O.S. due to a failed calibration.
- Brush 1 was used on 2 separate occasions to plow snow with no issues. Oil was also added to brush 1.
- There were no issues with the rescue boat.

Fire Stations/Facilities

- AB-MEE was in station to install wi-fi pucks and wire
- All Gas was on site to remove 2 propane tanks from station property.

Miscellaneous

- Engine 2 tools from the compartments were painted.
- I would like to congratulate LT. Lavoie and his crew for their hard work and professionalism during the structure fire at 105 Pequabuck St. this past month. Their exceptional knowledge and skills help reduce what could have been an even larger emergency situation.

Respectfully submitted,
Acting Captain Steven Barnosky

Engine 3
February
Monthly Report
2024

Summary

This month Engine 3 responded to a total of 50 calls for service. Notable calls for the month include responding to a 2nd alarm house fire with entrapment and a small first due house fire that was quickly extinguished. Engine 3 also responded mutual aid 3 times this month including to the town of Southington to assist with a condominium fire.

Personnel

No changes in personnel.

Apparatus/Equipment

- E-6 03 Airpack was taken out of service for repair.
- E3-02 Airpack was taken out of service for repair.

Fire Stations/Facilities

- Engine garage door opener was replaced.

Miscellaneous

Members are receiving Emergency medical responder training at the drill field. This will increase their skills and abilities from basic first aid and CPR.

Respectfully submitted,

Craig Henderson,
Captain Engine 3
Bristol Fire Dept.

Engine 4

Monthly Report

February 2024

Summary

Engine 4 responded to 50 calls for service in February.

Deputy Chief Todd Correll requested an updated list of landing zones for Lifestar. With the loss of the helipad at Otis Elevator due to the Hotel expansion, Engine 4 only had 2 remaining designated landing zones. Additional locations were looked at and now there are 6 designated landing zones in Engine 4's response area. The landing zones are Casey Field on Lake Ave., D'Amato construction on Pine St., ESPN North Campus on Middle St., ESPN Main Campus on Middle St., The cul-de-sac on Halcyon Dr., and the Bristol Soccer Club on Emmett St.

Personnel

Emergency Medical Responder (EMR) certification training classes have continued throughout February for those firefighters needing the EMR certification.

Apparatus/ Equipment

Self-Contained Breathing Apparatus (SCBA) E7-02 was repaired and returned to service.

The Fire Equipment Technician (FET) installed new truck batteries on Engine 4.

Fire Station/ Miscellaneous

The City of Bristol Information Technology (IT) department installed WI-FI at Station 4.

Public Works replaced an electrical outlet on the exterior of Station 4.

David Oakes from Public Works will contact Air Temp to look at the watch room heat as it is not working properly.

He is also ordering a replacement motor for the range hood fan that is not working properly.

He is also ordering new backup batteries for the fire alarm system as the existing batteries need replacement.

MES serviced the SCBA air-filling station compressor.

Respectfully submitted,

Scott McKearney

Scott McKearney, Captain

ENGINE COMPANY #5

MONTHLY REPORT

FEBRUARY 2024

SUMMARY

Engine Company #5 responded to 62 calls for service in the month of February 2024. Calls for service included 1 Motor Vehicle Fire, 1 Brush Fire, 23 Motor Vehicle Accidents both with and without injuries, 13 Residential and Commercial Fire Alarm activations, 2 Carbon monoxide Incidents, 4 Gas Leaks and other Hazardous Materials incidents, 3 Electrical Equipment and/or Power Line incidents, 1 EMS or Medical Assist, 1 Unauthorized Burning, 2 Water/Steam leaks, 3 Good Intent calls, 3 calls to Assist PD, and 3 Dispatched and Canceled while responding.

PERSONNEL

A Group and D Group remained the same during the month of February. B Group and C group saw some rotation due to needing to start the EMR Refresher. Rotation on those two Groups will most likely continue until the class is complete.

APPARATUS/EQUIPMENT

Engine #5 has a few small items that will be monitored by the FET Jay Kelly. The Officer Side middle roll up compartment door and the Power Steering Fluid leaks will not be repaired in full due to the costly nature of the parts and work needed. With the new Apparatus slated to be arriving in the late Summer or early Fall, the decision has been made to not cover the cost of these repairs. Engine #5 is fully operational and road worthy. All station personnel are aware of the age of the vehicle and will continue to report to the FET anything that makes the vehicle unsafe.

Engine #8 had a few minor issues such as the Check Engine light coming on and the Federal Q Siren not working. Both problems were addressed by the FET. Engine #8 was used for two call back assignments. It is fully operational at this time.

Support #1 had no service issues to report during the month and is also in operational mode at this time.

FIRE STATIONS/FACILITIES

Both apparatus bay overhead doors are continuing to have issues with opening and closing and random times. The door remotes are the suspected problem. Doors will start to close during emergency response and be open upon return to the station. It is random and unknown as to when it will take place. Dave Oakes has been notified and assured me that new remotes have been ordered.

Annual inspection of the kitchen hood Ansul System was performed during February. It was reported that the exhaust fan is not working. Dave Oakes notified and will be reaching out to a contractor for repair.

Dave Oakes is also in the process of setting up times to do a Spring walk through of the station to discuss any and all current and future issues that may arise with the building and property.

SURVEYS

Approximately 15 hours of surveys were conducted during the month of February. Some of the locations that were visited include Boardman Road Apartments, Vance Drive Complex, Chippens Hill Middle School, Aspen Dental, rear properties in our response area, Davis Drive hydrants, Birchwood Drive/Terrace/Trail.

TRAINING

EMR Refresher training continued for some members of the station. Individual crews continue to do a variety of in house company drills. Hose stretches and stand pipe operations were performed at outside locations.

MISCELLANEOUS

City of Bristol Wi-Fi was installed into the station during February so that all members can connect to the internet via the City of Bristol.

FET Jay Kelly delivered a full complement of brand new hose for the new Apparatus due later this year. It has been stored and will not be put into service until the arrival of the new Engine #5.

RESPECTFULLY SUBMITTED,

CAPTAIN BRIAN D'AMATO

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

February 2024



Kristopher Lambert

Kristopher Lambert, Fire Marshal

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

February 2024



TO: City of Bristol Fire Board Members

FROM: Kristopher Lambert, Fire Marshal

SUBJECT: Monthly Report – February 2024

INCIDENTS

There were two hundred six (206) incidents for this month that required computer-generated reports communicated to the State Fire Marshal's Office and FEMA. There were two (2) investigation(s) of fire/explosions by this office. Total estimated loss for the period is \$190,000 dollars.

105 Pequabuck St.
92 Gridley St.

There was one (1) civilian injury(s), and one (1) Firefighter injury reported during this period. There were five (5) mutual aid call(s) given/received within the month. A copy of the cumulative monthly inspection reviews and permits account is included with this report.

REVIEWS, MEETINGS, MISC.

- Now that we have completed our move to City Hall, the interior of this office will remain closed to the public while all business will continue to be conducted electronically, or at the new customer service window.
- Twenty two (22) plans for new construction, occupancy changes, and renovations were reviewed. Some of the plans included electrical and mechanicals, including Fire Alarm and Fire Sprinkler systems. Site plan drawings are also included. Coordination and consultation regarding plan review is ongoing with other city agencies.
- The Fire Marshal's Office attended four (4) formal Site Plan Committee meetings this month to coordinate details for future Plan Review submittals in the City of Bristol. Nineteen (19) other site meetings attended by staff were conducted with business/property owners.

- There were approximately ninety eight (98) Fire Prevention Bureau business related calls managed by the staff this month.
- Approximately fourteen (14) visitors were received at our office to speak with Fire Marshal's Personnel.
- The City Hall Atrium Lobby has a monitor that is used for special city announcements. This office has been using the monitor to share fire prevention tips with the public.
- The office has shifted its focus slightly in order to assist with the Code Enforcement Committee's aggressive pursuit of substantial code compliance within the city. This approach has proven to be beneficial from an efficiency standpoint with regards to us gaining legal access to the properties for inspections.

TRAINING CLASSES

- Staff of the Fire Marshal's Office earned twenty (20) hour(s) of continuing education credits this month.

INSPECTIONS AND PERMITS **

- 11 Apartment Building Inspections (143 units)**
- 4 Assembly Occupancy Inspections
- 4 Automatic Sprinkler System Inspections
- 1 Blasting Permit(s) Issued
- 4 Business Occupancy Inspections
- 4 Certificate of Compliance
- 3 Complaint Inspections
- 5 Day Care Inspections
- 4 Educational Inspection
- 7 Fire Alarm Inspections
- 1 Fire Investigations
- 1 Gasoline Station / Vehicle Repair Facility Inspection
- 1 Health Care / Nursing Home / Group Home Inspections
- 2 Hood & Duct Inspections
- 3 Hotel / Dorm
- 1 Industrial Inspection
- 3 Liquor License Inspections
- 1 Mercantile Inspections
- 0 Modification Application(s)
- 0 Recreation/Summer Camp
- 2 Residential Board / Care
- 1 Storage Facility
- 0 Special Amusement/Assembly Inspection
- 0 Tent Inspections

****** In larger residential occupancies, where the building construction is modular in design and contains similar apartments with like layouts and amenities, representative apartments are chosen at random to determine compliance with the Connecticut State Fire Safety Code (CSFSC) and the Connecticut State Fire Prevention Code (CSFPC). With smaller occupancies, we do commonly enter as many units as possible where access is granted and time permits. The corresponding figures represent the number of occupancies and the total number of units affected by the inspection. *In order to achieve our statutory inspection requirements, I strongly recommend increasing the number certified personnel in this office to eight (8). There has been a significant increase in the number of residential units within this city to support the need for additional personnel within this office. While the number of residential units has increased over the years, the staff of this office has not.*

OFFICE OF THE FIRE MARSHAL STAFF VEHICLES

Fire 3 - 2013 Ford Explorer - White

Fire 4 - 2012 Ford Escape – Gray

Fire 5 - 2011 Dodge Grand Caravan – White - ****Unsafe and needs to be replaced****

Fire 6 - 2013 Ford Expedition - Red

Mileage and fuel usage reports are generated automatically and submitted by the mechanic.

Incident Summary Report

Alarm Date Between {02/01/2024} And {02/29/2024}

Total Number of Calls:	Fire:	190	EMS:	0	Exposures:	0	Unknown:	190	All:	190
Average Calls per day:	Fire:	6.5	EMS:	0.0					All:	6.5
Total number of arson calls:		0								
Estimated Dollar Loss:	Fire:	\$ 0	Other:	\$ 0			All:	\$ 0	Arson:	\$ 0
Estimated Value:	Fire:	\$ 0	Other:	\$ 0			All:	\$ 0	Arson:	\$ 0
Percentage Saved:	Fire:	0.0%	Other:	0.0%			All:	0.0%	Arson:	0.0%
Total Injuries:	Fire Service:	0	Civilian:	0			EMS:	0	Arson:	0
Total Fatalities:	Fire Service:	0	Civilian:	0			EMS:	0	Arson:	0
Total aid given calls:		0								
Total aid received calls:		0								

bfd

Bristol Monthly Incident Report

Alarm Date Between {02/01/2024} And {02/29/2024}

Incident Type	Count	Pct of Incidents	Total Est Loss	Pct of Losses
	190	100.00%	\$0	0.00%
	190	100.00%	\$0	0.00%

Total Incident Count: 190

Total Est Loss: \$0

bfd

Bristol Monthly Incident Report

Alarm Date Between {02/01/2024} And {02/29/2024}

Incident Type	Count	Avg Resp Time	Aid Given	Aid Rec'd	Exposures
	190	00:04:53	0	0	0

Total Incident Count: 190 Avg Resp Time: 00:04:53



Incident Report

Advanced Search

 Dashboards

 Personnel

 Scheduling

 Response

 Pre-Planning

 Training

 Activities

 Incident Documentation

 Inspections

 Assets

Report Type

Part III - Breakdown of Structure Fires and Other Fires and Incidents

x Date Interval x

	Number of Fires	Number of Civilian Fire Casualties		Estimated Property Damage and Contents from Fire
		Deaths	Injuries	
Private Dwellings (1 or 2 family), Including mobile homes	2	0	0	300
Apartments (3 or more families)	5	0	0	600
Hotels and Motels	0	0	0	0
All Other Residential (dormitories, boarding houses, tents, etc.)	0	0	0	0



Hydrants



Reports

Ad-Hoc Reports

Community Connect

Inspections

Incidents

Preplan

Community Reports

	Number of Fires	Number of Civilian Fire Casualties		Estimated Property Damage and Contents from Fire
		Deaths	Injuries	
TOTAL RESIDENTIAL FIRES	7	0	0	900
Public Assembly (church, restaurant, clubs, etc.)	0	0	0	0
Schools And Colleges	0	0	0	0
Health Care And Penal Institutions (hospitals, nursing homes, prisons, etc.)	0	0	0	0
Stores And Offices	0	0	0	0
Industry, Utility, Defense, Laboratories, Manufacturing	0	0	0	0
Storage In Structures (barns, vehicle storage garages, general storage, etc.)	0	0	0	0
Other Structures (outbuildings, bridges, etc.)	0	0	0	0
TOTALS FOR STRUCTURE FIRES	7	0	0	900

	Number of Fires	Number of Civilian Fire Casualties		Estimated Property Damage and Contents from Fire
		Deaths	Injuries	
Fires In Highway Vehicles (autos, trucks, buses, etc.)	1	0	0	10000
Fires In Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.)	0	0	0	0
Fires outside of Structures with Value involved, but Not Vehicles (outside storage, crops, timber, etc.)	0	0	0	0
Fires in Brush, Grass, Wildland (excluding crops and timber), with no value involved	1	0		
Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved	1	0		
All Other Fires	1	0	0	500
TOTALS FOR FIRES	11	0	0	11400

	Number of Fires	Number of Civilian Fire Casualties		Estimated Property Damage and Contents from Fire
		Deaths	Injuries	
Rescue, Emergency Medical Responses (ambulance, EMS, rescue)	60			
False Alarm Responses (malicious or unintentional false calls, malfunctions, bomb scares)	21			
Mutual Aid Responses Given	4			
Hazardous Materials Responses	8			
Other Hazardous Responses (arcing wires, bomb removal, power line down, etc.)	15			
All Other Responses (smoke scares, lock-outs, animal rescue, etc.)	54			
TOTAL FOR ALL INCIDENTS	173			

	Number of Confined Fires	Number of Nonconfined Fires
Residential Fires	3	1
Structure Fires	0	0



Incident Report

Report Type


Mutual Aid Summary

x

Date Interval x



Total aid given and received (5)



Incident Report

Report Type


Response Breakdown

x

Date Interval x



Total (190)



190 (100%)

Completed Fire Inspection Assignments Month of February 2024

Fire Inspector Hoyt

Fire Alarm Inspections - 2

Sprinkler Inspections - 1

Commercial Inspections - 5

- Assembly - 1
- Business -
- Carnival -
- Day Care - 2
- Dormitories -
- Educational - 1
- Fire Drills -
- Fire Works/Special Effects-
- Group Home - 1
- Health Care -
- Industrial - 1
- Mercantile - 1
- Nursing Home -
- Residential Board and Care -
- Special Amusement/Assembly -
- Tent -
- Liquor License Inspections –
- Hood and Duct Inspections -
- Gas Station -
- LPG Point of Sale/Bulk Storage -

Residential Inspections-
Buildings- 10 @ Units- 23
Fire Investigations - 2

Meetings – 4

Complaints- 1

Plan Reviews - 4
Modifications -
Blasting Permit -

Phone Messages/Calls – 12

Department Training –
Public Fire Education –
Continuing Education/CFI- 1
Event/Smoke Scheduling-

Completed Fire Inspection Assignments Month of February 2024

Fire Inspector Robotham

Fire Alarm Inspections – 4

Sprinkler Inspections - 2

Commercial Inspections -

Assembly - 2

Business -

Carnival -

Day Care - 2

Dormitories -

Educational - 1

Fire Drills -

Fire Works/Special Effects-

Group Home - 2

Health Care -

Industrial - 1

Mercantile -

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections -

Hood and Duct Inspections - 2

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections – 13 Buildings 30 Units

Residential Completed Inspections -

Fire Investigations – 1

105 Pequabuck St.

2/22/24

Meetings - 5

Complaints - 3

Plan Reviews -

Modifications -

Blasting Permit -

Phone Messages -

OEMD Training – 3

Department Training – 1

Public Fire Education – 6

Completed Fire Code Inspection Assignments Month of **February** 2024 Fire Marshal Lambert

Fire Alarm Inspections - 1

Sprinkler Inspections – 1

Standpipe Inspections -

Commercial Inspections:

- Assembly - 1
- Business - 4
- Day Care – 1
- Camps -
- Dormitories -
- Educational - 2
- Fire Drills -
- Fire Works/Special Effects-
- Group Home -
- Health Care –
- Hotel - 3
- Industrial -
- Mercantile -
- Nursing Home -
- Residential Board and Care -
- Special Amusement/Assembly -
- Tent -
- Liquor License Inspections - 3
- Hood and Duct Inspections -
- Gas Station - 1
- LPG Point of Sale/Bulk Storage - 2

****Residential Inspections- Buildings 1@ 12 Units**

Fire Investigations - 1

Meetings - 27

Complaints - 2

- Certificate of Occupancy –**
- Certificate of Compliance -**
- Plan Reviews - 19**
- Modifications -**
- Blasting Permit - 1**

Phone Calls/Messages - 27

- OEDM Training -**
- Continuing Education Training - 2 hrs.**

Completed Fire Inspection Assignments Month of February 2024

Fire Inspector Yacovino

Fire Alarm Inspections - 1

Sprinkler Inspections -

Commercial Inspections -

Assembly -

Business -

Carnival -

Day Care -

Dormitories -

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home -

Health Care -

Industrial -

Mercantile -

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections -

Hood and Duct Inspections -

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections- Buildings 12 @ 52 Units

Residential Completed Inspections -

Fire Investigations -3

Meetings - 6

Complaints - 3

Plan Reviews - 10

Modifications - 1

Blasting Permit -

Phone Messages - 23

OEMD Training -

Department Training - 40 hours EMT refresher

Public Fire Education -

Fire 6 - Actual Mileage - as of , Gallons -

BRISTOL FIRE DEPARTMENT – TRAINING DIVISION

Captain Todd Cutler – Acting Training Officer

MONTHLY TRAINING REPORT

February 2024

- The big push of the Training Division in January was EMR class. Crews are working diligently towards their state certifications. This will run into early spring. We should thank the PD for their help with this massive project. Once completed we will be able to maintain everyone at the EMR level and only need the occasional refresher.
- We performed a psychomotor skills drill here at the drill field. Crews are perfecting their forcible entry skills here at the drill field. We will continue this through the spring along with other psychomotor skills.
- Crews were brought up to speed again with more changes in our First Due reporting software. There were some changes to the Incident Reporting section we use to document physical and mental exposures at calls.
- We are developing procedures for our recently purchased intrinsically safe water fan.
- Company-level training continued with a review of the Incident Command System. Personnel came down to the drill field for testing of their knowledge throughout the month.
- The police department and Southington Fire Department used the training facility for a few days in January.

Respectfully Submitted,

Captain Todd Cutler

Bristol Fire Department

Mechanical Division Monthly Report

February 2024

Engine 1

- Replace R/R On-Spot bracket

Engine 2

- Turbo pressure plate repaired

Engine 4

- New radiator cap
- 4) New batteries installed

Engine 5

- Replace L/F windshield washer bulkhead

Tower 1

- 4) New escape packs put in service

Miscellaneous

- Repair SCBA bottle # 19
- Over the course of 4) day the foam was removed from all apparatus and tanks were triple rinsed. Cost of this is being reimbursed by the State of Ct.
- E2-03 & E7-02 repaired
- Fire 1: 3K service & inspection. Howler module installed
- Repair E-7 Plymo drop
- Fire on Barlow St 2/22/24
- Fire 2: 3K service
- Tower 2: R/R trailing axle inner tire replaced
- DEF fluid ordered and delivered to all houses with truck requiring it
- SCBA bottle # 58 repaired
- Lt Lavoie helmet insert replaced
- Fire 5: Front pads & rotors, Rear pads, rotors and calipers. New battery. 3K service & inspection
- Fire 2: O2 sensor replaced in 4) gas meter
- New fire hose received for the new E- 5 & E-1, delivered to respective stations.

Jay Kelly
Equipment Technician

Richard Hart
Chief of Department

INCIDENT NUMBER	ALARM DATE TIME	INCIDENT TYPE
BFD-2024-0000406	2/14/2024 10:59	111 - Building fire
BFD-2024-0000454	2/20/2024 23:29	531 - Smoke or odor removal
BFD-2024-0000455	2/21/2024 0:02	111 - Building fire
BFD-2024-0000459	2/21/2024 13:47	551 - Assist police or other governmental agency
BFD-2024-0000468	2/22/2024 10:20	700 - False alarm or false call, other
Total		

AID TYPE	APPARATUS NAME	AIDING DEPARTMENT NAME	TOTAL AID RECEIVED
Mutual aid given	Engine 4	Southington Fire Department	
Mutual aid given	Engine 3	Plainville Fire Department	
Mutual aid given	Engine 4	Southington Fire Department	
Mutual aid given	Engine 3	New Britain	
Mutual aid received	Engine 4	New Britain	1
			1

TOTAL AID G MUTUAL AID F AUTOMATI MUTUAL A AUTOMATI OTHER AID

1				1		
1				1		
1				1		
1				1		
	1					
4	1	0	4	0	0	

OVERLAPPING CALLS	INCIDENT NUMBER	NUMBER OF INCIDENTS	
		OVERLAPPING	ALARM DATE/TIME
Overlap 1		2	
	BFD-2024-0000338		2/2/2024 18:00
	BFD-2024-0000339		2/2/2024 18:15
Overlap 2		2	
	BFD-2024-0000354		2/5/2024 15:24
	BFD-2024-0000355		2/5/2024 15:48
Overlap 3		2	
	BFD-2024-0000378		2/9/2024 16:18
	BFD-2024-0000379		2/9/2024 16:35
Overlap 4		2	
	BFD-2024-0000384		2/10/2024 12:40
	BFD-2024-0000385		2/10/2024 13:30
Overlap 5		2	
	BFD-2024-0000406		2/14/2024 10:59
	BFD-2024-0000407		2/14/2024 12:02
Overlap 6		2	
	BFD-2024-0000408		2/14/2024 14:23
	BFD-2024-0000409		2/14/2024 14:27
Overlap 7		2	
	BFD-2024-0000419		2/16/2024 19:19
	BFD-2024-0000420		2/16/2024 19:20
Overlap 8		2	
	BFD-2024-0000423		2/17/2024 11:20
	BFD-2024-0000424		2/17/2024 11:27
Overlap 9		2	
	BFD-2024-0000438		2/18/2024 22:22
	BFD-2024-0000439		2/18/2024 22:34
Overlap 10		2	
	BFD-2024-0000451		2/20/2024 17:08
	BFD-2024-0000452		2/20/2024 17:35
Overlap 11		2	
	BFD-2024-0000459		2/21/2024 13:47
	BFD-2024-0000460		2/21/2024 14:31
Overlap 12		2	
	BFD-2024-0000464		2/22/2024 8:22
	BFD-2024-0000466		2/22/2024 8:31
Overlap 13		2	
	BFD-2024-0000481		2/24/2024 11:52
	BFD-2024-0000482		2/24/2024 12:14
Overlap 14		3	
	BFD-2024-0000483		2/24/2024 15:07
	BFD-2024-0000484		2/24/2024 15:36
	BFD-2024-0000485		2/24/2024 15:59
Overlap 15		2	

	BFD-2024-0000492		2/26/2024 16:25
	BFD-2024-0000493		2/26/2024 16:29
Overlap 16		2	
	BFD-2024-0000493		2/26/2024 16:29
	BFD-2024-0000494		2/26/2024 16:49
Overlap 17		2	
	BFD-2024-0000496		2/27/2024 6:28
	BFD-2024-0000495		2/27/2024 6:30
Overlap 18		2	
	BFD-2024-0000504		2/27/2024 17:07
	BFD-2024-0000505		2/27/2024 17:18
Overlap 19		2	
	BFD-2024-0000510		2/28/2024 14:48
	BFD-2024-0000511		2/28/2024 15:14
Count of Overlapping Incidents		39	

LAST UNIT
CLEARED
DATE/TIME

2/2/2024 18:15
2/2/2024 18:26

2/5/2024 16:21
2/5/2024 15:56

2/9/2024 16:35
2/9/2024 16:47

2/10/2024 13:30
2/10/2024 14:18

2/14/2024 12:18
2/14/2024 12:19

2/14/2024 14:28
2/14/2024 14:44

2/16/2024 19:37
2/16/2024 19:26

2/17/2024 11:40
2/17/2024 11:36

2/18/2024 22:40
2/18/2024 22:40

2/20/2024 17:48
2/20/2024 18:27

2/21/2024 15:49
2/21/2024 14:52

2/22/2024 8:50
2/22/2024 8:34

2/24/2024 13:15
2/24/2024 12:25

2/24/2024 15:59
2/24/2024 15:45
2/24/2024 16:13

2/26/2024 16:31
2/26/2024 17:37

2/26/2024 17:37
2/26/2024 16:53

2/27/2024 6:36
2/27/2024 6:58

2/27/2024 17:28
2/27/2024 17:28


2/28/2024 15:27
2/28/2024 15:42

	NUMBER OF CIVILIAN FIRE CASUALTIES			
	NUMBER OF FIRES	DEATHS	INJURIES	ESTIMATED
Private Dwellings (1 or 2 family), Including mobile homes	2	1	0	300
Apartments (3 or more families)	5	0	0	600
Hotels and Motels	0	0	0	0
All Other Residential (dormitories, boarding houses, tents, etc.)	0	0	0	0
TOTAL RESIDENTIAL FIRES	7	0	0	900
Public Assembly (church, restaurant, clubs, etc.)	0	0	0	0
Schools And Colleges	0	0	0	0
Health Care And Penal Institutions (hospitals, nursing homes, prisons, etc.)	0	0	0	0
Stores And Offices	0	0	0	0
Industry, Utility, Defense, Laboratories, Manufacturing	0	0	0	0
Storage In Structures (barns, vehicle storage garages, general storage, etc.)	0	0	0	0
Other Structures (outbuildings, bridges, etc.)	0	0	0	0
TOTALS FOR STRUCTURE FIRES	7	0	0	900
Fires In Highway Vehicles (autos, trucks, buses, etc.)	1	0	0	10000
Fires In Other Vehicles (planes, trains, ships, construction or farm vehicles, etc.)	0	0	0	0
Fires outside of Structures with Value involved, but Not Vehicles (outside storage, crops, timber, etc.)	0	0	0	0
Fires in Brush, Grass, Wildland (excluding crops and timber), with no value involved	1	0		
Fires in Rubbish, Including Dumpsters (outside of structures), with no value involved	1	0		


All Other Fires	1	0	0	500
TOTALS FOR FIRES	11	0	0	11400

Rescue, Emergency Medical Responses (ambulance, EMS, rescue)	60
False Alarm Responses (malicious or unintentional false calls, malfunctions, bomb scares)	21
Mutual Aid Responses Given	4
Hazardous Materials Responses	8
Other Hazardous Responses (arcing wires, bomb removal, power line down, etc.)	15
All Other Responses (smoke scares, lock-outs, animal rescue, etc.)	54
TOTAL FOR ALL INCIDENTS	173

	NUMBER OF CONFINED FIRES	NUMBER OF NONCONFINED FIRES
Residential Fires	3	1
Structure Fires	0	0



HEAT MAP





FDR-NFIRS-011: Count of Incidents by Apparatus, 2024

APPARATUS NAME	JAN 2024	FEB 2024	MAR 2024	APR 2024	MAY 2024	JUNE 2024	JULY 2024	AUG 2024	SEPT 2024
Tower 2	2	2							
D/C Spare		1							
Engine 1	130	98	19						
Engine 2	59	34	12						
Engine 3	93	50	14						
Engine 4	91	50	13						
Engine 5	107	62	11						
Engine 7		1							
Fire 2	106	63	16						
Fire 3	2		1						
Fire 4		1							
Fire 5		2							
Support 1	4								
Tower 1	98	47	11						
Total Apparatus Assigned	692	411	97						
Total Unique Incidents	323	190	41						
Average Apparatus Per Incident	2.1	2.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0

FDR-NFIRS-011: Count of Incidents by Apparatus, 2024

Bristol FD
Address: 181 N Main St, Bristol, CT, 06010



Description: This report shows the count that each time an apparatus was assigned to a call and documented in the NFIRS report broken down by month with a year total. The last three rows of this report show "Total Apparatus Assigned", "Total Unique Incidents" and "Average Apparatus Per Incident". Total Apparatus Assigned means the total count of all apparatus recorded in an NFIRS record for that month. This can include an apparatus that is added to a call but canceled prior to going en route. It is entirely calculated off of the NFIRS report. The Total Unique Incidents is the total count of NFIRS records during each period. And the Average Apparatus Per Incident simply divides the Total Apparatus Assigned by the Total Unique Incidents. Example: if 1,729 apparatus were documented in January across 1,236 NFIRS records, the Average Apparatus Per Incident would be 1.4. Imported records are not included because the legacy NFIRS files may or may not match how apparatus are configured in First Due. This report also excludes Aiding Apparatus from other departments.