



*City of Bristol
Board of Fire Commissioners*

INFORMATION TO ACCESS THIS MEETING

<https://bristolct-gov.zoom.us/j/81007183634?pwd=N2hOQkw5WTk4MHBueGdWUEN3V1paQT09>

*Meeting ID: 810 0718 3634
Passcode: 303484*

The regular Board of Fire Commissioners will be held on Thursday, September 25, 2025, at 6:00pm in City Hall Council Chambers, 111 North Main Street, Bristol, Connecticut.

AGENDA

1. Call to Order
2. Employee Recognition
3. Public Participation
4. Communications
5. Approval of Minutes
 - a. Approval of the August 28, 2025 meeting minutes
 - b. Approval of the September 9, 2025 Personnel Committee meeting minutes
 - c. Approval of the September 10, 2025 Personnel Committee meeting minutes
6. Approval of Monthly Reports
 - a. August Monthly Reports
 - b. Pictures of the new Ladder 2
7. Committee Reports
 - a. Fire Station 3 Building Committee Report
 - b. Personnel Committee Report
8. Old Business

9. New Business

10. Adjournment

PER ORDER OF THE CHAIRPERSON

Fire Station 3 Building Committee Regular Meeting August 27, 2025

**A Regular Meeting of the Fire Station 3 Building Committee was held on Wednesday,
July 30, 2025 at 6:00 p.m., in Meeting Room 1-4 of City Hall,
111 N Main Street Bristol, CT**

Present: Committee Member Sean Moore, Fire Chief Richard Hart, Committee Member John Lodovico and Commissioner Ray Rogozinski, Fire Captain Craig Henderson, and Architect Christopher Nardi.

Present on Zoom: Committee Member David Maikowski and Council Member Sebastian Panioto

1. CALL TO ORDER

- a. The meeting was called to order by Commissioner Moore at 6:03 p.m.

2. PUBLIC PARTICIPATION

- a. None.

3. APPROVAL OF THE MEETING MINUTES

- a. On motion of Commissioner Lodovico and seconded by Chief Hart, it was unanimously voted: To approve the July 30, 2025 Meeting Minutes. Following a voice vote in which there was no opposition, the Chairperson declared the motion carried.

4. ARCHITECT UPDATE

- a. Architect Christopher Nardi reviewed the building sign. He committee requested to move Roger Rousseau's name under the Building Committee category as the Purchasing Agent, and edit Firestation to Fire Station.
- b. The committee reviewed pay application #9. On motion of Committee Member Rogozinski seconded by Committee Member Lodovico it was unanimously voted to: Approve pay application #9 in the amount of \$4266,993.00.
- c. The committee reviewed the driveway into and around the rear of the building. There was concern of the turn to the rear of the building and into the bay being too tight for the apparatus. The committee decided to request an additional 10 feet of asphalt be added to the driveway at the rear of the building and the application be submitted to Zoning for review in the event it is needed. The committee agreed to map out the existing driveway plans at Station 4, and use an apparatus with the same specs to test the size of the driveway and the swing/ turns. The committee the voted unanimously on motion of Committee Member Rogozinski and seconded by Chief Hart to: authorize department of Public Works

Engineering, The Fire Department, and the Design Team to proceed in the process of testing the truck and turns at Station 4 with the design as it is, then review for accuracy, and revise plans according to findings.

- d. Architect Nardi reviewed the updated schedule and confirmation of completion and turn over dates. He expressed concern of the completion of the masonry work as they are currently 4-6 weeks behind schedule due to lack of man power. WJ Mountford presented an idea to the design team to continue with the project by installing the windows and frames ahead of the masonry work being in place. The committee expressed concern about installing the frames first sighting potential of gaps, damaging the frames/ windows, and extra mudding being used and breaking down overtime. They discussed the potential of additional expenses should the project run over schedule with Silver Petrucelli and DOWNES. The committee requested a special meeting to discuss concerns. Architect Nardi will schedule.
- e. The committee reviewed the Purposed Change Orders Log. As of now the project has a credit of \$69,000.00. New change orders were discussed.
 - i. PCO 022R for the revision of the sanitary sewer testing was requested to be deferred until next month pending further information.
 - ii. PCO 023 was reviewed for the installation of a step-up transformer for the gear dryer in the amount of \$5,785.00. On motion of Committee Member Rogozinski and seconded by Chief Hart it was unanimously voted to: Approve PCO 023.
 - iii. PCO 025 for the removal of the wheel guards at the corners of the apparatus bay doors in the amount of \$-10,049.00. On motion of Committee Member Rogozinski and seconded by Committee member Lodovico it was unanimously voted to: Approve PCO 023.
 - iv. PCO 026 was reviewed for the removal of large boulders and rock removal in the amount of \$2,791.00. On motion of Committee Member Rogozinski and seconded by Committee Member Maikowski it was unanimously voted to: Defer PCO 026 to next month pending further information.
 - v. PCO 027 was reviewed for the addition of underground piping for the drain spouts under ground in the amount of \$13,455.00. On motion of Committee Member Rogozinski and seconded by Committee Member Lodovico it was unanimously voted to: Approve PCO 027.
 - vi. PCO 028 was reviewed for revisions to the shower walls not originally accounted for in the plans to add surrounds in the amount of \$8,115.00. On motion of Committee Member Rogozinski and seconded by Committee Member Lodovico it was unanimously voted to: Approve PCO 028. It was noted there would be a small credit back for taping, mud, and paint.

- vii. PCO 029 was reviewed for exterior PA system speakers in the amount of \$2,890.00. PCO 030 was reviewed as a revision to AV system items not needed in the amount of \$-8,790.00. On motion of Chief Hart and seconded by Committee Member Lodovico it was unanimously voted to: Approve PCO 029 for two speakers, and PCO 030 for \$-8790.00. the committee discussed the need for a switch to turn off the external speakers as needed or to set on a timer. It was noted that all stations currently have exterior speakers.
- f. The committee reviewed The Project Manager's Report and on motion of Committee Member Rogozinski and seconded by Committee Member Lodovico it was unanimously voted to: Approve and file Frank's report.

5. OLD BUSINESS

- a. None.

6. NEW BUSINESS

- a. Captain Henderson requested an awning/ overhang be added to the entrance off of the day room. They discussed there will be no step and the landing will be flush with the door. Architect Nardi will review and present to the committee.

7. ADJOURN

- a. On motion of Committee Member Lodovico and seconded by Chief Hart it was unanimously voted: To adjourn at 6:58 p.m.

Recording Secretary: Sara Bianchi

**Fire Board Personnel Sub Committee
MINUTES OF SPECIAL MEETING
Tuesday, September 9, 2025
Human Resources Conference Room, City Hall**

ATTENDEES: Commissioners Anthony Benvenuto, Dana Jandreau, Harold Kilby, and Chief Richard Hart

Item 1 – To convene into executive session to consider candidates for an entry-level firefighter vacancy.

It was motioned by Commissioner Jandreau **and seconded** by Commissioner Benvenuto **to convene into executive session on September 9, 2025 at 8:45 a.m., and it was unanimously approved.**

Item 2 – To reconvene into public session and to take any action necessary.

It was motioned by Commissioner Jandreau **and seconded** by Commissioner Kilby **to reconvene into public session.**

Discussion: No votes were taken during executive session.

All in favor.

Item 3 – To adjourn.

It was motioned by Commissioner Benvenuto **and seconded** by Commissioner Jandreau **to adjourn the meeting at 3:45 p.m., and it was unanimously approved.**

Respectfully submitted,
Sara Bianchi

**Fire Board Personnel Sub Committee
MINUTES OF SPECIAL MEETING
Tuesday, September 10, 2025
Human Resources Conference Room, City Hall**

ATTENDEES: Commissioners Anthony Benvenuto, Dana Jandreau, Harold Kilby, and Chief Richard Hart

Item 1 – To convene into executive session to consider candidates for an entry-level firefighter vacancy.

It was motioned by Commissioner Jandreau **and seconded** by Commissioner Benvenuto **to convene into executive session on September 10, 2025 at 8:45 a.m., and it was unanimously approved.**

Item 2 – To reconvene into public session and to take any action necessary.

It was motioned by Commissioner Jandreau **and seconded** by Commissioner Kilby **to reconvene into public session.**

Discussion: No votes were taken during executive session.

All in favor.

Item 3 – To adjourn.

It was motioned by Commissioner Benvenuto **and seconded** by Commissioner Jandreau **to adjourn the meeting at 4:30 p.m., and it was unanimously approved.**

Respectfully submitted,
Sara Bianchi



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Fire Chief's July Monthly Report

August 28, 2025

To the Honorable Fire Commissioners;

The month of August saw the BFD respond to 242 calls for service. There were 2 residential structure fires, 3 total structure fires, 66 EMS, extrication/rescue, and 59 false alarms.

Mutual Aid: 2

Employee recognition:

None

Personnel:

Lt. Plourde and FF Barry returned to full duty

Apparatus/equipment:

Took delivery of new Engine 1 on July 11 and it has been placed in service

Engine 5 repairs completed and placed back in service

Stations and Facilities:

Station 3 construction moving along nicely

Ramp and parking lots at Headquarters scheduled to be resurfaced this fall

Station 2 remodel RFQ for design requested through DPW (Dave Oakes)

Meetings and Public Functions:

Began monthly meetings with the Mayor to keep him updated on issues, events, occurrences in the Department



BRISTOL FIRE DEPARTMENT
181 NORTH MAIN ST.
BRISTOL CT

OFFICE OF THE FIRE CHIEF
RICHARD HART
FIRE CHIEF

Met with new District Coordinator from the American Red Cross along with Harley Graine (EM)

Ongoing construction meetings with the contractor for Station 3

Participated in national Night Out

Participated in the combined Mayor's Pencil Hunt and Back to School Bash

Attended Farmer's Market with Molly

Provided 2 rides to the first day of school on the fire engines

Met with DPW to discuss potential issue with Station 3 driveway. Fortunately issue resolved itself

Miscellaneous:


Numerous training evolutions conducted at an acquired structure on Jerome Ave., courtesy of Bob Tabacco of Tabacco Construction (thank you note sent). Having opportunities like this allows the Department to exercise practical skills and evolutions in typical building stock which makes training more realistic.


Respectfully submitted,

A handwritten signature in black ink, appearing to read "Richard Hart".

Richard Hart

Fire Chief





Tower 1 Monthly Report August 2025

Summary

Tower 1 responded to 66 calls for service in August.

Personnel

Training:
- Members conducted in house training in various rescue skills

- Nothing to report.

Breakdown of Calls:

4 - Fire (6.06%)
10 - Rescue / EMS (15.15%)
5 - Hazardous Condition (7.58%)
1 - Calls for Service (1.51%)
3- Good Intent (4.55%)
42 - False Alarm / False Call (63.64%)
YTD – 556 calls

Apparatus/Equipment

- Tower 1 went out of service for repairs to the driveshaft, rear suspension, and brake system. As of this writing, it is still out of service.

Fire Stations/Facilities

- We are still waiting on the electrician to install a traffic signal control button for the light in front of the firehouse.

Miscellaneous

- Nothing to report.

Respectfully submitted,
James Plaster
Captain
Tower 1

Engine Company 1

Monthly Report

August, 2025

Summary

Engine 1 Personnel responded to 125 calls for service, which included two MVA with extrication. Training at a property slated for demolition on Jerome Ave. Engine 1 participated in the back-to-school bash held by the mayor's office. Last day of MDA completed in August. Over 30,000 raised for MDA!

Breakdown of Calls:

9 - Fire (7.3%)
2 - Rescue / EMS (1.6%)
12 - Hazardous Condition (9.6%)
43 - Calls for Service (34.4%)
13 - Good Intent (10.4%)
46 - False Alarm / False Call (36.8%)
YTD -784 calls

July Training:

--victim removal via ladder.

VEIS (vent enter isolate search) drill

Hose advancement

Ventilation cutting from ladders

Personnel. None to report

Apparatus/Equipment

- Engine 1 officers side mirror tightened by FET Kelly.
- Knox Box system installed engine 1.
- E1-02 SCBA back from repair

Fire Stations/Facilities

- HQ emergency generator issues repaired.
- PlymoVent hose torn from improper sized exhaust on Engine 1. Tail pipe scheduled to be replaced before system repaired.
- Bauer SCBA compressor repaired at HQ.
- Light in fire fighter's bathroom replaced.
- New boiler emergency shut off switch installed in truck bay area as required by state regulations and requested by insurance company.
- Engine 1 Sensit meter out for repair.

Miscellaneous

08-09-25 New Engine 1 was hit by a motor vehicle while parked to protect a motor vehicle accident on South Street. Incident investigated by Bristol Pd, minor damage (scratch) to the rear officers' side Engine 1. No one injured.

Respectfully submitted, Captain, Thomas Scully

Engine 2 Monthly Report August 2025

Summary

August was a productive and focused month for Station 2. Probationary Firefighter Ryan Blaney completed his “world tour” of all firehouses, gaining valuable experience and exposure to operations across the city. Engine 2 crews participated in high-value hands-on training at a vacant structure and continued preparing for upcoming promotional opportunities. Station operations remained smooth throughout the month with no mechanical issues reported.

Breakdown of Calls:

3- Fire (5.26%)
9 - Rescue / EMS (15.79%)
6 - Hazardous Condition (10.53%)
5 - Calls for Service (1.76%)
9 - Good Intent (15.79%)
28 - False Alarm / False Call (49.12%)
YTD – 386 calls

Training:

- Ladder Operatons
- VEIS
- Hose Advancement
- Vertical Ventilation

Personnel

- Probationary Firefighter Ryan Blaney rotated through all firehouses this month as part of his city-wide familiarization assignment.
- Station 2 members continue preparing for several upcoming promotional exams, with many actively studying for the Training Officer exam.

Apparatus/Equipment

- All other apparatus, including Engine 2, Brush 1, and the rescue boat, remained in service without issue.

Fire Stations/Facilities

- Public Works responded to a reported water leak affecting the gear extractor drain and bathroom light switches.
- The drain was snaked and cleaned, revealing that the drain box—used to slow water flow to the main drain—had a crack in it. Public Works continues to monitor for further action.

Miscellaneous

Station 2 personnel continue to uphold a high standard of professionalism and station pride. Crews consistently demonstrate initiative in maintaining equipment, cleaning the station, and supporting one another in both training and operations. The camaraderie and work ethic at Engine 2 remain strong across all shifts.

Respectfully submitted,
Todd Cutler
Captain Engine 2

Engine Company 3

Monthly Report

August, 2025

Summary

Station 3 Personnel responded to 61 calls for service this month. Engine 3 responded this month to a cooking fire that we quickly contained. 2 brush fires and a dumpster fire. Engine participated in giving a Hubble school student a ride to school on their first day.

Dept. Training:

Vertical ventilation. Vent, Enter, Search Training
Hose Advancement & Victim rescue but portable ladders.

Company level training

Meters and PPE

Breakdown of Calls:

4- Fire (6.56%)
22 - Rescue / EMS (36.07%)
7 - Hazardous Condition (11.47%)
1- Calls for Service (1.64%)
8- Good Intent (13.11%)
16- False Alarm / False Call (26.23%)
3- Special Incident/ In progress
4.91%
YTD – 452 calls

Personnel

- No changes but FF. Regis and FF. Zurles were recognized this month for their actions at a fire on Vance Dr. last month.

Apparatus/Equipment

- E3-01 Back in service.
- E6-03 back in service from repair.
- New lock out kit was added to Engine 6.

Fire Stations/Facilities

- The station's fire alarm system was inspected and serviced.

Miscellaneous

The members of engine 3 have been doing practicing a number of different skills in multi-company drills this month.

Respectfully submitted,

Craig Henderson

Captain Craig Henderson
Bristol Fire Dept. Engine 3

Engine Company 4

Monthly Report

August 2025

Summary Engine 4 responded to 62 calls for service in the month of August.

Personnel August was a very productive month of

August Training:

- VES (Vent/Enter/Search)

- Hose Line Advancement

- Roof Ventilation

training as all personnel went back to the basics of structure fire tactics. The Fire Chief and training division were able to acquire a

residential structure on Jerome Avenue that was used to facilitate structure fire tactical objectives. Crews stretched hose lines in to simulate fires on different floors, practiced placing a ladder below a window and entering to rescue and remove a victim, and laddering the roof to cut a hole and vertically ventilate. These evolutions were very productive as they provided a real life, yet safe environment for practice at true emergencies. The ability to train in real structures is a great way for members to gain experience, become more competent, and achieve confidence when providing our services.

Breakdown of Calls:

1 Fire 8 (12.9%)
2 Explosion 0 (0%)
3 Rescue/ EMS 10 (16.13%)
4 Hazardous condition 3 (4.84%)
5 Service Call 7 (11.29%)
6 Good Intent 4 (6.45%)
7 False Alarm 30 (48.39%)
8 Weather 0 (0%)
9 Special 0 (0%)

In progress 0 (0%)

Apparatus/ Equipment

- Engine 4 went out for service on 8/11 for mechanical issues and Engine 7 was used as a front-line piece during that time. Engine 4 returned to service later in August
- Engine 4's Hurst tools and batteries were tested by a third party and passed
- Engine 4's shoreline plug was replaced by the Fire Equipment Technician

Fire Stations/Facilities

- Alarm company came to test the system on 8/20
- House supplies were delivered
- Engineer from the City came to take measurements for the turning radius of the new Ladder Truck that will be housed at Station 3 to see if the site at Station 3 will need adjustment prior to finalization

Miscellaneous

- The HAMM radio club used the training classroom for their monthly meeting in August
- Muscular Dystrophy Association (MDA) collection took place on 8/9 at Redstone Hill Road and Birch Street
- Members of the department from the Peer Support team were recognized at the Fire Commissioners meeting for their role in the wake of the Line of duty Death in Plainville
- Members who participated in a rescue from a house fire on Vance Drive were also recognized at the same Fire Commissioners meeting

Lieutenant Adam Dellaventura has prepared this monthly report under Captain McKearney. It has been a privilege to have the opportunity to participate in the preparation of these monthly reports these last several months.

Respectfully submitted,

Lieutenant

Adam Della Ventura

Adam Della Ventura

Captain

Scott McKearney

Scott McKearney

ENGINE COMPANY #5

MONTHLY REPORT

AUGUST 2025

SUMMARY

Engine Company #5 responded to 74 Calls for Service in the Month of August 2025. Calls for service breakdown is as follows:

2 – Fire (2.7%)

21 – Rescue & Emergency Medical Service Incident (28.38%)

8 – Hazardous Condition No Fire (10.81%)

11 – Service call (14.87%)

9 – Good Intent Call (12.16%)

23 – False Alarm & False Call (31.08%)

PERSONNEL

All Groups remained the same for the month of August 2025. Nothing new to report.

APPARATUS/EQUIPMENT

Engine #5 was returned to service as a front line apparatus after an extensive and lengthy repair during the earlier portion of the month of August. It is in very good condition and holding up extremely well. All Groups were able to re familiarize themselves with it before being placed back into service.

Engine #8 was placed back in service as a spare engine and is being housed at Station #5.

No new equipment was introduced during the month of August.

FIRE STATION/FACILITIES

Nothing new to report at this time.

SURVEYS

Some of the locations that were visited during the month of August include Little League located @ 335 Jerome Avenue, Home Depot, Chippanee Country Club, 1175 Farmington Avenue formerly New Cambridge Apartments, Boardman Street Apartments, Georgian Manor 500 Stafford Avenue, Brook Street Apartments, and Bristol Eastern High School.

RESPECTFULLY SUBMITTED

CAPTAIN BRIAN D'AMATO

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

August 2025



Kristopher Lambert

Kristopher Lambert, Fire Marshal

**CITY OF BRISTOL FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
MONTHLY REPORT**

August 2025



TO: City of Bristol Fire Board Members
FROM: Kristopher Lambert, Fire Marshal
SUBJECT: Monthly Report – August 2025

INCIDENTS

There were two hundred forty-eight (248) incidents for this month that required computer-generated reports communicated to the State Fire Marshal's Office and FEMA. There were zero (0) investigation(s) of fire/explosions by this office. Total estimated loss for the period is \$00,000 dollars.

There were zero (0) civilian injury(s), and zero (0) Firefighter injurie(s) reported during this period. There were two (2) mutual aid call(s) given/received within the month. A copy of the cumulative monthly inspection reviews and permits account is included with this report.

REVIEWS, MEETINGS, MISC.

- Private Hydrants – Fifty-one (51) reported as having been tested for the year and all fifty-one (51) hydrants are compliant. This represents twenty-point four percent (20.4%) of the total number of private hydrants within the municipality.
- Nineteen (19) plans for new construction, occupancy changes, and renovations were reviewed. Some of the plans included electrical and mechanicals, including Fire Alarm and Fire Sprinkler systems. Site plan drawings are also included. Coordination and consultation regarding plan review is ongoing with other city agencies.
- The Fire Marshal's Office attended four (4) formal Site Plan Committee meetings this month to coordinate details for future Plan Review submittals in the City of Bristol. Approximately twenty-nine (29) other site meetings attended by staff were conducted with business/property owners.

- There were approximately ninety-eight (98) Fire Prevention Bureau business related calls managed by the staff this month.
- Approximately thirty (30) visitors were received at our office to speak with Fire Marshal Personnel.
- The office has shifted its focus slightly in order to assist with the Code Enforcement Committee's aggressive pursuit of substantial code compliance within the city. This approach has proven to be beneficial from an efficiency standpoint with regards to us gaining legal access to the properties for inspections.

TRAINING CLASSES

- Staff of the Fire Marshal's Office earned sixteen (16) hour(s) of continuing education credits this month.

INSPECTIONS AND PERMITS **

- 37 Apartment Building Inspections (109 units)**
- 8 Assembly Occupancy Inspections
- 8 Automatic Sprinkler System Inspections
- 1 Blasting Permit(s) Issued
- 10 Business Occupancy Inspections
- 1 Certificate of Compliance
- 8 Complaint Inspections
- 6 Day Care Inspections
- 9 Educational Inspection
- 15 Fire Alarm Inspections
- 3 Fire Investigations
- 2 Gasoline Station Inspection
- 3 Health Care / Nursing Home / Group Home Inspections
- 4 Hood & Duct Inspections
- 0 Hotel / Dorm
- 2 Industrial / Storage Inspections
- 0 Liquor License Inspections
- 2 Mercantile Inspections
- 0 Modification Application(s)
- 0 Recreation/Summer Camp
- 0 Residential Board / Care
- 0 Special Amusement/Assembly Inspection
- 0 Tent Inspections

****** In larger residential occupancies, where the building construction is modular in design and contains similar apartments with like layouts and amenities, representative apartments are chosen at random to determine compliance with the Connecticut State Fire Safety Code (CSFSC) and the Connecticut State Fire Prevention Code (CSFPC). With smaller occupancies, we do commonly enter as many units as possible where access is granted and time permits. The corresponding figures represent the number of occupancies and the total number of units affected by the inspection. *In order to achieve our statutory inspection requirements, I strongly recommend increasing the number certified personnel in this office to eight (8). There has been a significant increase in the number of residential units within this city to support the need for additional personnel within this office. While the number of residential units has increased over the years, the staff of this office has not.*

OFFICE OF THE FIRE MARSHAL STAFF VEHICLES

Fire 3 - 2013 Ford Explorer - White
Fire 4 - 2012 Ford Escape – Gray
Fire 5 - 2011 Dodge Grand Caravan - White
Fire 6 - 2013 Ford Expedition - Red

Mileage and fuel usage reports are generated automatically and submitted by the mechanic.

Incident Report


Report Type

Response Breakdown

x Date Interval x



Total (248)



- This report evaluates Dispatch records and provides a breakdown by their associated NFIRS Incident Type Series.
- Associations are mapped by the user in Dispatch Incident Type, and any unmapped Dispatch Incident Type will be categorized as "Not Mapped".
- Because Dispatch records are counted, there may be a difference between the result here and your incident count based on Incident Reports.



Incident Report


Report Type

Mutual Aid Summary

X Date Interval x



Total aid given and received (2)



Completed Fire Code Inspection Assignments Month of **August 2025**

Fire Marshal Lambert (Vacation time used - only worked the last two weeks of the month)

Fire Alarm Inspections - 7

Sprinkler Inspections – 3

Standpipe Inspections -

Commercial Inspections:

- Assembly - 4
- Business - 5
- Camps -
- Complaints - 4
- Day Care – 5
- Dormitories -
- Educational -
- Fire Drills -
- Fire Works/Special Effects-
- Gas Station -
- Group Home -
- Health Care - 1
- Hood and Duct Inspections - 1
- Hotel -
- Industrial -
- Liquor License Inspections -
- LPG Point of Sale/Bulk Storage -
- Mercantile - 2
- Nursing Home -
- Residential Board and Care -
- Special Amusement/Assembly –
- Storage - 2
- Tent -

****Residential Inspections - Buildings @ Units**

Fire Investigations –

Meetings - 5

Certificate of Occupancy –

Certificate of Compliance - 1

Plan Reviews - 11

Modifications - 1

Blasting Permit -

Phone Calls/Messages - 19

OEDM Training -

Continuing Education Training - 1.5 hrs.

Completed Fire Inspection Assignments Month of August 2025 Fire Inspector Hoyt

Fire Alarm Inspections - 2

Sprinkler Inspections - 1

Commercial Inspections

- Assembly -
- Business - 2
- Carnival -
- Day Care - 2
- Dormitories -
- Educational - 7
- Fire Drills - 1
- Fire Works/Special Effects-
- Group Home -
- Health Care –
- Industrial -
- Mercantile -
- Nursing Home - 1
- Residential Board and Care -
- Special Amusement/Assembly -
- Tent -
- Liquor License Inspections –
- Hood and Duct Inspections - 1
- Gas Station -
- LPG Point of Sale/Bulk Storage -

Residential Inspections

- Buildings- 10 @ Units- 42
- Fire Investigations –

Meetings- 2

Complaints- 4

Plan Reviews - 3

Modifications -

Blasting Permit - 1

Phone Messages/Calls – 19

Department Training –

Public Fire Education –

Continuing Education/CFI- 7

Completed Fire Inspection Assignments Month of August 2025

Fire Inspector Robotham

Fire Alarm Inspections - 4

Sprinkler Inspections - 2

Commercial Inspections -

Assembly - 3

Business - 3

Carnival -

Day Care -

Dormitories -

Educational - 2

Fire Drills - 1

Fire Works/Special Effects-

Group Home - 1

Health Care -

Industrial - 1

Mercantile -

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections -

Hood and Duct Inspections - 2

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections – 7 BLDG 32 Units

Residential Completed Inspections -

Fire Investigations - 0

Meetings - 7

Complaints -

Plan Reviews - 5

Modifications -

Blasting Permit -

Phone Messages - 15

OEMD Training – 8

Department Training –

Public Fire Education – 1

Completed Fire Inspection Assignments Month of August 2025
Fire Inspector Michael Yacovino

Fire Alarm Inspections - 2

Sprinkler Inspections - 2

Commercial Inspections -

Assembly - 1

Business -

Carnival -

Day Care -

Dormitories -

Educational -

Fire Drills -

Fire Works/Special Effects-

Group Home -

Health Care -

Industrial -

Mercantile -

Nursing Home -

Residential Board and Care -

Special Amusement/Assembly -

Tent -

Liqueur License Inspections -

Hood and Duct Inspections -

Gas Station -

LPG Point of Sale/Bulk Storage -

Residential Inspections - Buildings 20 @ 65 units

Residential Completed Inspections -

Fire Investigations -

Meetings - 10

Complaints - 3

Plan Reviews - 10

Modifications -

Blasting Permit -

Phone Messages – 21 messages

OEMD Training -

Fire 6 - Actual Mileage_____ as of _____ Gallons_____

BRISTOL FIRE DEPARTMENT – TRAINING DIVISION

Lt. Nathan England – Acting Training Officer

MONTHLY TRAINING REPORT

August 2025

August Summary

The Training Division had another productive month. I continued scheduling Pulmonary Function Testing. I assisted the equipment tech with dropping off and picking up apparatus. Formatted and conducted a training class for hose line advancement, victim rescue, roof ventilation, and victim searches. I continued to work on PPE organization and tracking. I also explored several new training opportunities and responded to multiple incidents as the Incident Safety Officer.

Training Highlights

Pulmonary Function Testing (3 Sessions)

Focus: Meet OSHA standards.

Objective: Contract with MEDWORKS.

Hose Line Advancement (8 Sessions)

Focus: 1 ¾” attack lines with the new engines.

Objective: Deploy and pump attack lines from the two new pumpers.

Victim Rescue and removal (8 sessions)

Focus: Victim rescue.

Objective: Remove a victim down a ladder on uneven ground

Vent, Enter, and Search a room for additional victims

Roof Ventilation (4 sessions)

Focus: Vertical Ventilation.

Objective: Using the vacant home on Jerome Ave, crew practiced cutting roofs for purpose of ventilation training

Facility Utilization

- **Training Room Support** – The classroom continued to serve both internal and external logistical needs throughout the month.

Operational Support & Division Management

- **Training Planning** – Develop lesson plans for hose line advancement, victim rescue, roof ventilation, and victim searches
- **Outside vendors** – Spoke with Tuck Tactics and Trauma response to set up days, Fire Matic for training days, CFA AFG grant classes
- **PPE Coordination** – 2 members sized to submit add on gear order
- **Public Relations** – Training at a vacant home on Jerome Ave

Challenges

- **Personnel Availability** – As a division of one, I was out of work with illness multiple working days and unable to effectively do the job.
- **Assistance to Equipment Tech** – Due to the lack of additional staff in the mechanical division, several days were spent assisting the mechanic with picking up and dropping off apparatus and parts.

Next Steps

- Continue PFT
- Continue PPE order
- New Air Bags
- Vehicle extrication

Respectfully Submitted,
Lt. Nathan England

Bristol Fire Department

Mechanical Division Monthly Report

August 2025

Engine 1

- Additional equipment mounting on new E-1

Engine 2

- Repair perimeter light
- Replace deck gun gauge
- Repair R/S On-Spot hose

Engine 4

- Repair shoreline drop
- Cab lift pump replaced
- New cabin air filter
- Cummins: New liners, rings, connecting rod bearings, headgasket

Engine 5

- Repair Plymo drop

Tower 1

- Repair grip Hoist

Tower 2

- Repair 28' ladder halyard
- Repair 4) cab lights

Engine 7

- New cabin air filter
- Install Sensit charger
- Install all "E-7" decals
- Repair wheel chock bracket

Miscellaneous

- All extinguishers department wide annual inspection
- Repair all 3 Plymo drops
- E4-02, T1-01, E3-01, E3-02, T1-05, E1-02, E2-03, Spare 1 repaired
- Annual Hurst testing
- Repair Station 4 SCBA compressor

Jay Kelly
Equipment Technician

Richard Hart
Chief of Department



















